



Supplementary information for Arratia & Quezada-Romegialli

Figure S2. Mitogenomic maximum likelihood tree of Percichthyidae sensu Lavoué et al. (2014) and Betancur-R et al. (2017) considering newly assembled and available mitogenomic sequences. (a) Partitioned data matrix with three partitions (Mt1). (b) Partitioned data matrix with four partitions (Mt2). Numbers at nodes are bootstrap support [bs]. Representatives of Percichthyidae are shown in pink, representatives of Perciliidae are shown in light blue.



b



Bibliography

- Betancur-R R, Broughton RE, Wiley EO, Carpenter K, López JA, Li C, *et al.* The tree of life and a new classification of bony fishes. PLoS Currents Tree of Life. 2013. DOI: 10.1371/currents.tol.53ba26640df0ccaee75bb165c8c26288)
- Betancur-R R, Wiley EO, Arratia G, Acero A, Bailly N, Miya M, *et al.* Phylogenetic classification of bony fishes. BMC Evol Biol. 2017. DOI: 10.1186/s12862-017-0958-3
- Chen W-J, Lavoué S, Beheregaray LB, Mayden RL. Historical biogeography of a new antitropical clade of temperate freshwater fishes. J Biogeogr. 2014; 41(9):1806-18.
- Jerry DR, Elphinstone MS, Baverstock PR. Phylogenetic relationships of Australian members of the family percichthyidae inferred from mitochondrial 12S rRNA sequence data. Mol Phylogenet Evol. 2001; 18(3):335-47.
- Lavoué S, Nakayama K, Jerry DR, Yamanoue Y, Yagishita N, Suzuki N, *et al.* Mitogenomic phylogeny of the Percichthyidae and Centrarchiformes (Percomorphaceae): Comparison with recent nuclear gene-based studies and simultaneous analysis. Gene. 2014; 549(1):46-57.
- Near TJ, Eytan RI, Dornbur A, Kuhn KL, Moore JA, Davis PM, *et al.* Resolution of ray-finned fish phylogeny and timing of diversification. Proc Nat Acad Sci USA. 2012; 109(34):13698-703.
- Near TJ, Dornbur A, Eytan RI, Keck BP, Kuhn KL, Smith WL, Kuhn KL, Moore JA, *et al.* Phylogeny and tempo of diversification in the superradiation of spiny-rayed fishes. Proc Nat Acad Sci USA. 2013; 110:12738-42.
- Smith WL, Craig MT. Casting the Percomorph Net Widely: The Importance of Broad Taxonomic Sampling in the Search for the Placement of Serranid and Percid Fishes. Copeia. 2007; 1:35–55.