CATÁLOGO DOS EROTYLIDAE (COLEOPTERA) NEOTROPICAIS

Moacyr Alvarenga¹

CATALOGUE OF NEOTROPICAL EROTYLIDAE (COLEOPTERA). The present catalog is an inventory of names proposed in Erotylidae (from family through subspecies) occurring in the Neotropical Region, up to the present date (1988). It updates the nomenclature of included taxa, adds taxonomic units proposed after the Kuhn's *Genera Insectorum* (KUHN, 1909) and includes abbreviated references to the literature, which are fully cited at the end of this catalogue. The systematic order follows KUHN, 1909, and afterwards, the position given to each taxa by the original author.

CONTEÚDO

INTRODUÇÃO	1
ABREVIATURAS	2
EROTYLIDAE	3
DACNINAE	3
TRIPLACINAE	5
EROTYLINAE	45
REFERÊNCIAS BIBLIOGRÁFICAS	125
ÍNDICE	133

O presente trabalho é um inventário dos nomes propostos em Erotylidae (de família a subespécie) de ocorrência neotropical, até a presente data (1988).

Atualiza a nomenclatura, adiciona unidades taxonômicas após a publicação do *Genera Insectorum* (KUHN 1909) e fornece indicações bibliográficas resumidas, cuja citação integral aparece no fim do catálogo.

A ordem sistemática utilizada foi a do *Genera Insectorum* (KUHN 1909) e posteriormente a esta data, adotou-se a posição dada a cada táxon pelo próprio autor.

A cada espécie arrolada consta a continuação do nome específico, do autor, do ano e página de publicação; entre parênteses, o gênero em que foi originalmente descrita, a instituição onde o material-tipo encontra-se depositado (quando o mesmo foi localizado, caso contrário, aparece um ponto de interrogação); a localidade-tipo, entre parênteses, as referências e, ao final da listagem, a distribuição geográfica por país – no caso do Brasil, por regiões.

1) Pesquisador Associado, Departamento de Entomologia, Museu Nacional do Rio de Janeiro, Quinta da Boa Vista, 20940-040 Rio de Janeiro, Rio de Janeiro, Brasil.

ABREVIATURAS

ab. – aberração

AMNH – American Museum of Natural History, New York, USA

ANSP – Academy of Natural Sciences of Philadelphia, USA

CARJ – Coleção Alvarenga, Rio de Janeiro

CAS – California Academy of Sciences, San Francisco, USA

CDSP – Coleção Diringshofen (atualmente incorporada ao Museu de Zoologia-USP), São Paulo

DEIB – Deutsches Entomologisches Institut, Berlin, Alemanha

DEME – Deutsches Entomologisches Museum, Eberswalde, Alemanha

desig. orig. – designação original

Distr. – Distribuição

DTNY – Department of Tropical Research, New York Zoological Park, USA

exam. aut. – examinado pelo autor

FIOC – Fundação Instituto Oswaldo Cruz, Rio de Janeiro

FMNH – Field Museum of Natural History, Chicago, USA

HCGU – Hunterian Collection, Glasgow University, Inglaterra

IMLT – Facultad de Ciencias Naturales e Instituto Miguel Lillo, Tucumán, Argentina

MCZC – Museum of Comparative Zoology, Cambridge, Massachusetts, USA

MGFM – Museums Georg Frey, Tutzing bei München, Alemanha

MHMM – Naturhistorisches Museum, Wien, Áustria

MLPA – Museu de La Plata, La Plata, Argentina

MNHN – Muséum National d'Histoire Naturelle, Paris, França

MNRJ – Museu Nacional, Rio de Janeiro

comb.n. – nova combinação

nom.praeoc. – nome ocupado

NHML – The Natural History Museum, London, Inglaterra

NKMS – Naturkundemuseum, Stettin, Alemanha

NMNH – National Museum of Natural History, Washington, D.C., USA

PULI – Purdue University, Lafayette, Indiana, USA

RNHL – Rijkmuseum van Natuurlijke Historie, Leiden, Alemanha

seg. – segundo

syn. – sinônimo

SMTD – Staatliches Museum für Tierkunde, Dresden, Alemanha

Tgen. – espécie-tipo do gênero

Tp. – tipo

Tsubgen. – espécie-tipo do subgênero

UFPR – Universidade Federal do Paraná, Curitiba

UK – Kansas State University, Manhattan, USA

ZMCD – Zoological Museum of Copenhagen, Dinamarca

ZMHU – Zoologisches Museum, Humboldt Universität, Berlin, Alemanha

ZMUH – Zoologisches Museum, Universität Hamburg, Alemanha

ZSBS – Zoologische Staatssammlung, München, Alemanha

EROTYLIDAE Duponchel, 1825

Erotylidae Duponchel, 1825:30-61, 156-176, pls. 1, 2 e 7, 86 figs (Erotylites). - Lacordaire, 1842:1-543 (Erotyliens). - Chapuis, 1876:1-72. - Crotch, 1876:396-572 (Erotylidae). - Gemminger & Harold, 1876:3681-3721. - Fleutiaux, 1886:253-257. - Gorham, 1887-1889:33-114, pls. 2-6, 100 figs; 1898-1899:253-257. - Kuhnt, 1909:1-139, pls. 1-4, 65 figs; 1911:1-103. - Bruch, 1914:346-400. - Leng, 1920:200-201. - Deelder, 1942:49-115, 35 figs - Blackwelder, 1945:456-468. - Boyle, 1956:61-172, 141 figs - Alvarenga, 1965:75-92. - Delkeskamp, 1981:9. - Chûjô & Chûjô, 1988:139.

DACNINAE Crotch, 1876

Lacordaire, 1842:33-73 (Erotyliens engidiformes). - Chapuis, 1876:19-30 (Engidites). - Crotch, 1876:396-418 (Dacnini). - Kuhnt, 1909:93-116. - Gorham, 1887:33-34 (Dacnides). - Boyle, 1956:78-93 (Dacninae). - Delkeskamp, 1981:10. - Chûjô & Chûjô, 1988:140.

Dacne Latreille, 1796

Dacne Latreille, 1796:12 (Tgen.: *Dermestes bipustulatus* Thunberg, 1781:6, seg. Latreille, 1810:427). - Lacordaire, 1842:63. - Crotch, 1873a:352; 1876:396. - Chapuis, 1876:21. - Kuhnt, 1909:94, 96. - Casey, 1916:152. - Deelder, 1942:54. - Boyle, 1956:78,81. - Delkeskamp, 1981:10. - Chûjô & Chûjô, 1988:141.

Engis Paykull, 1800:349 (Tgen.: *Ips humeralis* Fabricius, 1787). - Lacordaire, 1842:63. - Chûjô & Chûjô, 1988:141. (syn.).

californica Horn, 1870:97 (*Engis*). Tp.: ANSP - (California). - Crotch, 1873a:352 (*Dacne*); 1876:397. - Kuhnt, 1909:98, pl. 4, fig. 1; 1911:69. - Casey, 1916:154 - Boyle, 1956:82-83, figs 5, 19, 20 e 54. Distr.: Canadá e USA, região oeste. México, Baja California.

Megalodacne Crotch, 1873

Megalodacne Crotch, 1873a:352 (Tgen.: *Ips fasciata* Fabricius, 1776:213, desig. orig.). - Gorham, 1887:33. - Kuhnt, 1909:114. - Heller, 1918a:141, 156. - Deelder, 1942:56. - Delkeskamp, 1952:62. - Boyle, 1956:78, 88. - Alvarenga, 1965:86. - Delkeskamp, 1981:11. - Chûjô & Chûjô, 1988:177.

Megalodacne (*Psephodacne*) Heller, 1918

Psephodacne Heller, 1918a:141 (Tsubgen.: *Silpha indica* Linnaeus, 1758:360, desig. orig.); 1920:57. - Delkeskamp, 1952:65, 71, 73. - Alvarenga, 1965:88. - Delkeskamp, 1981:21.

Romodacne Delkeskamp, 1937:49 (Tsubgen.: *Ips grandis* Fabricius, 1792:511, desig. orig.); 1952:65. - Delkeskamp, 1981:21 (*Romodacne*) (**syn.**).

audouini Lacordaire, 1842:66 (*Dacne*). Tp. ? - (México). - Crotch, 1876:416 (*Megalodacne*). Gemminger & Harold, 1876, :3682. - Gorham, 1887:34, pl. 2, fig. 2; 1898:253-Kuhnt, 1909:115; 1911:80. - Deelder, 1942:112. - Blackwelder, 1945:468. - Delkeskamp, 1952:70, 72, fig. 5b. Distr.: México.

ab. *unifasciata* Schenkling, 1919:93. Tp.: DEIB exam. aut. - (México). - Deelder, 1942:112. - Blackwelder, 1945:468. - Delkeskamp, 1952:72. Distr.:México.

batesi Crotch, 1876:416. Tp. : MCZC exam. aut. - (Brasil, Amazonas). - Gemminger & Harold, 1876:3682. - Kuhnt, 1909:115; 1911:80. - Blackwelder, 1945:468. - Delkeskamp, 1952:70, 72, 73, figs 4, 5a, 6, 7. Distr.: Brasil, região amazônica.

indica indica Linnaeus, 1758:360 (*Silpha*). Tp. ? - (América meridional). - Fabricius, 1781:85. - Bedel, 1919:114 (*Megalodacne*). - Mader, 1942d:176; 1951:225. - Delkeskamp, 1952:67, 72. Distr.: Da América Central até a Argentina.

signata Laporte, 1840:15 (*Engis*). - Lacordaire, 1842:70 (**syn.**).

heros; Guérin-Méneville, 1841, **nec** Say 1823. - Guérin-Méneville, 1841:159 (*Episcapha*). - Lacordaire, 1842:70 (**nom.praeoc.**).

quadriguttata Olivier, 1792:434 (*Erotylus*); 1807:489, pl. 1, fig.2 (*Triplax*). - Lacordaire, 1842:70 (*Dacne*). - Crotch, 1873b:141 (*Megalodacne*); 1876:416. - Gemminger & Harold, 1876:3683. - Gorham, 1887:34, pl. 2, fig. 1. - Kuhnt, 1909:114, pl.4, fig. 8; 1911:80. - Bruch, 1914:385. - Deelder, 1942:112. - Guérin, 1948:21. - Bedel, 1919:114 (**syn.**).

indica latifasciata Delkeskamp, 1952:69, 72, 73, fig. 3. Tp.: ZMHU - (Peru, Cumbare, Tarapoto). Distr.: Peru, Equador.

indica multifida Lacordaire, 1842:72 (*Dacne*). Tp. ? - (Brasil). - Crotch, 1876:416 (*Megalodacne*). - Kuhnt, 1909:115; 1911:80. - Guérin, 1948:21. - Delkes-

kamp, 1952:68, 72, 73, figs 8-11 (**comb.n.**). Distr.: Brasil, região sudeste.
brasiliensis Lacordaire, 1842:72 (*Dacne*). - Crotch, 1876:416 (*Megalodacne*).
 - Kuhnt, 1909:115; 1911:80. - Guérin, 1948:21. - Delkeskamp, 1952:
 68, 73 (**syn.**).

tortuosa Lacordaire, 1842:69 (*Dacne*). Tp. ? - (México). - Crotch, 1876:416
 (*Megalodacne*). - Gemminger & Harold, 1876:3683. - Gorham, 1887:34.
 - Kuhnt, 1909:115; 1911:81. - Deelder, 1942:112. - Blackwelder, 1945:
 468. - Delkeskamp, 1952:70, 72, 73. Distr.: México. Colômbia.

TRIPLACINAE Crotch, 1876

Chapuis, 1876:30-48 (Triplacites). - Crotch, 1876:418-481 (Triplacini). - Kuhnt,
 1909:54-93. - Gorham, 1888:35-82 (Triplacides). - Boyle, 1956:78, 96-141
 (Triplacinae).

Pselaphacus Percheron, 1835

Pselaphacus Percheron, 1835, 4e. livre, n° 6. (Tgen.: *Pselaphacus nigropunctatus*
 Percheron, 1835. *seg.* Crotch, 1873b:141). - Lacordaire, 1842:30, 73. -
 Crotch, 1873b:141; 1876:418. - Chapuis, 1876:31. - Gorham, 1887:35. -
 Kuhnt, 1909:58. - Deelder, 1942:52. - Alvarenga, 1965:88.

amazonicus Crotch, 1876:421. Tp.: MCZC exam. aut. - (Brasil, Amazonas). -
 Gemminger & Harold, 1876:3688. - Kuhnt, 1909:59; 1911:39. - Black-
 welder, 1945:464. Distr.: Brasil, região amazônica.

approximatus Crotch, 1876:422. Tp.: MCZC exam. aut. - (Brasil, Amazonas). -
 Gemminger & Harold, 1876:3688. - Kuhnt, 1909:59; 1911:39. - Black-
 welder, 1945:464. Distr.: Brasil, região amazônica.

atricollis Kuhnt, 1910:226. Tp.: MLPA - (Argentina, Missões); 1911:39. - Bruch,
 1914:382. - Blackwelder, 1945:464. Distr.: Argentina.

concinus Kuhnt, 1910:227. Tp. ? - (Guatemala); 1911:39. - Blackwelder,
 1945:464. Distr.: Guatemala.

confusus Crotch, 1876:420. Tp.: MCZC exam. aut. - (Brasil, Pará). - Gemminger
 & Harold, 1876:3688. - Kuhnt, 1909:59; 1911:39. - Blackwelder, 1945:
 464. Distr.: Brasil, região amazônica.

conspersus Kirsch, 1883:211. Tp.: SMTD exam. aut. - (Colômbia, Bogotá). -
 Fleutiaux, 1886:222. - Kuhnt, 1909:58; 1911:39. - Blackwelder, 1945:464.
 Distr.: Colômbia.

contaminatus Erichson, 1847:180. Tp.: ZMHU - (Peru). - Crotch, 1876:419. -
 Gemminger & Harold, 1876:3688. - Kuhnt, 1909:58; 1911:39. - Mader,
 1942d:169; 1951:206. - Blackwelder, 1945:464. Distr.: Peru.

curvipes Guérin-Ménéville, 1841b:157. Tp.: MCZC ex.aut. - (Bolívia). - Lacor-

- daire, 1842:81. - Crotch, 1876:420. - Gemminger & Harold, 1876:3688. - Gorham, 1887:35, pl. 2, fig. 5, 6. - Kuhnt, 1909:59; 1911:39. - Deelder, 1942:81. - Mader, 1942d:170; 1951:206. - Blackwelder, 1945:464. - Guérin, 1948:19. Distr.: Do México até o sul do Brasil.
- gracilipes* Lacordaire, 1842:82. - Crotch, 1876:420 (**syn.**).
- distortus* Crotch, 1873b:142. - Gorham, 1887:35 (**syn.**).
- dentatus* Germar, 1824:615 (*Triplax*). Tp.: ZMHU exam. aut. - (Brasil). - Lacordaire, 1842:87 (*Pselaphacus*). - Crotch, 1876:421. - Gemminger & Harold, 1876:3688. - Kuhnt, 1909:59; 1911:39. - Blackwelder, 1945:464. - Guérin, 1948:19. Distr.: Brasil, regiões sudeste e sul.
- ducalis* Crotch, 1876:419. Tp.: MCZC exam. aut. - (Colômbia). Gemminger & Harold, 1876:3688. - Kuhnt, 1909:59; 1911:39. - Blackwelder, 1945:464. Distr.: Colômbia.
- giganteus* Germar, 1824:615 (*Triplax*). Tp.: ZMHU exam. aut. - (América meridional). - Lacordaire, 1842:76 (*Pselaphacus*). - Crotch, 1876:419. - Gemminger & Harold, 1876:3688. - Kuhnt, 1909:59; 1911:39. - Curran, 1941:287. - Deelder, 1942:81. - Blackwelder, 1945:464. Distr.: Guiana. Suriname. Guiana Francesa.
- cayennensis* Laporte, 1840:15 (*Engis*). - Lacordaire, 1842:76 (**syn.**).
- gorhami* Kuhnt, 1909:59; 1911:39. - Deelder, 1942:81. - Blackwelder, 1945:464. Distr.: Panamá.
- conspersus* Gorham, 1887 **nec** Kirsch, 1883. - Gorham, 1887:35, pl. 2, fig. 10. Tp.: NHML - (Panamá, Volcán de Chiriquí). - Kuhnt, 1909:59 (**nom.praeoc.**).
- maculatus* Guérin-Ménéville, 1841b:158, Tp.: MNHN exam. aut. - (Bolívia). - Lacordaire, 1842:79. - Crotch, 1876:419. - Gemminger & Harold, 1876:3688. - Kuhnt, 1909:59; 1911:39. - Blackwelder, 1945:464. - Delkeskamp, 1957:98. Distr.: Bolívia.
- meandrinus* Lacordaire, 1842:86. Tp. ? - (Colômbia). - Crotch, 1876:421. - Gemminger & Harold, 1876:3688. - Kuhnt, 1909:59; 1911:39. - Blackwelder, 1945:464. Distr.: Colômbia. Equador.
- mysticus* Gorham, 1883:84. Tp.: NHML exam. aut. - (Peru, Chanchamayo). - Fleutiaux, 1886:222. - Kuhnt, 1909:59; 1911:39. - Mader, 1942d:169; 1951:206. - Blackwelder, 1945:464. Distr.: Peru.
- nicaraguae* Crotch, 1873b:142. Tp.: NHML exam. aut. - (Nicarágua, Chontales, Santo Domingo); 1876:422. - Gemminger & Harold, 1876:3688. - Fleutiaux, 1886:222. - Gorham, 1887:36, pl. 2, fig. 3. - Kuhnt, 1909:59; 1911:39. - Blackwelder, 1945:464. Distr.: Nicarágua. Panamá.
- nigropictus* Crotch, 1876:420. Tp.: MCZC exam. aut. - (Brasil, Amazonas). - Gemminger & Harold, 1876:3688. - Kuhnt, 1909:59; 1911:39. - Blackwelder, 1945:464. Distr.: Brasil, região amazônica.
- nigropunctatus* Percheron, 1835, 4e. livre, n° 6, pl. 17. Tp.: MNHN exam. aut.

[Localidade não citada] - Lacordaire, 1842:75. - Crotch, 1876:418. - Gemminger & Harold, 1876:3688. - Kuhnt, 1909:58; 1911:39. - Bruch, 1914:382. - Deelder, 1942:81. - Mader, 1942d:169; 1951:205. - Blackwelder, 1945:464. - Delkeskamp, 1957:98. Distr.: Equador. Peru. Bolívia. Brasil, região amazônica. Argentina.

poecilosomus Lacordaire, 1842:77. Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:419. - Gemminger & Harold, 1876:3688. - Gorham, 1887:35, pl. 2, fig. 4. - Kuhnt, 1909:59; 1911:39. - Deelder, 1942:81. - Blackwelder, 1945:464. Distr.: Panamá. Colômbia. Equador.

hopei Guérin-Ménéville, 1844:309. - Crotch, 1876:419 (*syn.*).

procerus Kuhnt, 1910:226. Tp.: ZMHU exam. aut. - (Argentina, Missões); 1911:40. - Bruch, 1914:382. - Blackwelder, 1945:464. Distr.: Argentina.

punctatostratus Crotch, 1876:420. Tp.: MCZC exam. aut. - (Brasil, Pará). - Gemminger & Harold, 1876:3688. - Kuhnt, 1909:59; 1911:40. - Blackwelder, 1945:464. Distr.: Brasil, região amazônica.

puncticollis Guérin-Ménéville, 1841b:158. Tp.: MCZC exam. aut. - (Colômbia); 1855:610. - Lacordaire, 1842:87; 1876, pl. 131, fig. 5. - Crotch, 1876:421. - Gemminger & Harold, 1876:3688. - Gorham, 1887:36, pl. 2, fig. 8. - Kuhnt, 1909:59; 1911:40. - Bruch, 1914:382. - Deelder, 1942:81. - Mader, 1942d:170; 1951:206. - Blackwelder, 1945:464. - Guérin, 1948:19. - Delkeskamp, 1957:98. Distr.: Do México até Argentina.

quinquenotatus Lacordaire, 1842:78. Tp.: MHNP exam. aut. - (Caiena). - Crotch, 1876:419. - Gemminger & Harold, 1876:3688. - Kuhnt, 1909:59; 1911:40. - Deelder, 1942:81. - Blackwelder, 1945:464. Distr.: Guiana Francesa. Brasil, região amazônica.

rubricatus Herbst, 1799:363, pl. 137, fig. 2 (*Erotylus*). Tp.: ZMHU exam. aut. - [Localidade não citada]. - Schönherr, 1808:328. - Lacordaire, 1842:85 (*Pselaphacus*). - Crotch, 1876:422. - Gemminger & Harold, 1876:3688. - Kuhnt, 1909:59; 1910:227; 1911:40. - Deelder, 1942:81. - Mader, 1942d:170; 1951:206. - Blackwelder, 1945:464. Distr.: Suriname. Guiana Francesa. Equador. Peru. Brasil, região amazônica.

catenulatus Olivier, 1807:489, pl. 1, fig. 1a, 1b. (*Triplax*). - Lacordaire, 1842:85 (*syn.*).

semiclastratus Lacordaire, 1842:88. Tp.: MCZC exam. aut. - (México, Yucatán). - Crotch, 1876:421. - Gemminger & Harold, 1876:3688. - Gorham, 1887:36, pl. 2, fig. 9. - Kuhnt, 1909:59; 1911:40. - Blackwelder, 1945:464. Distr.: América Central.

signatus Guérin-Ménéville, 1841b:158. Tp.: MNHN exam. aut. - (Bolívia). - Crotch, 1873b:142; 1876:421. - Gemminger & Harold, 1876:3688. - Gorham, 1887:37. - Kuhnt, 1909:59; 1911:40. - Bruch, 1914:382. - Curran, 1941:287. - Deelder, 1942:82. - Mader, 1942d:170; 1951:206. - Blackwelder, 1945:464. Distr.: Da América Central até a Argentina.

- signatipennis* Lacordaire, 1842:84. - Crotch, 1873b:142 (**syn.**).
- sparsus* Lacordaire, 1842:80. Tp.: MCZC exam. aut. - (Brasil, Pará). - Crotch, 1876:419. - Gemminger & Harold, 1876:3688. - Kuhnt, 1909:58; 1911:40. - Blackwelder, 1945:464. Distr.: Brasil, região amazônica.
- var. *paraensis* Guérin, 1956:61. Tp.: UFPR exam. aut. - (Brasil, Pará, Mocajuba, Mangabeira). Distr.: Brasil, região amazônica.
- transversalis* Lacordaire, 1842:77. Tp. ? - (Caïena). - Guérin-Méneville, 1855:610. - Crotch, 1876:419. - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:58; 1911:40. - Blackwelder, 1945:464. Distr.: Guiana Francesa.
- trifasciatus* Lacordaire, 1842:83. Tp. ? - (Caïena). - Crotch, 1876:420. - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:59, pl. 3, fig. 3, 3a; 1911:40. - Deelder, 1942:82. - Blackwelder, 1945:464. Distr.: Guiana Francesa. Bolívia. Brasil, região amazônica.
- vitticollis* Crotch, 1873b:142. Tp.: NHML exam. aut. - (Colômbia); 1876:421. - Gemminger & Harold, 1876:3689. - Gorham, 1887:36, pl. 2, fig. 7. - Kuhnt, 1909:59; 1911:40. - Blackwelder, 1945:464. Distr.: Nicarágua. Panamá. Colômbia.

Ischyryus Chevrolat, 1837

- Ischyryus* Chevrolat, 1837:428 (Tgen.: *Erotylus undatus* Olivier, 1792:434, seg. Alvarenga, 1965:85). - Lacordaire, 1842:31, 89. - Chapuis, 1876:31, 35. - Alvarenga, 1965:85.
- Megischyryus* Crotch, 1873b:143 (Tgen.: *Erotylus undatus* Olivier, 1792:434, desig. orig.). - Gorham, 1887:37. - Kuhnt, 1909:57, 60. - Deelder, 1942:53. - Guérin, 1952:180. - Alvarenga, 1965:86 (**syn.**).
- angustatus* Lacordaire, 1842:96. Tp. ? - (Colômbia). - Crotch, 1876:423 (*Megischyryus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:61; 1911:40. - Blackwelder, 1945:464. Distr.: Colômbia.
- bartleti* Gorham, 1883:85, pl. 18, fig. 9 (*Megischyryus*). Tp.: NHML exam. aut. - (Peru, Chamicuros). - Fleutiaux, 1886:222. - Kuhnt, 1909:61; 1911:40. - Mader, 1942d:170; 1951:207. - Blackwelder, 1945:464. Distr.: Peru.
- bellicosus* Lacordaire, 1842:98. Tp. ? - (Brasil). - Crotch, 1876:424 (*Megischyryus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:61; 1911:40. - Schenkling, 1919:85. - Deelder, 1942:82. - Blackwelder, 1945:464. - Guérin, 1948:19. Distr.: Brasil, região sudeste.
- bifasciatus* Guérin, 1952:180, fig. 2 (*Megischyryus*). Tp. ? - (Chile, Valdivia, Pemehue). Distr.: Chile.
- bogotae* Crotch, 1876:424 (*Megischyryus*). Tp.: MCZC exam. aut. - (Colômbia, Bogotá). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:61; 1911:40. - Blackwelder, 1945:464. Distr.: Colômbia.

- brasiliensis* Lacordaire, 1842:91. Tp. ? - (Brasil). - Crotch, 1876:422 (*Megischyrus*). - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:60; pl. 3, fig. 5, 1911:40. - Bruch, 1914:382. - Deelder, 1942:82. - Blackwelder, 1945:464. - Guérin, 1948:19. Distr.: Colômbia. Suriname. Brasil. Argentina.
- catenatus* Crotch, 1876:424 (*Megischyrus*). Tp.: MCZC exam. aut. - (Brasil, Amazonas). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:61; 1911:40. - Curran, 1941:287. - Mader, 1942d:170; 1951:208. - Blackwelder, 1945:464. Distr.: Colômbia. Guiana. Equador. Peru. Brasil, região amazônica.
- catenulatus* Lacordaire, 1842:97. Tp. ? - (Bolívia, Santa Cruz de la Sierra). - Crotch, 1876:424 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:61; 1911:40. - Blackwelder, 1945:464. Distr.: Bolívia.
- chevrolati* Crotch, 1876:423 (*Megischyrus*). Tp.: MCZC exam. aut. - (Brasil, Minas Gerais). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:60; 1911:41. - Blackwelder, 1945:464. - Guérin, 1948:19. Distr.: Brasil, região sudeste.
- circumscripatus* Duponchel, 1825:165, pl. 7, fig. 83 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:102 (*Ischyrus*). - Crotch, 1876:425 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:60; 1911:41. - Blackwelder, 1945:464. Distr.: Brasil, região sudeste.
- columbianus* Lacordaire, 1842:95. Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:423 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:61; 1911:41. - Deelder, 1942:82. - Mader, 1942d:170; 1951:207. - Blackwelder, 1945:464. Distr.: Colômbia. Venezuela. Peru.
- connexus* Crotch, 1876:423 (*Megischyrus*). Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:61; 1911:41. - Blackwelder, 1945:464. Distr.: Colômbia. Equador.
- decempunctatus* Guérin-Ménéville, 1841b:154. Tp.: MNHN exam. aut. - (Bolívia). - Lacordaire, 1842:99. - Crotch, 1876:425 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:61; 1911:41. - Deelder, 1942:82. - Blackwelder, 1945:464. - Delkeskamp, 1957:98. Distr.: Peru. Bolívia. Brasil, região sul.
- discipennis* Lacordaire, 1842:101. Tp. ? - (México). - Crotch, 1873b:143 (*Megischyrus*); 1876:425. - Gemminger & Harold, 1876:3689. - Gorham, 1887:39, pl. 2, fig. 15. - Kuhnt, 1909:60; 1911:41. - Deelder, 1942:82. - Blackwelder, 1945:464. Distr.: México. Nicarágua. Panamá.
- elongatus* Gorham, 1883:85 (*Megischyrus*). Tp.: NHML exam. aut. - (Peru, Chanchamayo). - Fleutiaux, 1886:222. - Kuhnt, 1909:61; 1911:41. - Mader, 1942d:170; 1951:208. - Blackwelder, 1945:464. Distr.: Peru.
- var. *gorhami* Mader, 1942d:171 (*Megischyrus*). Tp. ? - (Peru); 1951:208. Distr.: Peru.

- guatemalae* Crotch, 1876:424 (*Megischyrus*). Tp.: MCZC exam. aut. - (Guatemala). - Gemminger & Harold, 1876:3689. - Gorham, 1887:38, pl. 2, fig. 12. - Kuhnt, 1909:61; 1911:41. - Blackwelder, 1945:464. Distr.: Belize. Guatemala.
- jurinei* Lacordaire, 1842:94. Tp. ? - (Bolívia, Santa Cruz de la Sierra). - Crotch, 1876:422 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:60; 1910:228; 1911:41. - Mader, 1942d:170; 1951:208. - Blackwelder, 1945:464. - Delkeskamp, 1957:98. Distr.: Colômbia. Peru. Bolívia. Brasil, região amazônica.
- knochi* Lacordaire, 1842:100. Tp.: MNHN exam. aut. - (Bolívia, Santa Cruz de la Sierra). - Crotch, 1876:425 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:60; 1911:41. - Blackwelder, 1945:464. Distr.: Bolívia.
- laetus* Schenkling, 1919:85 (*Megischyrus*). Tp.: DEIB exam. aut. - (Peru). - Mader, 1942d:171; 1951:209. - Blackwelder, 1945:464. Distr.: Peru.
- lineatus* Lacordaire, 1842:104. Tp. ? - (Brasil, Rio de Janeiro). - Crotch, 1876:425 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:60; 1911:41. - Blackwelder, 1945:464. Distr.: Brasil, região sudeste.
- grammistes* Lacordaire, 1842:105. - Crotch, 1876:425 (**syn.**).
- mesomelas* Crotch, 1876:423 (*Megischyrus*). Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:61; 1911:41. - Blackwelder, 1945:464. Distr.: Equador.
- mexicanus* Lacordaire, 1842:93. Tp.: MCZC exam. aut. - (México, Orizaba). - Crotch, 1876:423 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Gorham, 1887:37, pl. 2, fig. 11. - Kuhnt, 1909:61; 1911:41. - Deelder, 1942:82. - Blackwelder, 1945:464. Distr.: México.
- var. *consanguineus* Lacordaire, 1842:94. Tp. ? - (México Yucatán). - Gemminger & Harold, 1876:3689 (*Megischyrus*). - Kuhnt, 1909:61; 1911:41. - Blackwelder, 1945:464. Distr.: México.
- nicaraguae* Crotch, 1873b:143 (*Megischyrus*). Tp.: NHML exam. aut. - (Nicarágua, Chontales, Santo Domingo); 1876:423. - Gemminger & Harold, 1876:3689. - Gorham, 1887:37, pl. 2, fig. 13; 1898:253. - Kuhnt, 1909:61; 1911:41. - Deelder, 1942:82. - Blackwelder, 1945:464. Distr.: América Central.
- var. *panamae* Schenkling, 1919:85 (*Megischyrus*). Tp.: DEIB exam. aut. - (Panamá). - Blackwelder, 1945:464. Distr.: Panamá.
- octostriatus* Kuhnt, 1910:227, fig. 4 (*Megischyrus*). Tp.: ZMHU exam. aut. - (Brasil); 1911:41. - Blackwelder, 1945:464. Distr.: Brasil, região sudeste.
- ohausi* Mader, 1943:115 (*Megischyrus*). Tp.: MGFM exam. aut. - (Equador, Sabanilla). Distr.: Equador.
- panamanus* Mader, 1942c:571 (*Megischyrus*). Tp.: MGFM exam. aut. - (Panamá, Chiriquí). Distr.: Panamá.

- pictipennis* Schenkling, 1919:84 (*Megischyrus*). Tp.: DEIB exam. aut. - (Venezuela). - Blackwelder, 1945:464. Distr.: Venezuela.
- planior* Kirsch, 1876:99. Tp.: SMTD exam. aut. - (Peru, Sarayacu). - Gemminger & Harold, 1876:3689 (*Megischyrus*). - Kuhnt, 1909:60; 1911:41. - Schenkling, 1919:84. - Mader, 1942d:170; 1951:208. - Blackwelder, 1945:464. Distr.: Peru.
- sanguinolentus* Lacordaire, 1842:97. Tp. ? - (México, Yucatán). - Crotch, 1876:424 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Gorham, 1887:38, pl. 2, fig. 14. - Kuhnt, 1909:61; 1911:41. - Deelder, 1942:82. - Blackwelder, 1945:464. Distr.: México. América Central.
- scaphinotus* Lacordaire, 1842:96. Tp. ? - (Colômbia). - Crotch, 1876:423 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:61; 1911:41. - Blackwelder, 1945:464. Distr.: Colômbia.
- semipunctatus* Germar, 1824:612 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:99 (*Ischyrus*). - Crotch, 1876:424 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:61; 1911:41. - Deelder, 1942:82. - Blackwelder, 1945:464. - Guérin, 1948:19. Distr.: Brasil, região sudeste.
- balteatus* Duponchel, 1825:164, pl. 7, fig. 79 (*Erotylus*). - Lacordaire, 1842:99 (syn.).
- semitinctus* Erichson, 1847:180. Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:425 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:61; 1911:41. - Schenkling, 1919:85. - Deelder, 1942:82. - Mader, 1942d:170; 1951:208. - Blackwelder, 1945:464. Distr.: Peru.
- sicarius* Lacordaire, 1842:101. Tp. ? - (Brasil). - Crotch, 1876:425 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:60; 1911:41. - Deelder, 1942:82. - Mader, 1942d:170; 1951:207. - Blackwelder, 1945:464. Distr.: Colômbia. Peru. Brasil, região amazônica.
- var. *perizonatus* Lacordaire, 1842:103. Tp. ? - (Colômbia). - Crotch, 1876:425 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:60; 1911:41. - Mader, 1942d:170; 1951:207. - Blackwelder, 1945:464. Distr.: Colômbia. Peru.
- undatus* Olivier, 1792:434 (*Erotylus*). Tp. ? - (Caiena); 1807:490, pl. 1, fig. 3 (*Triplax*). - Crotch, 1876:422 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:60; 1911:41. - Blackwelder, 1945:465. Distr.: Guiana Francesa. Brasil, região amazônica.
- oblongus* Duponchel, 1825:164, pl. 7, fig. 80, 81 (*Erotylus*). - Lacordaire, 1842:92 (*Ischyrus*). - Crotch, 1876:422 (syn.).
- zonalis* Lacordaire, 1842:102. Tp.: MCZC exam. aut. - (Bolívia, Guarayos). - Crotch, 1876:425 (*Megischyrus*). - Gemminger & Harold, 1876:3689. - Gorham, 1887:38, pl. 2, fig. 16. - Kuhnt, 1909:60; 1911:41. - Bruch, 1914:382. - Mader, 1942d:170; 1951:207. - Blackwelder, 1945:465. Distr.: Da América Central até a Argentina.

var. *lineolatus* Crotch, 1876:425. Tp.: MCZC [Localidade não citada]. - Gemminger & Harold, 1876:3689. - Kuhnt, 1909:60; 1911:41. - Deelder, 1942:82. - Blackwelder, 1945:465. - Mader, 1951:207. Distr.: Bolívia. Brasil, região amazônica.

ab. *marginata* Schenkling, 1919:85. Tp.: DEIB (Colômbia). - Blackwelder, 1945:465. - Mader, 1951:207. Distr.: Colômbia.

Micrischyrus Alvarenga, 1965

Micrischyrus Alvarenga, 1965:86 (Tgen.: *Erotylus quadripunctatus* Olivier, 1792:437, desig. orig.).

Ischyrus; Crotch, 1873, **nec** Lacordaire, 1842. - Crotch, 1873b:144 (Tgen.: *Erotylus quadripunctatus* Olivier, 1792:437, seg. Crotch, 1873b:144). - Gorham, 1887:39. - Kuhnt, 1909:57, 61. - Deelder, 1942:53. - Boyle, 1956:96, 132. - Alvarenga, 1965:86 (**n. nom.**).

aleator Boyle, 1954b:46 (*Ischyrus*). Tp.: CAS (U.S.A., Florida, Cochise County, Chiricahua Mountain); 1956:136, fig. 131, 132. Distr.: U.S.A.

angularis Lacordaire, 1842:126 (*Ischyrus*). Tp. ? - (Colômbia). - Crotch, 1876:430. - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:62; 1911:42. - Blackwelder, 1945:465. Distr.: Colômbia.

auriculatus Lacordaire, 1842:123 (*Ischyrus*). - Tp.: MCZC exam. aut. - (Caïena). - Crotch, 1876:433. - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:63; 1911:42. - Blackwelder, 1945:465. Distr.: Guiana Francesa. Brasil, região amazônica.

bahiae Crotch, 1876:428 (*Ischyrus*). Tp.: MCZC exam. aut. - (Brasil, Bahia). - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:63; 1911:42. - Blackwelder, 1945:465. Distr.: Brasil, região sudeste.

bellopictus Kuhnt, 1910:222 (*Episcaphula*). Tp.: ZMHU exam. aut. (México, Vera Cruz, Motzorongo); 1911:77. - Delkeskamp, 1957:109 (*Ischyrus*). Distr.: México.

bellus Guérin, 1949a:233, fig. 6 (*Ischyrus*). Tp.: CDSP (Brasil, Est. São Paulo, São Paulo, Jabaquara). Distr.: Brasil, região sudeste.

bogotae Crotch, 1876:430 (*Ischyrus*). Tp.: MCZC exam. aut. - (Colômbia, Bogotá). - Gemminger & Harold, 1876:3690. - Gorham, 1887:40. - Kuhnt, 1909:63; 1911:42. - Blackwelder, 1945:465. Distr.: Guatemala. Colômbia.

boucardi Crotch, 1876:429 (*Ischyrus*). Tp.: MCZC exam. aut. - (Santa Catarina). - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:64; 1911:42. - Blackwelder, 1945:465. - Guérin, 1948:19. Distr.: Brasil, regiões sudeste e sul.

chacojae Gorham, 1887:43, pl. 3, fig. 5 (*Ischyrus*). Tp.: NHML exam. aut. - (Guatemala, Vera Paz, Chacoj). - Kuhnt, 1909:63; 1911:42. - Blackwelder, 1945:465. Distr.: Guatemala.

- chiasticus* Boyle, 1954b:43 (*Ischyryus*). Tp.: CAS (U.S.A., Arizona, Santa Cruz County, Patagonia); 1956:135. Distr.: U.S.A. México.
- circumcinctus* Delkeskamp, 1957:98, 108 (*Ischyryus*). Tp.: ZMHU exam. aut. - (Peru, Chanchamayo). Distr.: Peru. Bolívia.
- collatinus* Crotch, 1876:433 (*Ischyryus*). Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3690. - Gorham, 1887:45. - Kuhnt, 1909:63; 1911:42. - Blackwelder, 1945:465. Distr.: Nicarágua, Colômbia.
- conductus* Kuhnt, 1910:229, 231 (*Ischyryus*). Tp.: ZMHU exam. aut. - (Brasil); 1911:42. - Blackwelder, 1945:465. Distr.: Brasil, região sul.
- consimilis* Crotch, 1876:429 (*Ischyryus*). Tp.: MCZC exam. aut. - (Brasil, Amazonas). - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:63; 1911:42. - Blackwelder, 1945:465. Distr.: Brasil, região amazônica.
- decorus* Guérin, 1949a:234, fig. 7 (*Ischyryus*). Tp.: CDSP exam. aut. - (Brasil, Est. São Paulo, São Paulo, Cantareira). Distr.: Brasil, regiões sudeste e sul.
- disconigrum* Mader, 1942d:171, 195 (*Ischyryus*). Tp.: DEIB (Peru, Chanchamayo); 1951:209. Distr.: Peru.
- distinguendus* Lacordaire, 1842:111 (*Ischyryus*). Tp. ? - (México). - Crotch, 1876:433. - Gemminger & Harold, 1876:3690. - Gorham, 1887:45, pl. 2, fig. 23. - Kuhnt, 1909:63; 1911:42. - Blackwelder, 1945:465. Distr.: México.
- dunedinensis* Leng, 1920:201 (*Ischyryus*). - Boyle, 1956:136. Distr.: U.S.A.
- tripunctatus* Blatchley, 1917 nec Crotch, 1873. - Blatchley, 1917:238 (*Ischyryus*). Tp.: PULI - (U.S.A., Florida, Pinellas County, Dunedin). - Leng, 1920:201 (**nom.praeoc.**).
- duponti* Lacordaire, 1842:110 (*Ischyryus*). Tp. ? - (Colômbia). - Crotch, 1876:426. - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:63; 1911:42. - Deelder, 1942:82. - Blackwelder, 1945:465. Distr.: Colômbia.
- elegantulus* Lacordaire, 1842:121 (*Ischyryus*). Tp. ? - (Colômbia). - Crotch, 1873b:144; 1876:426. - Gemminger & Harold, 1876:3690. - Gorham, 1887:40. - Kuhnt, 1909:63; 1911:42. - Blackwelder, 1945:465. Distr.: Nicarágua. Colômbia.
- ephippiatus* Gorham, 1887:43 (*Ischyryus*). Tp.: NHML exam. aut. - (Panamá, Chiriquí, Bugaba). - Kuhnt, 1909:63; 1911:42. - Blackwelder, 1945:465. Distr.: Panamá.
- episcaphulinus* Gorham, 1887:44, pl. 3, fig. 7 (*Ischyryus*). Tp.: NHML exam. aut. - (Guatemala, Zapote). - Kuhnt, 1909:63; 1911:42. - Blackwelder, 1945:465. Distr.: Guatemala.
- femoralis* Chevrolat, 1841:63, pl. 18, fig. 10 (*Dacne*). Tp.: MCZC exam. aut. - (México). - Lacordaire, 1842:114 (*Ischyryus*). - Crotch, 1876:430. - Gemminger & Harold, 1876:3690. - Gorham, 1887:40. - Kuhnt, 1909:64;

- 1911:42. - Blackwelder, 1945:465. Distr.: México.
- fraternus* Lacordaire, 1842:124 (*Ischyryus*). Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:428. - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:62; 1911:42. - Blackwelder, 1945:465. Distr.: Colômbia.
- frontalis* Lacordaire, 1842:127 (*Ischyryus*). Tp.: MCZC exam. aut. - (México). - Crotch, 1876:426. - Gemminger & Harold, 1876:3690. - Gorham, 1887:39. - Kuhnt, 1909:63; 1911:42. - Blackwelder, 1945:465. Distr.: México. Panamá. Colômbia.
- agnatus* Crotch, 1876:426 (*Ischyryus*). - Gorham, 1887:39 (**syn.**).
- fulmineus* Delkeskamp, 1957:98, 107 (*Ischyryus*). Tp.: ZSBS (Bolívia, Sarampiuni, San Carlos). Distr.: Bolívia.
- grammicus* Gorham, 1883:86 (*Ischyryus*). Tp.: NHML exam. aut. - (Peru, Chanchamayo). - Fleutiaux, 1886:222. - Kuhnt, 1909:63; 1911:42. - Mader, 1942d:171; 1951:210. - Blackwelder, 1945:465. Distr.: Peru.
- gratiosus* Guérin-Méneville, 1844:310 (*Ischyryus*). Tp.: MNHN exam. aut. - (Colômbia). - Crotch, 1876:431. - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:62; 1911:42. - Blackwelder, 1945:465. Distr.: Colômbia.
- impressopunctatus* Crotch, 1876:426 (*Ischyryus*). Tp.: MCZC exam. aut. - [Localidade não citada]. - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:63; 1911:42. - Blackwelder, 1945:465. - Guérin, 1948:19. Distr.: Brasil, regiões sudeste e sul.
- incertus* Lacordaire, 1842:118 (*Ischyryus*). Tp. ? - (Caiena). - Crotch, 1876:431. - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:62; 1911:42. - Blackwelder, 1945:465. Distr.: Colômbia. Guiana Francesa.
- insolens* Crotch, 1876:429 (*Ischyryus*). Tp. ? - (México). - Gemminger & Harold, 1876:3690. - Gorham, 1887:43, pl. 2, fig. 20. - Kuhnt, 1909:64, pl. 3, fig. 6; 1911:43. - Blackwelder, 1945:465. Distr.: México.
- interruptus* Duponchel, 1825:48, pl. 1, fig. 27 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:116 (*Ischyryus*). - Crotch, 1876:427. - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:62; 1911:43. - Blackwelder, 1945:465. Distr.: Brasil, região sudeste.
- kempferi* Alvarenga, 1977:105 (*n. nom.*). Distr.: Peru.
- nigripes*; Mader, 1942, **nec** Motchulsky, 1858. - Mader, 1942d:171, 195 (*Ischyryus*). Tp. ? - (Peru, Chanchamayo); 1951:209. - Alvarenga, 1977:105 (**nom.praeoc.**).
- laetus* Lacordaire, 1842:122 (*Ischyryus*). Tp. ? - (Brasil, Rio de Janeiro). - Crotch, 1876:431. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:62; 1911:43. - Blackwelder, 1945:465. Distr.: Brasil, região sudeste.
- lineatus* Kuhnt, 1910:228, 231 (*Ischyryus*). Tp.: ZMHU exam. aut. - (Brasil, Goiás, Jataí); 1911:43. - Blackwelder, 1945:465. Distr.: Brasil, região central.
- macularis* Lacordaire, 1842:128 (*Ischyryus*). Tp.: MCZC exam. aut. - (Colômbia).

- Crotch, 1876:430. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:62; 1911:43. - Blackwelder, 1945:465. Distr.: Colômbia.
- natalensis* Guérin, 1956:61, fig. 24 (*Ischyryus*). Tp.: CDSP exam. aut. - (Brasil, Rio Grande do Norte, Natal, Parnamirim). Distr.: Brasil, região nordeste.
- nigrolineatus* Crotch, 1876:432 (*Ischyryus*). Tp.: MCZC exam. aut. - [Localidade não citada]. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:63; 1911:43. - Blackwelder, 1945:465. - Guérin, 1946b:370. Distr.: Brasil, região sul.
- nitidior* Crotch, 1876:430 (*Ischyryus*). Tp.: MCZC exam. aut. - (Brasil, Amazonas). - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:63; 1911:43. - Blackwelder, 1945:465. Distr.: Brasil, região amazônica.
- nobilis* Crotch, 1876:429 (*Ischyryus*). Tp.: MCZC exam. aut. - (Brasil, Amazonas). - Fleutiaux, 1886:222. - Kuhnt, 1909:63; 1911:43. - Blackwelder, 1945:465. Distr.: Brasil, região amazônica.
- palliatius* Lacordaire, 1842:113 (*Ischyryus*). Tp. ? - (Colômbia). - Crotch, 1876:431. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:63; 1911:43. - Blackwelder, 1945:465. Distr.: Colômbia. Brasil, região amazônica.
- pardalinus* Guérin, 1949a:235, fig. 8 (*Ischyryus*). Tp.: CDSP exam. aut. - (Brasil, Paraná, Porto Cabral). Distr.: Brasil, região sul. Argentina.
- patruelis* Lacordaire, 1842:124 (*Ischyryus*). Tp. ? - (Brasil, Rio de Janeiro). - Crotch, 1876:431. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:62; 1911:43. - Blackwelder, 1945:465. Distr.: Brasil, região sudeste.
- peruae* Mader, 1942d:171, 196 (*Ischyryus*). Tp.: MGFM exam. aut. - (Peru, Callanga); 1951:210. Distr.: Equador. Peru.
- peruvianus* Gorham, 1883:85 (*Ischyryus*). Tp.: NHML exam. aut. - (Peru). - Fleutiaux, 1886:222. - Kuhnt, 1909:63; 1911:43. - Mader, 1942d:171; 1951:209. - Blackwelder, 1945:465. Distr.: Peru.
- pictus* Gorham, 1887:42, pl. 3, fig. 4 (*Ischyryus*). Tp.: NHML exam. aut. - (Guatemala, Vera Paz, San Juan). - Kuhnt, 1909:63; 1911:43. - Blackwelder, 1945:465. - Pallister, 1955b:7. Distr.: México, Guatemala.
- proximus* Lacordaire, 1842:113 (*Ischyryus*). Tp.: MCZC exam. aut. - (México). - Crotch, 1876:430. - Gemminger & Harold, 1876:3691. - Gorham, 1887:40, pl. 2, fig. 21, 22. - Kuhnt, 1909:62; 1911:43. - Blackwelder, 1945:465. Distr.: México. América Central.
- puncticollis* Gorham, 1887:44 (*Ischyryus*). Tp.: NHML exam. aut. - (México, Chihuahua, Paso del Norte). - Kuhnt, 1909:63; 1911:43. - Blackwelder, 1945:465. Distr.: México.
- quadripunctatus graphicus* Lacordaire, 1842:125 (*Ischyryus*). Tp.: MCZC exam. aut. - (México). - Crotch, 1873b:144; 1876:427. - Gemminger & Harold, 1876:3690. - Gorham, 1887:39, pl. 2, fig. 17. - Kuhnt, 1909:63; 1911:42. - Blackwelder, 1945:465. - Boyle, 1954b:41; 1956:133, 135. - Pallister,

1955a:4. Distr.: México. América Central.

quadripunctatus quadripunctatus Olivier, 1792:437 (*Erotylus*). Tp. ? - (U.S.A., Georgia); 1807:484, pl. 3, fig. 37. - Duponchel, 1825:175. - Sturm, 1826:139; 1843:305 (*Mycotretus*). - Lacordaire, 1842:127 (*Ischyryus*). - LeConte, 1856:158. - Crotch, 1873a:353; 1876:426. - Gemminger & Harold, 1876:3691. - Gorham, 1887:39. - Wickham, 1894:341, fig. 61. - Kuhnt, 1909:62; 1911:43. - Leng, 1920:201. - Chagnon, 1935:156. - Deelder, 1942:82. - Blackwelder, 1945:465. - Froeschner and Meiners, 1953:21, 23. - Boyle, 1954b:39. 1956:133, 152, fig. 126-130. Distr.: Canadá. U.S.A. Guatemala.

quinquepunctatus Gorham, 1887:43, pl. 3, fig. 6 (*Ischyryus*). Tp.: NHML exam. aut. - (Panamá, Bugaba). - Kuhnt, 1909:63; 1911:43. - Blackwelder, 1945:465. Distr.: Panamá.

rubens Gistel, 1848:124 (*Ischyryus*). Tp. ? - [Localidade não citada].

scriptus Olivier, 1807:484, pl. 3, fig. 38 (*Erotylus*). Tp. ? - (Guiana Francesa). - Duponchel, 1825:175. - Sturm, 1826:139; 1843:305 (*Mycotretus*). - Lacordaire, 1842:119 (*Ischyryus*). - Crotch, 1876:431. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:64; 1911:43. - Blackwelder, 1945:465. - Guérin, 1948:19. Distr.: Guiana Francesa. Brasil, região sudeste.

affinis Duponchel, 1825:47, pl. 1, fig. 26 (*Erotylus*). Lacordaire, 1842:119 (*syn.*).

var. *maculiventris* Lacordaire, 1842:120 (*Ischyryus*). Tp. ? - (Brasil). - Crotch, 1876:431. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:64; 1911:43. - Blackwelder, 1945:465. Distr.: Brasil.

scutellaris Gorham, 1887:41, pl. 3, fig. 2 (*Ischyryus*). Tp.: NHML exam. aut. - (Panamá, Bugaba). - Kuhnt, 1909:63; 1911:43. - Blackwelder, 1945:465. Distr.: Panamá.

septemsignatus Gorham, 1887:41, pl. 2, fig. 19 (*Ischyryus*). Tp.: NHML exam. aut. - (México, Toxpan). - Kuhnt, 1909:63; 1911:43. - Blackwelder, 1945:465. Distr.: México. Guatemala.

sheppardi Crotch, 1876:428 (*Ischyryus*). Tp.: MCZC exam. aut. - (Brasil). - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:63; 1911:43. - Blackwelder, 1945:465. Distr.: Brasil, região sudeste.

similior Crotch, 1876:432 (*Ischyryus*). Tp.: MCZC exam. aut. - [Localidade não citada]. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:63; 1911:43. - Blackwelder, 1945:465. - Guérin, 1946b:370; 1948:19. Distr.: Brasil, regiões sudeste e sul.

subcylindricus Lacordaire, 1842:117 (*Ischyryus*). Tp. ? - (Caiena). - Crotch, 1876:428. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:64; 1911:43. - Blackwelder, 1945:465. - Delkeskamp, 1957:98. - Deelder, 1942:82. Distr.: Colômbia. Suriname. Guiana Francesa. Bolívia.

tetragrammus Kuhnt, 1910:230, fig. 5 (*Ischyryus*). Tp.: ZMHU exam. aut. -

- (Argentina, Tucumán); 1911:43. - Bruch, 1914:382. - Blackwelder, 1945:465. Distr.: Brasil, regiões sudeste e sul. Argentina.
- tetraspilotes* Guérin-Ménéville, 1844:310 (*Ischyrys*). Tp. ? - (Colômbia). - Crotch, 1876:427. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:62; 1911:43. - Blackwelder, 1945:465. Distr.: Colômbia.
- tetrastictus* Gorham, 1887:41, pl. 3, fig. 1 (*Ischyrys*). Tp.: NHML exam. aut. - (Panamá, David). - Kuhnt, 1909:64; 1911:43. - Blackwelder, 1945:465. Distr.: Panamá.
- tripunctatus* Crotch, 1873b:144 (*Ischyrys*). Tp.: MCZC exam. aut. - (Nicarágua, Chontales, Santo Domingo); 1876:427. - Gemminger & Harold, 1876:3691. - Gorham, 1887:39. - Kuhnt, 1909:63; 1911:44. - Blackwelder, 1945:465. Distr.: Nicarágua.
- undulatus* Gorham, 1887:42, pl. 3, fig. 3 (*Ischyrys*). Tp.: NHML exam. aut. - (Panamá, Bugaba). - Kuhnt, 1909:63; 1911:44. - Blackwelder, 1945:465. Distr.: Panamá.
- variabilis* Duponchel, 1825:46, pl. 1, fig. 25 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:121 (*Ischyrys*). - Crotch, 1876:432. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:62; 1911:44. - Bruch, 1914:382. - Blackwelder, 1945:465. - Guérin, 1948:19. Distr.: Brasil, regiões sudeste e sul. Argentina.
- velatus* Lacordaire, 1842:115 (*Ischyrys*). Tp. ? - (Colômbia). - Crotch, 1876:431. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:63; 1911:44. - Mader, 1942d:171; 1951:209. - Blackwelder, 1945:465. Distr.: Colômbia. Venezuela. Peru.
- vespertilio* Lacordaire, 1842:112 (*Ischyrys*). Tp. ? - (Colômbia). - Crotch, 1876:426. - Gemminger & Harold, 1876:3691. - Gorham, 1887:40. - Kuhnt, 1909:63; 1911:44. - Blackwelder, 1945:465. Distr.: Colômbia. México.
- vittatus* Crotch, 1876:427 (*Ischyrys*). Tp.: MCZC exam. aut. - (Brasil). - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:63; 1911:44. - Blackwelder, 1945:465. Distr.: Brasil, região sudeste.

Epytus Dejean, 1837

- Epytus* Dejean, 1837:428 (Tgen.: *Erotylus cyaneus* Duponchel, 1825:60, seg. Crotch, 1876:433). - Crotch, 1876:433. - Alvarenga, 1965:84.
- Oocyaneus* Hope, 1841:113 (Tgen.: *Erotylus cyaneus* Duponchel, 1825, desig. orig.). - Lacordaire, 1842:31, 194. - Chapuis, 1876:31, 34. - Kuhnt, 1909:56, 64. - Deelder, 1942:52. - Curran, 1944:1. - Alvarenga, 1965:88 (**syn.**).

- cyaneus* Duponchel, 1825:60, pl. 2, fig. 56 (*Erotylus*). Tp. ? - [Localidade não citada]. - Curran, 1944:2, 5, fig. 7 (*Oocyaneus*). - Distr.: Cuba.

- violaceus* Sturm, 1826:81, pl. 4, fig. 38 (*Erotylus*). - Lacordaire, 1842:196 (*Oocyranus*). - Curran, 1944:5 (syn.).
- flavitaris* Lacordaire, 1842:130 (*Ischyryus*). Tp. ? - (Cuba). - Jacquelin du Val, 1857:321, pl. 10, fig. 11. - Crotch, 1876:432. - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:62; 1911:42. - Deelder, 1942:82. - Blackwelder, 1945:465. - Sturm, 1843:305 (*Mycotretus*). - Curran, 1944:2, 3, fig. 2 (*Oocyranus*). - Candèze, 1861:394, pl. 6, fig. 5. Distr.: Cuba. Haiti. República Dominicana. Bahamas.
- fulvitaris* Lacordaire, 1842:129 (*Ischyryus*). Tp.: MCZC exam. aut. - (Haiti). - Crotch, 1876:432. - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:62; 1911:42. - Blackwelder, 1945:465. - Curran, 1944:2, 3, figs 4, 5 (*Oocyranus*). Distr.: Cuba. Haiti. República Dominicana.
- brunnipes* Kuhnt, 1910:231 (*Oocyranus*). - Curran, 1944:3 (syn.).
- haitensis* Curran, 1944:2, fig. 1. (*Oocyranus*). Tp.: AMNH exam. aut. - (Haiti, La Hotte). Distr.: Haiti.
- modestus* Olivier, 1807:483, pl. 3, fig. 35 (*Erotylus*). Tp. ? - (S. Domingo). - Duponchel, 1825:165, pl. 7, fig. 82. - Lacordaire, 1842:130 (*Ischyryus*). - Crotch, 1876:432. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:62; 1911:43. - Blackwelder, 1945:465. - Curran, 1944:2, 3, fig. 3 (*Oocyranus*). Distr.: Haiti. República Dominicana.
- tarsalis* Lacordaire, 1842:106 (*Ischyryus*). Tp. ? - (Haiti). - Gemminger & Harold, 1876:3696 (*Oocyranus*). - Kuhnt, 1909:64; 1911:44. - Blackwelder, 1945:465. - Curran, 1944:2, 4, fig. 6. Distr.: Cuba. Haiti.
- tarsatus* Lacordaire, 1842:196 (*Oocyranus*). Crotch, 1876:433. (*Epytus*). - Curran, 1944:4 (syn.).

Callischyrus Crotch, 1876

- Callischyrus* Crotch, 1876:434 (Tgen.: *Erotylus insignis* Laporte, 1840:520, seg. Crotch, 1876:434). - Gorham, 1887:45. - Kuhnt, 1909:57, 64. - Deelder, 1942:53. - Alvarenga, 1965:82.
- amoenus* Guérin-Ménéville, 1841b:155 (*Lybas*). Tp.: MCZC exam. aut. - (México). - Lacordaire, 1842:107 (*Ischyryus*). - Gemminger & Harold, 1876:3690. - Crotch, 1876:435 (*Callischyrus*). - Gorham, 1887:46, pl. 2, fig. 25. - Kuhnt, 1909:65, pl. 3, fig. 7; 1911:44. - Deelder, 1942:83. - Blackwelder, 1945:465. Distr.: México. Costa Rica.
- apicatus* Kuhnt, 1910:231. Tp. ? - (Equador); 1911:44. - Blackwelder, 1945:465. Distr.: Equador.
- brasiliensis* Deelder, 1942:83, fig. 2c. Tp.: RNHL (Brasil, Est. São Paulo). Distr.: Brasil, regiões sudeste e sul.
- candezei* Crotch, 1876:434. Tp.: MCZC exam. aut. - (Guatemala). - Gemminger

- & Harold, 1876:3690 (*Ischyryus*). - Gorham, 1887:46, pl. 2, fig. 24 (*Callischyryus*). - Kuhnt, 1909:65; 1911:44. - Deelder, 1942:83. - Blackwelder, 1945:465. Distr.: Guatemala.
- cyanopterus boliviensis* Delkeskamp, 1957:98, 109. Tp.: ZSBS - (Bolívia, Sihuen-cas, Yungas de Arepuchio). Distr.: Bolívia.
- cyanopterus cyanopterus* Erichson, 1847:180 (*Ischyryus*). Tp.: ZMHU exam. aut. - (Peru). - Gemminger & Harold, 1876:3690. - Crotch, 1876:434 (*Callischyryus*). - Kuhnt, 1909:65; 1911:44. - Mader, 1942d:171; 1951:210. - Blackwelder, 1945:465. Distr.: México. Colômbia. Equador. Peru.
- hieroglyphicus* Duponchel, 1825:46, pl. 1, fig. 24 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:106 (*Ischyryus*). - Gemminger & Harold, 1876:3690. - Crotch, 1876:435 (*Callischyryus*). - Kuhnt, 1909:65; 1911:44. - Bruch, 1914:384. - Deelder, 1942:83. - Blackwelder, 1945:465. Distr.: Brasil, regiões sudeste e sul. Argentina.
- insignis* Laporte, 1840:520 (*Erotylus*). Tp.: MCZC exam. aut. - (Colômbia). - Lacordaire, 1842:108 (*Ischyryus*). - Gemminger & Harold, 1876:3690. - Crotch, 1876:434 (*Callischyryus*). - Kuhnt, 1909:65; 1911:44. - Deelder, 1942:83. - Mader, 1942d:171; 1951:210. - Blackwelder, 1945:465. Distr.: Venezuela. Colômbia. Equador. Peru.
- elegans* Guérin-Méneville, 1841:118 (*Sternolobus*). - Lacordaire, 1842:108 (syn.).
- blandus* Erichson, 1847:180 (*Ischyryus*). - Crotch, 1876:434 (syn.).
- melanogaster* Guérin-Méneville, 1844:310 (*Ischyryus*). Tp. MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3691. - Crotch, 1876:434 (*Callischyryus*). - Kuhnt, 1909:65; 1911:45. - Blackwelder, 1945:465. Distr.: Colômbia.
- melanopus* Guérin-Méneville, 1841a:118 (*Morphoides*). Tp. ? - (Colômbia). - Lacordaire, 1842:109 (*Ischyryus*). - Gemminger & Harold, 1876:3691. - Crotch, 1876:434 (*Callischyryus*). - Kuhnt, 1909:65; 1911:45. - Blackwelder, 1945:465. Distr.: Colômbia.
- prae nobilis* Delkeskamp, 1957:110, fig. 7. Tp.: ZMHU exam. aut. - (Colômbia, Volcancito, Paso des Quindiu). Distr.: Colômbia.
- venustus* Lacordaire, 1842:109 (*Ischyryus*). Tp. ? - (Colômbia). Guérin-Méneville, 1855:610. - Gemminger & Harold, 1876:3691. - Crotch, 1876:434 (*Callischyryus*). - Gorham, 1887:46. - Kuhnt, 1909:65; 1911:45. - Deelder, 1942:83. - Blackwelder, 1945:465. Distr.: México. Colômbia. Equador.

Cyrtomorphus Lacordaire, 1842

Cyrtomorphus Lacordaire, 1842:240 (Tgen.: *Cyrtomorphus pantherinus* Lacordaire, 1842:241, seg. Crotch, 1876: 436). - Crotch, 1876:436. - Kuhnt, 1909:56, 68. - Delkeskamp, 1981:38.

pusillus Kirsch, 1876:102. Tp. ? - (Peru, Pozuzo). - Kuhnt, 1909:69; 1911:47. Distr.: Peru.

Mycotretus Chevrolat, 1837

Mycotretus Chevrolat, 1837:428 (Tgen.: *Erotylus ornatus* Duponchel, 1825:49, seg. Gorham, 1887:46). - Lacordaire, 1842:31, 132. - Crotch, 1873a:354; 1873b:144; 1876:437. - Chapuis, 1876:31, 32. - Gorham, 1887:46. - Kuhnt, 1909:57, 70. - Casey, 1916:158. - Deelder, 1942:54. - Mader, 1951:210. - Guérin, 1952:180. - Boyle, 1956:97, 137. - Alvarenga, 1965:87.

Lybas Chevrolat, 1837:429 (Tgen.: *Erotylus lesueri* Chevrolat, 1835:175, seg. Alvarenga, 1965:85). - Alvarenga, 1965:85 (syn.).

adalioides Crotch, 1876:448. Tp.: MCZC exam. aut. - (Peru). - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:74; 1911:47. - Mader, 1942d:173; 1951:214. - Blackwelder, 1945:465. Distr.: Peru.

aegrotus Gorham, 1888:60. Tp.: NHML - (Costa Rica, Volcán de Irazú). - Kuhnt, 1909:73; 1911:47. - Blackwelder, 1945:465. Distr.: Costa Rica.

aestuans Lacordaire, 1842:170. Tp. ? - (Brasil). - Crotch, 1876:441. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:76; 1911:48. - Blackwelder, 1945:465. Distr.: Brasil.

alternans Gorham, 1888:57. Tp.: NHML exam. aut. - (Panamá, Bugaba). - Kuhnt, 1909:75; 1911:48. - Blackwelder, 1945:465. Distr.: Panamá.

ambulator Lacordaire, 1842:175. Tp. ? - (Caïena). - Crotch, 1876:457. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:72; 1911:48. - Blackwelder, 1945:465. Distr.: Guiana Francesa.

anchoralis Guérin, 1956:62, fig. 25. Tp.: CDSP exam. aut. - (Argentina, Jujuy, Reyes). Distr.: Bolívia, Argentina.

antesignatus Mader, 1942d:174, 198. Tp.: NKMS - (Peru); 1951:220. Distr.: Peru.

apicalis Lacordaire, 1842:181. Tp. ? - (Colômbia). - Crotch, 1876:448. - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:74; 1911:48. - Mader, 1942d:173; 1951:214. - Blackwelder, 1945:465. Distr.: Colômbia. Peru.

arcuatus Lacordaire, 1842:158. Tp. ? - (Caïena). - Crotch, 1876:437. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:71; 1911:48. - Blackwelder, 1945:465. Distr.: Guiana Francesa.

- argus* Lacordaire, 1842:161. Tp. ? - (Caiena). - Crotch, 1876:439. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:71; 1911:48. - Blackwelder, 1945:465. Distr.: Guiana Francesa.
- atricaudatus* Gorham, 1888:66, pl. 4, fig. 4. Tp.: NHML exam. aut. - (Panamá, Volcán de Chiriquí). - Kuhnt, 1909:71; 1911:48. - Blackwelder, 1945:465. Distr.: Panamá.
- badius* Gorham, 1888:70. Tp.: NHML exam. aut. - (Guatemala, Vera Paz, San Juan). - Kuhnt, 1909:71; 1911:48. - Blackwelder, 1945:465. Distr.: Guatemala.
- balteatus* Crotch, 1876:445. Tp.: MCZC exam. aut. - (Ega)[atualmente, Tefé]. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:74; 1911:48. - Blackwelder, 1945:465. Distr.: Brasil, região amazônica.
- basalis* Crotch, 1876:438. Tp. MCZC exam. aut. - (Ega)[atualmente, Tefé] - Gemminger & Harold, 1876:465. - Kuhnt, 1909:76; 1911:52. Distr.: Brasil, região amazônica.
- bicinctus* Guérin, 1949a:236, fig. 9. Tp.: CDSP - (Brasil, Est. S. Paulo, São Paulo, Cantareira). Distr.: Brasil, regiões sudeste e sul.
- bicolor* Taschenberg, 1870:198. Tp. ? - (Colômbia). - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:73; 1911:48. - Mader, 1942d:172; 1951:213. - Blackwelder, 1945:465. Distr.: Colômbia. Ecuador. Peru.
- bicoloratus* Kuhnt, 1911:48. - Mader, 1942d:172; 1951:211. - Blackwelder, 1945:465. Distr.: Peru.
- bicolor*; Kirsch, 1876, **nec** Taschenberg, 1870. - Kirsch, 1876:101. Tp. ? - (Peru, Pozuzo). - Fleutiaux, 1886:223. - Kuhnt, 1909:72; 1911:48 (**nom.praeoc.**).
- bipunctatus* Gorham, 1888:58. Tp.: NHML exam. aut. - (Panamá, Bugaba). - Kuhnt, 1909:73; 1911:48. - Blackwelder, 1945:466. Distr.: Panamá.
- bisseptemguttatus* Crotch, 1876:441. Tp.: MCZC exam. aut. - (Caiena). - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:71; 1911:48. - Blackwelder, 1945:466. Distr.: Guiana Francesa.
- bistrigatus* Lacordaire, 1842:188. Tp. ? - (México). - Crotch, 1876:456. - Gemminger & Harold, 1876:3692. - Gorham, 1888:52; 1898:253. - Kuhnt, 1909:75; 1911:48. - Blackwelder, 1945:466. Distr.: México.
- bistrioculatus* Alvarenga, 1983:583. Tp.: CARJ - (Brasil, Amazonas, Rio Javari, Estirão do Equador). Distr.: Brasil, região amazônica.
- brasilianus* Crotch, 1876:442. Tp.: MCZC-(Brasil).-Fleutiaux, 1886:223.-Kuhnt, 1909:74; 1911:48. - Blackwelder, 1945:466. Distr.: Brasil, região sudeste.
- brevis* Gorham, 1888:67. Tp.: NHML - (Panamá, Bugaba). - Kuhnt, 1909:71; 1911:48. - Blackwelder, 1945:466. Distr.: Panamá.
- centralis* Arrow, 1909:196. - Kuhnt, 1911:54. - Mader, 1942d:174; 1951:216. - Blackwelder, 1945:468. Distr.: México. Guatemala.

- tigrinus*; Gorham, 1887, **nec** Olivier, 1792. Tp.: NHML exam. aut. - (México, Toxpan). - Arrow, 1909:196 (n. nom.).
- cercyonoides* Gorham, 1888:67. Tp.: NHML exam. aut. - (Panamá, David). - Kuhnt, 1909:74; 1911:48. - Blackwelder, 1945:466. Distr.: Panamá.
- chilensis* Crotch, 1876:454. Tp.: MCZC exam. aut. - (Chile). - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:75; 1911:48. - Blackwelder, 1945:466. - Guérin, 1952:182. Distr.: Chile.
- chontalesi* Crotch, 1873b:145. Tp.: MCZC exam. aut. - (Nicarágua, Chontales); 1876:446. - Gemminger & Harold, 1876:3692. - Gorham, 1888:70. - Kuhnt, 1909:72; 1911:48. - Blackwelder, 1945:466. Distr.: Nicarágua.
- cinctellus* Guérin-Ménéville, 1841b:153 (*Brachymerus*). Tp.: MNHN exam. aut. - (Bolívia). - Lacordaire, 1842:178 (*Mycotretus*). - Crotch, 1876:447. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:71; 1911:48. - Bruch, 1914:384. - Deelder, 1942:88. - Mader, 1942d:172; 1951:212. - Blackwelder, 1945:466. Distr.: Da América Central até a Argentina.
- cinctiger* Crotch, 1876:438. Tp.: MCZC exam. aut. - (Santarém). - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:75; 1911:48. - Mader, 1942d:174; 1951:218. - Blackwelder, 1945:466. Distr.: Brasil, região amazônica.
- clitelliger* Lacordaire, 1842:149. Tp. ? - (Colômbia). - Crotch, 1876:452. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:74; 1911:48. - Blackwelder, 1945:466. - Mader, 1951:217. Distr.: Colômbia.
- coccidulinus* Gorham, 1888:63, pl. 3, fig. 24. Tp.: NHML - (British Honduras, Belize, R. Hondo). - Kuhnt, 1909:72; 1911:48. - Blackwelder, 1945:466. - Guérin, 1946:370. - Distr.: Belize. Guatemala.
- coccineloides* Taschenberg, 1870:198. Tp. ? - (Colômbia). - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:74; 1911:48. - Blackwelder, 1945:466. Distr.: Colômbia.
- coccineus* Lacordaire, 1842:239 (*Lybas*). Tp. ? - (Rio de Janeiro). - Crotch, 1876:458 (*Mycotretus*). - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:72; 1911:48. - Curran, 1941:286. - Deelder, 1942:88. - Blackwelder, 1945:466. Distr.: Guiana. Suriname. Brasil, regiões amazônica e sudeste.
- coelestinus* Lacordaire, 1842:170. Tp. ? - (Colômbia). - Crotch, 1876:439. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:74; 1911:48. - Blackwelder, 1945:466. Distr.: Colômbia.
- cognatus* Lacordaire, 1842:145. Tp. ? - (Rio de Janeiro). - Crotch, 1876:450. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:75; 1911:48. - Blackwelder, 1945:466. Distr.: Brasil, região sudeste.
- consanguineus* Gorham, 1888:61, pl. 3, fig. 23. Tp.: NHML - (Guatemala, Cubilguitz). - Kuhnt, 1909:72; 1911:48. - Blackwelder, 1945:466. Distr.: Guatemala. Panamá.
- corallipennis* Crotch, 1876:448. Tp. ? - (Venezuela). - Gemminger & Harold,

- 1876:3692. - Kuhnt, 1909:71; 1911:48. - Blackwelder, 1945:466. Distr.: Colômbia. Venezuela.
- cordiger* Crotch, 1876:455. Tp.: MCZC exam. aut. - (Ega)[atualmente, Tefé]. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:75; 1911:48. - Blackwelder, 1945:466. Distr.: Brasil, região amazônica.
- coronatus* Duponchel, 1825:50, pl. 2, fig. 33 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:141 (*Mycotretus*). - Crotch, 1876:450. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:75; 1911:48. - Blackwelder, 1945:466. Distr.: Brasil, Minas Gerais.
- cribratus* Gorham, 1888:64. Tp.: NHML exam. aut. - (Guatemala, Senahú). - Kuhnt, 1909:73; 1911:48. - Blackwelder, 1945:466. Distr.: Guatemala. Panamá.
- cruciger* Crotch, 1876:452. Tp.: MCZC exam. aut. - [Localidade não citada]. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:74; 1911:49. - Blackwelder, 1945:466. Distr.: Patria?
- crudus* Gorham, 1888:63. Tp.: NHML - (México, Puebla, Atlisco). - Kuhnt, 1909:73; 1911:49. - Blackwelder, 1945:466. Distr.: México.
- cruentus* Gorham, 1888:59, pl. 3, fig. 22. Tp.: NHML - (Guatemala, Zapote). - Kuhnt, 1909:73; 1911:49. - Blackwelder, 1945:466. Distr.: Guatemala.
- cunctans* Mader, 1942d:174, 198. Tp.: SMTD exam. aut. - (Peru, Chanchamayo); 1951:217. Distr.: Peru.
- cyanopterus* Lacordaire, 1842:179. Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:447. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:73; 1911:49. - Blackwelder, 1945:466. Distr.: Colômbia.
- decoratus* Duponchel, 1825:50, pl. 2, fig. 32 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:172 (*Mycotretus*). - Crotch, 1876:442. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:76; 1911:49. - Blackwelder, 1945:466. Distr.: Brasil, região amazônica.
- decorus* Crotch, 1876:442. Tp.: MCZC exam. aut. - (Ega)[atualmente Tefé]. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:76; 1911:49. - Blackwelder, 1945:466. Distr.: Brasil, região amazônica.
- derasofasciatus* Kuhnt, 1910:237. fig. 7. Tp. ? - (Peru, Chanchamayo); 1911:49. - Mader, 1942d:175, 199; 1951:219, 222. - Blackwelder, 1945:466. - Guérin, 1949:236. Distr.: Venezuela. Bolívia. Peru. Brasil, região amazônica.
- deyrollei* Crotch, 1876:451. Tp. ? - (Brasil, Santa Catarina). - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:75; 1911:49. - Blackwelder, 1945:466. Distr.: Brasil, região sul.
- dichrous* Kirsch, 1876:100. Tp.: SMTD exam. aut. - (Peru, Pozuzu). - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:71; 1911:49. - Mader, 1942d:172; 1951:212. - Blackwelder, 1945:466. Distr.: Peru. Brasil, região amazônica.

- difficilis* Lacordaire, 1842:136. Tp. ? - (Brasil). - Crotch, 1876:449. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:76; 1911:49. - Blackwelder, 1945:466. Distr.: Brasil.
- dimidiatus* Taschenberg, 1870:198. Tp. ? - (Colômbia) - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:71; 1911:49. - Blackwelder, 1945:466. Distr.: Colômbia.
- discipennis* Kuhnt, 1910:240, fig. 9. Tp. ? - (Brasil, Santa Catarina); 1911:49. - Blackwelder, 1945:466. Distr.: Brasil, região sul.
var. *conductus* Kuhnt, 1910:240. Tp. ? - (Brasil, Santa Catarina); 1911:49. - Blackwelder, 1945:466. Distr.: Brasil, região sul.
- discoidalis* Taschenberg, 1870:199. Tp. ? - (Colômbia). - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:73; 1911:49. - Mader, 1942d:173; 1951:214. - Blackwelder, 1945:466. Distr.: Colômbia. Peru.
- dispar* Taschenberg, 1870:197. Tp. ? - (Colômbia). - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:74; 1911:49. - Deelder, 1942:88. - Mader, 1942d:173; 1951:215, 223. - Blackwelder, 1945:466. Distr.: Colômbia. Ecuador. Peru.
- distigma* Lacordaire, 1842:190. Tp. ? - (Colômbia). - Crotch, 1876:457. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:74; 1911:49. - Blackwelder, 1945:466. Distr.: Colômbia.
- distinguendus* Arrow, 1909:196. Tp.: NHML exam. aut. - (México). - Kuhnt, 1911:54. - Blackwelder, 1945:466. Distr.: México.
- dorsofasciatus* Lacordaire, 1842:173. Tp. ? - (Brasil). - Crotch, 1876:444. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:75; 1911:49. - Blackwelder, 1945:466. Distr.: Brasil, região sudeste.
- dorsonotatus* Lacordaire, 1842:151. Tp. ? - (Caiena). - Crotch, 1876:453. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:71,75; 1911:49. - Curran, 1941:286. - Mader, 1942d:172; 1951:212. - Blackwelder, 1945:466. Distr.: Guiana. Guiana Francesa. Brasil, região amazônica. Peru.
- dubius* Lacordaire, 1842:141. Tp. ? - (Brasil). - Crotch, 1876:449. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:75; 1911:49. - Blackwelder, 1945:466. Distr.: Brasil.
- duodecimguttatus* Duponchel, 1825:53, pl. 2, fig. 38 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:164 (*Mycotretus*). Distr.: Colômbia. Peru. Brasil, regiões amazônica e sul.
- ocellatus*; Germar, 1824, **nec** Olivier, 1792. - Germar, 1824:613 (*Erotylus*). Tp.: ZMHU exam. aut. - (Brasil). - Crotch, 1876:441 (*Mycotretus*). - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:74; 1911:51. - Mader, 1942d:173; 1951:215. - Deelder, 1942:88. - Blackwelder, 1945:467. - Lacordaire, 1842:164 (**nom.praeoc.**).
var. *consociatus* Kuhnt, 1910:238. Tp.? - (Colômbia, Bogotá); 1911:51. - Mader, 1942d:173; 1951:215. - Blackwelder, 1945:467. Distr.: Colômbia.

- durius* Lacordaire, 1842:161. Tp. ? - (Caïena). - Crotch, 1876:453. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:72; 1911:49. - Curran, 1941:286, 287. - Blackwelder, 1945:466. Distr.: Guiana Francesa. Brasil, região amazônica.
- dytiscoides* Lacordaire, 1842:184. Tp. ? - (México). - Crotch, 1876:449. - Gemminger & Harold, 1876:3692. - Gorham, 1888:65. - Kuhnt, 1909:73; 1911:49. - Blackwelder, 1945:466. Distr.: México.
- egae* Crotch, 1876:442. Tp.: MCZC exam. aut. - (Ega)[atualmente, Tefé]. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:74; 1911:49. - Blackwelder, 1945:466. Distr.: Brasil, região amazônica.
- elegans* Groham, 1888:55, pl. 4, fig. 3. Tp.: NHML exam. aut. - (Guatemala, San Gerónimo). - Kuhnt, 1909:71; 1911:49. - Blackwelder, 1945:466. Distr.: Guatemala.
- episcaphoides* Crotch, 1876:456. Tp.: MCZC exam. aut. - (Ega) [atualmente Tefé]. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:71; 1911:49. - Blackwelder, 1945:466. Distr.: Brasil, região amazônica.
- episcopalis* Lacordaire, 1842:152. Tp. ? - (Brasil). - Crotch, 1876:453. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:75; 1911:49. - Blackwelder, 1945:466. Distr.: Guiana Francesa. Brasil, região amazônica.
- epopterus* Gorham, 1888:69, pl. 4, fig. 7. Tp.: NHML exam. aut. - (México, Toxpan). - Kuhnt, 1909:76; 1911:49. - Blackwelder, 1945:466. Distr.: México.
- erraticus* Gorham, 1898:254. Tp.: NHML exam. aut. - (México, Guerrero, Chilpancingo). - Kuhnt, 1909:73; 1911:49. - Blackwelder, 1945:466. Distr.: México.
- expressus* Kuhnt, 1910:237. Tp.: ZMHU exam. aut. - (Brasil, Goiás, Jataí); 1911:49. - Blackwelder, 1945:466. Distr.: Brasil, região central.
- fallax* Guérin-Méneville, 1841b:155. Tp.: MNHN exam. aut. - (Brasil). - Lacordaire, 1842:153. - Crotch, 1876:453. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:76; 1911:49. - Blackwelder, 1945:466. - Guérin, 1948:19. Distr.: Brasil, região sudeste e sul.
- fasciatus* Fabricius, 1801:570 (*Tritoma*). Tp. ? - (América meridional). - Chevrolat, 1843:79 (*Mycotretus*). Distr.: Patria?
- fasciolatus* Lacordaire, 1842:150. Tp.: MCZC exam. aut. - (México). - Crotch, 1876:452. - Gemminger & Harold, 1876:3692. - Gorham, 1888:49. - Kuhnt, 1909:75; 1911:49. - Blackwelder, 1945:466. Distr.: México. Guatemala. Panamá.
- fascipennis* Kuhnt, 1910:244. Tp.: ZMHU exam. aut. - (Suriname); 1911:49. - Blackwelder, 1945:466. Distr.: Suriname.
- fidelis* Delkeskamp, 1939:27. - Mader, 1951:211. Distr.: Peru.

- parallelus*; Kuhnt, 1909, **nec** Crotch, 1876. - Kuhnt, 1909:30 (*Brachysphaenus*). Tp.: ZMHU - (Peru); - 1911:18. - Mader, 1938:17; 1942d:171. - Blackwelder, 1945:459. - Delkeskamp, 1939:27 (**nom.praeoc. e comb.n.**).
- flavomarginatus* Lacordaire, 1842:157. Tp. ? - (Rio de Janeiro). - Crotch, 1876:444. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:71; 1911:49. - Blackwelder, 1945:466. Distr.: Brasil, região sudeste.
- floriger* Lacordaire, 1842:185. Tp. ? - (Caiena). - Crotch, 1876:456. - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:71; 1911:49. - Blackwelder, 1945:466. Distr.: Guiana Francesa. Brasil, região amazônica.
- fragosoi* Alvarenga, 1983:587. Tp.: CARJ - (Brasil, Amazonas, rio Javari, Estirão do Equador). Distr.: Brasil, região amazônica.
- fulviceps* Crotch, 1876:447. Tp. ? - (Pará, Santarém). - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:73; 1911:49. - Blackwelder, 1945:466. Distr.: Brasil, região amazônica.
- fulvilabris* Crotch, 1876:447. Tp.: MCZC exam. aut. - (Brasil, Amazonas, São Paulo)[atualmente São Paulo de Olivença]. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:71; 1911:49. - Blackwelder, 1945:466. Distr.: Brasil, região amazônica.
- fuscitarsis* Lacordaire, 1842:180. Tp. ? - (México). - Crotch, 1876:448. - Gemminger & Harold, 1876:3693. - Gorham, 1888:68, pl. 3, fig. 25. - Kuhnt, 1909:73; 1911:49. - Blackwelder, 1945:466. Distr.: México e América Central.
- geminus* Gorham, 1888:50, pl. 3, fig. 10. Tp.: NHML exam. aut. - (Panamá, Bugaba). - Kuhnt, 1909:75; 1911:50. - Blackwelder, 1945:466. Distr.: Panamá.
- gemma* Lacordaire, 1842:181. Tp. ? - (Colômbia). - Crotch, 1876:448. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:73; 1911:50. - Deelder, 1942:88. - Mader, 1942d:173; 1951:214. - Blackwelder, 1945:466. Distr.: Colômbia. Peru.
- var. *pulicarius* Lacordaire, 1842:182. Tp. ? - (Colômbia). - Crotch, 1876:448. - Gemminger & Harold, 1876:3693. - Mader, 1942d:173. - Blackwelder, 1945:466. Distr.: Colômbia.
- gentilis* Lacordaire, 1842:182. - Crotch, 1876:448 (**syn.**).
- graniformis* Lacordaire, 1842:152. Tp. ? - (Caiena). - Crotch, 1876:453. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:72; 1911:50. - Blackwelder, 1945:466. Distr.: Guiana Francesa.
- graphoderus* Lacordaire, 1842:144. Tp.: MCZC exam. aut. - (Brasil). - Crotch, 1876:450. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:76; 1911:50. - Bruch, 1914:384. - Deelder, 1942:88. - Blackwelder, 1945:466. - Mader, 1951:220-221. Distr.: Brasil, regiões sudeste e sul. Argentina.
- var. *strigipennis* Kuhnt, 1910:244. Tp.: ZMHU exam. aut. - [Localidade não

- citada]; 1911:50. - Bruch, 1914:384. - Blackwelder, 1945:466. - Guérin, 1948:20. - Mader, 1951:221. Distr.: Brasil, sudeste e sul. Argentina.
- var. *thoracicus* Kuhnt, 1910:244. Tp.: ZMHU exam. aut. - [Localidade não citada]; 1911:50. - Bruch, 1914:384. - Blackwelder, 1945:466. - Guérin, 1948:19. - Mader, 1951:221. Distr.: Brasil, regiões sudeste e sul. Argentina.
- guatemalae* Crotch, 1876:441. Tp.: MCZC exam. aut. - (Guatemala). - Gorham, 1888:55. - Kuhnt, 1909:72; 1911:50. - Blackwelder, 1945:466. Distr.: Guatemala.
- haemapterus* Gorham, 1888:68. Tp.: NHML - (Panamá, Bugaba). - Kuhnt, 1909:71; 1911:50. - Blackwelder, 1945:466. Distr.: Panamá. Brasil, região amazônica.
- haematicus* Gorham, 1888:61. Tp.: NHML - (Costa Rica). - Kuhnt, 1909:72; 1911:50. - Deelder, 1942:88. - Blackwelder, 1945:466. Distr.: Costa Rica.
- hepaticus* Lacordaire, 1842:190. Tp. ? - (Colômbia). - Crotch, 1876:457. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:72; 1911:50. - Blackwelder, 1945:466. - Distr.: Colômbia.
- hilaris* Lacordaire, 1842:171. Tp. ? - (Brasil). - Crotch, 1876:441. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:76; 1911:50. - Blackwelder, 1945:466. Distr.: Brasil, região sudeste.
- hirudo* Gorham, 1888:59. Tp.: NHML - (Guatemala, San Gerónimo). - Kuhnt, 1909:73; 1911:50. - Blackwelder, 1945:466. Distr.: Guatemala.
- humeralis* Germar, 1824:614 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:189 (*Mycotretus*). - Crotch, 1876:457. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:74; 1911:50. - Blackwelder, 1945:466. Distr.: Brasil.
- humilis* Lacordaire, 1842:189. Tp. ? - (Caiena). - Crotch, 1876:457. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:73; 1911:50. - Blackwelder, 1945:466. Distr.: Guiana Francesa.
- illustris* Crotch, 1876:440. Tp.: MCZC exam. aut. - (México). - Gemminger & Harold, 1876:3693. - Gorham, 1888:54, pl. 3, fig. 15. - Kuhnt, 1909:72; 1911:50. - Blackwelder, 1945:466. Distr.: México.
- incarnatus* Gorham, 1888:62. Tp.: NHML - (México, Jalapa). - Kuhnt, 1909:73; 1911:50. - Blackwelder, 1945:466. Distr.: México e América Central.
- intermedius* Lacordaire, 1842:135. Tp. ? - (Rio de Janeiro). - Crotch, 1876:449. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:76; 1911:50. - Blackwelder, 1945:466. Distr.: Brasil, região sudeste.
- interstictus* Gorham, 1888:50. Tp.: NHML exam. aut. - (Nicarágua, Chontales). - Kuhnt, 1909:76; 1911:50. - Blackwelder, 1945:466. Distr.: Nicarágua.
- interstitialis* Kuhnt, 1910:239, fig. 8. Tp.: ZMHU exam. aut. - (Panamá, istmo Mataschin); 1911:50. - Blackwelder, 1945:466. Distr.: Panamá.

- jocosus* Lacordaire, 1842:173. Tp.: MNHN exam. aut. - (Brasil). - Crotch, 1876:443. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:75; 1911:50. - Blackwelder, 1945:466. Distr.: Brasil, região sudeste.
- laccophilinus* Gorham, 1888:57, pl. 4, fig. 5. Tp.: NHML exam. aut. - (Panamá, Bugaba). - Kuhnt, 1909:71; 1911:50. - Blackwelder, 1945:466. Distr.: Panamá.
- lacertosus* Lacordaire, 1842:176. Tp. ? - (Caïena). - Crotch, 1876:446. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:74; 1911:50. - Blackwelder, 1945:466. Distr.: Guiana Francesa.
- laeviventris* Crotch, 1876:454. Tp.: MCZC exam. aut. - (México). - Gemminger & Harold, 1876:3693. - Gorham, 1888:51. - Kuhnt, 1909:76; 1911:50. - Blackwelder, 1945:466. Distr.: México.
- lepidus* Lacordaire, 1842:178. Tp. ? - (Caïena). - Crotch, 1876:446. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:72; 1911:50. - Deelder, 1942:88. - Blackwelder, 1945:466. Distr.: Suriname. Guiana Francesa. Equador.
- leprosus* Lacordaire, 1842:160. Tp.: MCZC exam. aut. - (Caïena). - Crotch, 1876:439. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:72; 1911:50. - Blackwelder, 1945:466. Distr.: Guiana Francesa.
- lesueri* Chevrolat, 1835, fasc. 8 (*Erotylus*). Tp.: MCZC exam. aut. - (México). - Lacordaire, 1842:155 (*Mycotretus*). - Crotch, 1876:455. - Gemminger & Harold, 1876:3693. - Gorham, 1888:59, pl. 3, fig. 20. - Kuhnt, 1909:73; 1911:50. - Deelder, 1942:88. - Blackwelder, 1945:466. Distr.: México. Belize. Guatemala.
- limbatus* Lacordaire, 1842:223 (*Tritoma*). Tp. ? - (Brasil). - Crotch, 1876:458 (*Mycotretus*). - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:74; 1911:50. - Blackwelder, 1945:466. Distr.: Brasil.
- lissomoides* Crotch, 1876:455. Tp.: MCZC exam. aut. - (Ega)[atualmente, Tefé]. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:75; 1911:50. - Blackwelder, 1945:466. Distr.: Brasil, região amazônica.
- lopesi* Alvarenga, 1989:35-36, Tp.: MNRJ - (Brasil, Pará, Jacareacanga). Distr.: Brasil, região amazônica.
- luizi* Alvarenga, 1983:588. Tp.: CARJ - (Brasil, Amazonas, rio Javari, Estirão do Equador). Distr.: Brasil, região amazônica.
- luteipes* Lacordaire, 1842:189. Tp.: MCZC exam. aut. - (México). - Crotch, 1876:457. - Gemminger & Harold, 1876:3693. - Gorham, 1888:61. - Kuhnt, 1909:73; 1911:50. - Blackwelder, 1945:466. Distr.: México. Guatemala.
- luteolus* Gorham, 1888:58. Tp.: NHML - (Panamá, Volcán de Chiriquí). - Kuhnt, 1909:73; 1911:50. - Blackwelder, 1945:466. Distr.: Panamá.
- maculatus* Olivier, 1792:436 (*Erotylus*). Tp. ? - (Suriname); 1807:483, pl. 3, fig. 36. - Duponchel, 1825:176. - Lacordaire, 1842:192. - Crotch, 1876:438

- (*Mycotretus*). - Gemminger & Harold, 1876:3693. - Gorham, 1888:49, pl. 4, fig. 1. - Kuhnt, 1909:76; 1911:50. - Curran, 1941:286-287. - Blackwelder, 1945:466. - Guérin, 1948:20. Distr.: Da América Central até o sul do Brasil, pelo litoral.
- figuratus* Lacordaire, 1842:159. - Chevrolat, 1843:79 (**syn.**).
- magus* Lacordaire, 1842:184. Tp. ? - (Brasil). - Crotch, 1876:456. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:76; 1911:50. - Blackwelder, 1945:466. Distr.: Brasil, região sudeste.
- major* Mader, 1955:477. Tp.: MGFM exam. aut. - (Paraguai, Villarica). Distr.: Paraguai.
- marginicollis* Lacordaire, 1842:159. Tp.: MCZC exam. aut. - (Brasil). - Guérin-Ménéville, 1855:610. - Crotch, 1876:438. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:76; 1911:51. - Deelder, 1942:88. - Blackwelder, 1945:466. - Guérin, 1948:20. Distr.: Brasil, regiões sudeste e sul.
- melanophthalmus* Duponchel, 1825:160, pl. 7, fig. 70 (*Erotylus*) Tp. ? - (Brasil). - Lacordaire, 1842:179 (*Mycotretus*). - Guérin-Ménéville, 1855:610. - Crotch, 1876:448. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:72; 1911:51. - Blackwelder, 1945:466. - Guérin, 1948:20. Distr.: Brasil, região sudeste.
- melanopterus* Lacordaire, 1842:162. Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:71; 1911:51. - Blackwelder, 1945:466. Distr.: Colômbia.
- xanthosomus* Lacordaire, 1842:162. - Crotch, 1876:439 (**syn.**).
- melanotus* Gorham, 1888:66. Tp.: NHML - (Panamá, Chiriquí, La Caldera). - Kuhnt, 1909:71; 1911:51. - Blackwelder, 1945:466. Distr.: Panamá.
- miniatus* Lacordaire, 1842:183. Tp. ? - (México). - Crotch, 1876:449. - Gemminger & Harold, 1876:3693. - Gorham, 1888:65. - Kuhnt, 1909:73; 1911:51. - Blackwelder, 1945:466. Distr.: México. Guatemala.
- minutus* Duponchel, 1825:54, pl. 2, fig. 41 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:154 (*Mycotretus*). - Crotch, 1876:455. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:73; 1911:51. - Blackwelder, 1945:466. - Guérin, 1948:20. Distr.: Brasil, região sudeste.
- quadrinus* Lacordaire, 1842:155. - Crotch, 1876:455 (**syn.**).
- misellus* Lacordaire, 1842:183. Tp. ? - (Caiena). - Crotch, 1876:447. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:72; 1911:51. - Blackwelder, 1945:466. - Guérin, 1948:20. Distr.: Colômbia. Guiana Francesa. Brasil, região sudeste.
- monrosi* Guérin, 1949b:589, fig. 1. Tp.: IMLT exam. aut. - (Argentina, Salta, Piletas). Distr.: Argentina.
- multimaculatus* Taschenberg, 1870:197. Tp. ? - (Colômbia). - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:74; 1911:51. - Blackwelder, 1945:467. - Mader, 1942d:174; 1951:216. Distr.: Colômbia. Equador. Peru.

- mutabilis* Crotch, 1876:438. Tp.: MCZC exam. aut. - (Ega)[atualmente Tefé]. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:76; 1911:51. - Blackwelder, 1945:467. Distr.: Brasil, região amazônica.
- mycetophagoides* Crotch, 1876:457. Tp.: MCZC exam. aut. - (Pará). - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:71; 1911:51. - Blackwelder, 1945:467. Distr.: Brasil, região amazônica.
- var. *erythrocerus* Crotch, 1876:457. Tp. ? - (Tapajós). - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:71; 1911:51. - Blackwelder, 1945:467. Distr.: Brasil, região amazônica.
- mycetophiloides* Crotch, 1876:458. Tp.: MCZC exam. aut. - (Ega)[atualmente Tefé]. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:74; 1911:51. - Blackwelder, 1945:467. Distr.: Brasil, região amazônica.
- var. *careus* Crotch, 1876:458. Tp.: MCZC exam. aut. - [Localidade não citada]. - Kuhnt, 1909:74; 1911:51. - Blackwelder, 1945:467. Distr.: Brasil, região amazônica.
- nigricollis* Gorham, 1888:70. Tp.: NHML - (México, Toxpan). - Kuhnt, 1909:71; 1911:51. - Blackwelder, 1945:467. Distr.: México.
- nigripes* Gorham, 1888:64. Tp.: NHML - (Guatemala, Cerro Zunil). - Kuhnt, 1909:73; 1911:51. - Blackwelder, 1945:467. Distr.: Guatemala.
- nigrivittis* Lacordaire, 1842:157. Tp. ? - (Caïena). - Crotch, 1876:437. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:75; 1911:51. - Blackwelder, 1945:467. Distr.: Guiana Francesa.
- nigromaculatus* Kuhnt, 1909:27 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (México); 1911:17. - Blackwelder, 1945:459. - Delkeskamp, 1939:27 (*Mycotretus*). Distr.: México.
- nigromaniscatus* Boyle, 1954b:48. Tp.: ANSP - (U.S.A., Arizona, Cochise, Chiricahua mts.); 1956:138, figs 139, 140. Distr.: U.S.A. e México.
- nigropunctatus* Duponchel, 1825:51, pl. 2, fig. 34 (*Erotylus*). Tp. ? (Brasil). - Lacordaire, 1842:142 (*Mycotretus*). - Crotch, 1876:450. - Gemminger & Harold, 1876:3694. - Gorham, 1887:48. - Kuhnt, 1909:75; 1911:51. - Bruch, 1914:384. - Deelder, 1942:88. - Blackwelder, 1945:467. - Guérin, 1948:20. Distr.: Costa Rica. Brasil, regiões sudeste e sul. Argentina.
- puncticollis* Duponchel, 1825:54, pl. 2, fig. 43 (*Erotylus*). - Lacordaire, 1842:142 (syn.).
- nigroterminatus* Lacordaire, 1842:180. Tp. ? - (Colômbia). - Crotch, 1876:448. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:74; 1911:51. - Blackwelder, 1945:467. - Guérin, 1948:20. Distr.: Colômbia. Brasil, região sudeste.
- nitescens* Crotch, 1876:445. Tp.: MCZC exam. aut. - (Ega)[atualmente Tefé]. - Gemminger & Harold, 1876:3694. - Gorham, 1888:52. - Kuhnt, 1909:72; 1911:51. - Blackwelder, 1945:467. Distr.: México. Guatemala. Panamá. Brasil, região amazônica.

- normalis* Gorham, 1888:51. Tp.: NHML - (México, Córdoba). - Kuhnt, 1909:72; 1911:51. - Blackwelder, 1945:467. Distr.: México.
- noterinus* Gorham, 1888:65. Tp.: NHML exam. aut. - (Panamá, Volcán de Chiriquí). - Kuhnt, 1909:72; 1911:51. - Deelder, 1942:88. - Blackwelder, 1945:467. Distr.: Panamá.
- nubifer* Casey, 1916:158. Tp.: NMNH - (Guatemala). - Blackwelder, 1945:467. Distr.: Guatemala.
- nugator* Lacordaire, 1842:174. Tp. ? - (Caiena). - Crotch, 1876:445. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:75; 1911:51. - Blackwelder, 1945:467. Distr.: Guiana Francesa. Brasil, região amazônica.
- oculatus* Alvarenga, 1983:585. Tp.: CARJ - (Brasil, Pará, Tucuruí). Distr.: Brasil, região Amazônica.
- opalescens* Crotch, 1876:444. Tp.: MCZC exam. aut. - (Santarém). - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:76; 1911:51. - Blackwelder, 1945:467. - Delkeskamp, 1957:99. Distr.: Bolívia. Brasil, região amazônica.
- opalizans* Mader, 1942d:175, 200. Tp.: DEIB - (Peru, Chanchamayo); 1951:223. Distr.: Peru.
- ab. *posticenigrum* Mader, 1942d:175, 200. Tp. ? - (Peru); 1951:223. Distr.: Peru.
- oppositipunctum* Gorham, 1888:69, pl. 4, fig. 6. Tp.: NHML exam. aut. - (Guatemala, San Gerónimo). - Kuhnt, 1909:73; 1911:51. - Blackwelder, 1945:467. Distr.: Guatemala.
- ornatus* Duponchel, 1825:49, pl. 2, fig. 31 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:137 (*Mycotretus*). - Crotch, 1876:449. - Gemminger & Harold, 1876:3694. - Gorham, 1888:47, pl. 3, FIG. 8; 1898:253. - Kuhnt, 1909:76; 1911:51. - Deelder, 1942:88, figs 4, a e b. - Mader, 1942d:175; 1951:220-221. - Blackwelder, 1945:467. Guérin, 1948:20. - Delkeskamp, 1957:99. Distr.: Da América Central até o sul do Brasil.
- var. *godarti* Lacordaire, 1842:146. Tp ? - (Colômbia). - Crotch, 1876:450. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:76; 1911:52. - Deelder, 1942:88, fig. 4, d. - Mader, 1942d:175; 1951:218, 221. - Blackwelder, 1945:467. Distr.: Colômbia.
- var. *maculosus* Duponchel, 1825:52, pl. 2, fig. 36 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:140 (*Mycotretus*). - Crotch, 1876:449. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:76; 1910:238; 1911:52. - Mader, 1942d:175; 1951:221. - Blackwelder, 1945:467. Distr.: Venezuela. Brasil, região sudeste.
- var. *melanostictus* Lacordaire, 1842:139. Tp. ? - (Colômbia). - Crotch, 1876:450. - Gemminger & Harold, 1876:3693. - Kuhnt, 1909:76; 1911:52. - Mader, 1942d:175; 1951:221. - Blackwelder, 1945:467. - Guérin, 1948:20. Distr.: Colômbia. Brasil, região central.
- var. *posticus* Lacordaire, 1842:147. Tp. ? - (Colômbia). - Crotch, 1876:450.

- Gemminger & Harold, 1876:3693. - Kuhnt, 1909:76; 1911:52. - Mader, 1942d:175; 1951:218, 221. - Blackwelder, 1945:467. Distr.: Colômbia.
- var. *terminalis* Lacordaire, 1842:134. Tp. ? - (Rio de Janeiro). - Crotch, 1876:449. Gemminger & Harold, 1876:3695. - Kuhnt, 1909:76; 1911:52. - Deelder, 1942:88, fig. 4, c. - Mader, 1942d:175; 1951:221, 223. - Blackwelder, 1945:467. Distr.: Brasil, região sudeste.
- var. *partialis* Deelder, 1942:88. fig. 4, e. Tp.: RNHL - (Colômbia, Cauca). - Delkeskamp, 1957:113 (= *M. partialis* Mader, 1940).
- pallidior* Crotch, 1876:428 (*Ischyrys*). Tp.: MCZC exam. aut. - (México). - Gemminger & Harold, 1876:3691. - Gorham, 1888:52, pl. 2, fig. 18 (*Mycotretus*). - Kuhnt, 1909:75; 1911:52. - Blackwelder, 1945:467. Distr.: México e América Central.
- nigrotinctus* Crotch, 1876:454. - Gorham, 1888:52 (syn.).
- palmiphilus* Lacordaire, 1842:165. Tp. ? - (Caiena). - Crotch, 1876:439. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:71; 1911:52. - Blackwelder, 1945:467. Distr.: Guiana Francesa. Brasil, região amazônica.
- panamanus* Gorham, 1888:54, pl. 3, fig. 14. Tp.: NHML exam. aut. - (Panamá, Bugaba). - Kuhnt, 1909:75; 1911:52. - Blackwelder, 1945:467. Distr.: Panamá.
- parallelus* Crotch, 1876:453. Tp.: MCZC exam. aut. - (Ega) [atualmente Tefé]. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:73; 1911:52. - Blackwelder, 1945:467. Distr.: Brasil, região amazônica.
- partialis* Mader, 1940:12. Tp. ? - (Colômbia, Cauca). - Blackwelder, 1945:467. - Delkeskamp, 1957:113. Distr.: Colômbia.
- partitus* Lacordaire, 1842:176. Tp. ? - (Colômbia). - Crotch, 1876:446. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:75; 1911:52. - Blackwelder, 1945:467. Distr.: Colômbia.
- pebasensis* Crotch, 1876:439. Tp.: MCZC exam. aut. - (Pebas). - Gemminger & Harold, 1876:3692. - Kuhnt, 1909:76; 1911:52. - Mader, 1942d:175; 1951:223. - Blackwelder, 1945:467. Distr.: Equador.
- pecari* Lacordaire, 1842:167. Tp. ? - (Colômbia, Valencia, Maracaibo). - Crotch, 1876:440. - Gemminger & Harold, 1876:3694. - Gorham, 1888:55, pl. 3, figs 18, 19. - Kuhnt, 1909:71; 1911:52. - Deelder, 1942:89. - Blackwelder, 1945:467. - Guérin, 1948:20. Distr.: Nicarágua. Panamá. Colômbia. Brasil, região amazônica.
- pelliciens* Kirsch, 1876:100. Tp.: SMTD exam. aut. - (Peru). - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:76; 1911:52. - Mader, 1942d:174; 1951:219. - Blackwelder, 1945:467. Distr.: Peru.
- peruae* Crotch, 1876:446. Tp.: MCZC exam. aut. - (Peru). - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:73; 1911:52. - Mader, 1942d:172; 1951:213. - Blackwelder, 1945:467. Distr.: Peru.

- pictopiceus* Gorham, 1888:56. Tp.: NHML exam. aut. - (Panamá, Bugaba). - Kuhnt, 1909:71; 1911:52. - Blackwelder, 1945:467. Distr.: Panamá.
- planus* Gorham, 1888:66. Tp.: NHML - (Panamá, Bugaba). - Kuhnt, 1909:72; 1911:52. - Blackwelder, 1945:467. Distr.: Panamá.
- polyophthalmus* Lacordaire, 1842:163. Tp. ? - (Caiena). - Crotch, 1876:441. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:74; 1911:52. - Blackwelder, 1945:467. Distr.: Guiana Francesa. Venezuela.
- prioteloides* Mader, 1942d:174, 196. Tp.: MGFM exam. aut. - (Peru, Callanga); 1951:217. Distr.: Peru. Bolívia.
- psittacus* Lacordaire, 1842:167. Tp. ? - (México). [Erro na localidade]. - Crotch, 1876:440. - Gemminger & Harold, 1876:3694. - Gorham, 1888:54. - Kuhnt, 1909:72; 1911:52. - Blackwelder, 1945:467. Distr.: Brasil, região sudeste.
- psylloboroides* Crotch, 1876:443. Tp.: MCZC exam. aut. - (Ega) [atualmente Tefé]. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:72; 1911:52. - Blackwelder, 1945:467. Distr.: Brasil, região amazônica.
- pulchellus* Lacordaire, 1842:177. Tp. ? - (Brasil). - Crotch, 1876:446. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:71; 1911:52. - Blackwelder, 1945:467. Distr.: Brasil, região sudeste.
- puncticeps* Kirsch, 1865:97. Tp.: SMTD exam. aut. - (Colômbia, Bogotá). - Crotch, 1876:454. Gemminger & Harold, 1876:3694. - Kuhnt, 1909:76; 1911:52. - Deelder, 1942:89. - Blackwelder, 1945:467. Distr.: Colômbia.
- pusillus* Lacordaire, 1842:188. Tp. ? - (Caiena). - Crotch, 1876:456. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:72; 1911:52. - Blackwelder, 1945:467. Distr.: Guiana Francesa.
- pygmaeus* Lacordaire, 1842:156. Tp. ? - (Caiena). - Crotch, 1876:455. - Gemminger & Harold, 1876:3694. - Gorham, 1888:62. - Kuhnt, 1909:72; 1911:52. - Bruch, 1914:384. - Curran, 1941:286. - Mader, 1942d:172; 1951:211. - Blackwelder, 1945:467. - Guérin, 1948:20. Distr.: Do México até a Argentina.
- quadrioculatus* Alvarenga, 1983:585. Tp.: CARJ - (Brasil, Pará, Tucuruí). Distr.: Brasil, região amazônica.
- quadripunctatus* Crotch, 1876:450. Tp.: MCZC exam. aut. - (Norte do Peru). - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:76; 1911:52. - Mader, 1942d:174; 1951:219, 223. - Blackwelder, 1945:467. Distr.: Colômbia. Equador. Peru.
- quadristriolatus* Kuhnt, 1910:242. Tp.: ZMHU exam. aut. - (Peru, Chanchamayo); 1911:52. - Mader, 1942d:174; 1951:217. - Blackwelder, 1945:467. Distr.: Peru.
- quattuordecimguttatus* Lacordaire, 1842:163. Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:439. - Gemminger & Harold, 1876:3694. - Kuhnt,

- 1909:71; 1911:53. - Deelder, 1942:89. - Blackwelder, 1945:467. Distr.: Colômbia. Brasil, região amazônica.
- var. *conjunctus* Crotch, 1876:440. Tp.: MCZC exam. aut. - [Localidade não citada]. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:71; 1911:53. - Blackwelder, 1945:467. Distr.: Colômbia.
- rastratus* Crotch, 1876:445. Tp.: MCZC exam. aut. - (São Paulo)[atualmente São Paulo de Olivença]. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:72; 1911:53. - Blackwelder, 1945:467. Distr.: Brasil, região amazônica.
- reticulatus* Crotch, 1876:443. Tp.: MCZC exam. aut. - (Ega) [atualmente Tefé]. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:71; 1911:53. - Blackwelder, 1945:467. Distr.: Brasil, região amazônica.
- rhodosomus* Lacordaire, 1842:166. Tp.: MCZC exam. aut. - (Brasil). - Crotch, 1876:444. - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:72; 1911:53. - Blackwelder, 1945:467. - Guérin, 1948:20. Distr.: Brasil, região sudeste.
- rubidus* Gorham, 1888:62. Tp.: NHML - (Guatemala, Chacoj, Panzos). - Kuhnt, 1909:73; 1911:53. - Blackwelder, 1945:467. Distr.: Guatemala.
- rufilabris* Lacordaire, 1842:222 (*Tritoma*). Tp. ? - (Brasil). - Crotch, 1876:458 (*Mycotretus*). - Gemminger & Harold, 1876:3694. - Kuhnt, 1909:70; 1911:53. - Blackwelder, 1945:467. Distr.: Brasil.
- rufipennis* Gorham, 1888:69. Tp.: NHML - (México, Cerro de Pluma). - Kuhnt, 1909:73; 1911:53. - Blackwelder, 1945:467. Distr.: México.
- sallei* Crotch, 1876:452. Tp.: MCZC exam. aut. - (México). - Gemminger & Harold, 1876:3695. - Gorham, 1888:53, pl. 4, fig. 2. - Kuhnt, 1909:75; 1911:53. - Blackwelder, 1945:467. Distr.: México.
- sandicatus* Gorham, 1888:54. Tp.: NHML exam. aut. - (Guatemala, Puruba, San Gerónimo). - Kuhnt, 1909:72; 1911:53. - Blackwelder, 1945:467. Distr.: Guatemala.
- sanguineus* Duponchel, 1825:54, pl. 2, fig. 42 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:187 (*Mycotretus*). - Crotch, 1876:456. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:72; 1911:53. - Blackwelder, 1945:467. - Guérin, 1948:20. Distr.: Colômbia. Brasil, região sudeste.
- sanguinosus* Crotch, 1876:458. Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3695. - Gorham, 1888:68. - Kuhnt, 1909:72; 1911:53. - Blackwelder, 1945:467. - Distr.: Costa Rica. Panamá. Colômbia.
- sannio* Lacordaire, 1842:169. Tp. ? - (Brasil). - Crotch, 1876:441. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:75; 1911:53. - Blackwelder, 1945:467. Distr.: Brasil.
- savignyi* Lacordaire, 1842:156. Tp. ? - (Colômbia). - Crotch, 1873b:145; 1876:455. - Gemminger & Harold, 1876:3695. - Gorham, 1888:60. - Kuhnt, 1909:72; 1911:53. - Deelder, 1942:89. - Mader, 1942d:172; 1951:212. - Blackwelder, 1945:467. - Guérin, 1948:20. Distr.: Do México até o Brasil.

- scalaris* Lacordaire, 1842:168. Tp. ? - (Colômbia). - Crotch, 1876:440. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:71; 1911:53. - Blackwelder, 1945:467. Distr.: Colômbia.
- scitulus* Lacordaire, 1842:154. Tp.: MCZC exam. aut. - (Rio de Janeiro). - Crotch, 1876:454. - Gemminger & Harold, 1876:3695. - Gorham, 1888:49; 1898:253. - Kuhnt, 1909:75; 1911:53. - Mader, 1942d:174; 1951:219, 222. - Blackwelder, 1945:467. - Delkeskamp, 1957:99. Distr.: Do México até o sul do Brasil.
- sedecimguttatus* Guérin-Ménéville, 1844:310 (*Ischyrys*). Tp. ? - (Colômbia). - Crotch, 1876:440 (*Mycotretus*). - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:71; 1911:53. - Blackwelder, 1945:467. Distr.: Colômbia.
- seminiger* Harold, 1876:174. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:71; 1911:53. - Blackwelder, 1945:467. Distr.: Brasil, região amazônica.
- dimidiatus*; Crotch, 1876, **nec** Taschenberg, 1870. - Crotch, 1876:444. Tp. ? - (Ega). - Harold, 1876:174 (**nom.praeoc.**).
- separandus* Crotch, 1876:442. Tp.: MCZC exam. aut. - (Ega)[atualmente Tefé]. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:76; 1911:53. - Blackwelder, 1945:467. Distr.: Brasil, região amazônica.
- sericeonitens* Crotch, 1876:445. Tp.: MCZC exam. aut. - (Ega)[atualmente Tefé]. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:76; 1911:53. - Mader, 1942d:175; 1951:223. - Blackwelder, 1945:467. - Delkeskamp, 1957:99. Distr.: Equador. Peru. Bolívia. Brasil, região amazônica.
- var. *monticola* Crotch, 1876:445. Tp. ? - (Equador). - Kuhnt, 1909:76; 1911:53. - Blackwelder, 1945:467. - Mader, 1951:223. Distr.: Equador.
- sexlineatus* Kuhnt, 1910:241, fig. 10. Tp.: ZMHU exam. aut. - (Brasil); 1911:53. - Blackwelder, 1945:467. - Guérin, 1948:20. Distr.: Brasil, Paraná.
- sexoculatus chaparensis* Delkeskamp, 1957:98, 111, fig. 9. Tp.: ZSBS - (Bolívia, Chapare, alto rio Chipiriri). Distr.: Bolívia.
- sexoculatus sexoculatus* Lacordaire, 1842:165. Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:439. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:74; 1911:53. - Blackwelder, 1945:467. Distr.: Colômbia.
- sexpunctatus* Gorham, 1888:50, pl. 3, fig. 12. Tp.: NHML - (Panamá, Bugaba). - Kuhnt, 1909:76; 1911:53. - Blackwelder, 1945:467. Distr.: Panamá.
- signatellus* Crotch, 1876:443. Tp.: MCZC exam. aut. - (Ega) [atualmente Tefé]. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:76; 1911:53. - Blackwelder, 1945:467. Distr.: Brasil, região amazônica.
- var. *imperfectus* Crotch, 1876:443. Tp.: MCZC exam. aut. - (Pará). - Kuhnt, 1909:76; 1911:53. - Blackwelder, 1945:467. Distr.: Brasil, região amazônica.
- singularis* Lacordaire, 1842:148. Tp.: MCZC exam. aut. - (Colômbia). - Crotch,

- 1876:451. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:74; 1911:53. - Blackwelder, 1945:467. Distr.: Colômbia.
- sobrinus* Guérin-Ménéville, 1841b:154 (*Brachymerus*). Tp.: MCZC exam. aut. - (Brasil). - Lacordaire, 1842:186 (*Mycotretus*). - Crotch, 1876:456. - Gemminger & Harold, 1876:3695. - Gorham, 1888:60. - Kuhnt, 1909:72; 1911:53. - Deelder, 1942:90. - Blackwelder, 1945:467. - Guérin, 1948:20. Distr.: Brasil.
- silaceus* Lacordaire, 1842:187. - Gorham, 1888:60 (syn.).
- spadiceus* Gorham, 1888:53, pl. 3, figs 16, 17. Tp.: NHML exam. aut. - (Nicarágua, Chontales). Kuhnt, 1909:74, pl. 3, fig. 8; 1910:239; 1911:54. - Blackwelder, 1945:467. Distr.: América Central. Colômbia.
- sticticollis* Lacordaire, 1842:174. Tp. ? - (Caïena). - Crotch, 1876:446. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:73; 1911:54. - Blackwelder, 1945:467. Distr.: Guiana Francesa.
- stillatus* Kuhnt, 1910:239. Tp.: ZMHU exam. aut. - (Venezuela, Caracas); 1911:54. - Blackwelder, 1945:467. Distr.: Venezuela.
- stramineus* Gorham, 1888:58. Tp.: NHML - (Panamá, Bugaba). - Kuhnt, 1909:71; 1911:54. - Blackwelder, 1945:467. Distr.: Panamá.
- succinctus* Crotch, 1876:452. Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:74; 1911:54. - Deelder, 1942:90. - Blackwelder, 1945:467. Distr.: Colômbia.
- suturalis* Kirsch, 1876:99. Tp.: SMTD exam. aut. - (Peru). - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:72; 1911:54. - Mader, 1942d:172; 1951:213. - Blackwelder, 1945:467. Distr.: Peru. Bolívia.
- ternotatus* Gorham, 1888:51, pl. 3, fig. 13. Tp.: NHML exam. aut. - (México, Jalapa). - Kuhnt, 1909:76; 1911:54. - Blackwelder, 1945:467. Distr.: México.
- tesserarius* Lacordaire, 1842:191. Tp. ? - (Colômbia). - Crotch, 1876:458. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:75; 1911:54. - Blackwelder, 1945:467. Distr.: Colômbia.
- thoracicus* Kuhnt, 1910:242, fig. 11. Tp.: ZMHU exam. aut. - (Peru, Chanchamayo); 1911:54. - Mader, 1942d:175; 1951:222. - Blackwelder, 1945:467. Distr.: Peru.
- tibialis* Gorham, 1888:56. Tp.: NHML exam. aut. - (Nicarágua, Chontales). - Kuhnt, 1909:72; 1911:54. - Blackwelder, 1945:467. Distr.: Nicarágua.
- tigratus* Lacordaire, 1842:150. Tp. ? - (Colômbia). - Crotch, 1876:451. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:74; 1911:54. - Blackwelder, 1945:467. - Mader, 1951:217. Distr.: Colômbia.
- ab. *nigrocinctus* Lacordaire, 1842:151. Tp. ? - (Colômbia). - Crotch, 1876:451. - Kuhnt, 1909:74; 1911:54. - Blackwelder, 1945:467. - Mader, 1951:217. Distr.: Colômbia.

- tigrinoides* Mader, 1942d:174, 196. Tp.: DEIB (Peru, Ocobamba); 1951:216. Distr.: Peru.
- tigrinus* Olivier, 1792:437 (*Erotylus*). Tp. ? - (Suriname); 1807:485, pl. 3, fig. 40. - Duponchel, 1825:51, pl. 2, fig. 35. - Lacordaire, 1842:145 (*Mycoctretus*). - Erichson, 1847:180. - Guérin-Méneville, 1855:610. - Fauvel, 1860:326. - Crotch, 1876:451. - Gemminger & Harold, 1876:3695. - Kirsch, 1876:101. - Kuhnt, 1909:74; 1911:54. - Deelder, 1942:90. - Mader, 1942d:173; 1951:216. - Blackwelder, 1945:468. - Guérin, 1948:20. - Delkeskamp, 1957:99. Distr.: Equador. Peru. Suriname. Guiana Francesa. Bolívia. Brasil.
- conspersus* Germar, 1824:614 (*Erotylus*). - Lacordaire, 1842:145 (syn.).
- leopardus* Gorham, 1888:49. - Kuhnt, 1911:54 (syn.).
- var. *pardalis* Crotch, 1876:451. Tp. ? - (Equador). - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:74; 1911:54. - Mader, 1942d:173; 1951:216. - Blackwelder, 1945:468. Distr.: Peru. Equador. Brasil, região amazônica.
- tigripennis* Mader, 1942d:174, 197. Tp.: DEIB (Equador, Santa Inez); 1951:217. Distr.: Equador.
- trabeatus* Lacordaire, 1842:148. Tp. ? - (Colômbia). - Crotch, 1876:451. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:74; 1911:54. - Deelder, 1942:90. - Mader, 1951:216. - Blackwelder, 1945:468. Distr.: Colômbia.
- tricolor* Crotch, 1876:444. Tp.: MCZC exam. aut. - (Ega) [atualmente Tefé]. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:71; 1911:54. - Mader, 1942d:172; 1951:212. - Blackwelder, 1945:468. Distr.: Peru. Brasil, região amazônica.
- trifasciatus* Guérin, 1956:63, fig. 26. Tp.: CDSP exam. aut. - (Brasil, Santa Catarina, Nova Teutônia). Distr.: Brasil, região sudeste e sul.
- tucuruensis* Alvarenga, 1983:586. Tp.: CARJ - (Brasil, Pará, Tucuruí). Distr.: Brasil, região amazônica.
- ab. *luteobifasciatus* Mader, 1942d:174; 1951:223. Distr.: Peru.
- unicolor* Fauvel, 1860:326. Tp. ? - (Caiena). - Gemminger & Harold, 1876:3695. - Kuhnt, 1911:54. - Blackwelder, 1945:468. Distr.: Guiana Francesa.
- vilis* Lacordaire, 1842:175. Tp. ? - (Caiena). - Crotch, 1876:446. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:73; 1911:54. - Blackwelder, 1945:468. Distr.: Guiana Francesa.
- virgatus* Kuhnt, 1910:243. Tp.: ZMHU exam. aut. - (Brasil); 1911:54. - Blackwelder, 1945:468. - Guérin, 1948:20. Distr.: Brasil, regiões sudeste e sul.
- vittatus* Gorham, 1888:57, pl. 3, fig. 21. Tp.: NHML exam. aut. - (Guatemala, Pantaleon, Zapote); 1898:253. - Kuhnt, 1909:76; 1911:54. - Blackwelder, 1945:468. Distr.: México. Guatemala.
- xanthomelas* Crotch, 1876:458. Tp.: MCZC exam. aut. - (Pará). - Gemminger &

Harold, 1876:3695. - Kuhnt, 1909:74; 1911:54. - Blackwelder, 1945:468. Distr.: Brasil, região amazônica.

ziczac serenus Delkeskamp, 1957:99, 110, fig. 8. Tp.: ZSBS - (Bolívia, rio Yacuma, Santa Roza). Distr.: Bolívia.

ziczac ziczac Kuhnt, 1910:241. Tp.: ZMHU exam. aut. - (Colômbia, Muzo); 1911:54. - Blackwelder, 1945:468. Distr.: Colômbia.

zischkai Delkeskamp, 1957:98, 112, fig. 10. Tp.: ZSBS exam. aut. - (Bolívia, Chapare, alto rio Chipiriri). Distr.: Bolívia.

Mycomystes Gorham, 1888

Mycomystes Gorham, 1888:71 (Tgen. *Mycomystes ferrugineus* Gorham, 1888:71, monotipia). - Kuhnt, 1909:58, 77. Deelder, 1942:54. Alvarenga, 1965:86.

ferrugineus Gorham, 1888:71, pl. 4, fig. 8. Tp.: NHML exam. aut. - (México, Cerro de Plumas). - Kuhnt, 1909:77; 1911:54. - Blackwelder, 1945:468. Distr.: México.

Tritomapara Alvarenga, 1970

Tritomapara Alvarenga, 1970:45 (Tgen.: *Paratritoma dimidiata* Gorham, 1888:72, desig. orig.).

atricaudata Kuhnt, 1910:246 (*Paratritoma*). Tp.: ZMHU - (Venezuela, Aragua); 1911:55. - Blackwelder, 1945:468. Distr.: Venezuela.

brasiliensis Guérin, 1946a:275, fig. 2 (*Paratritoma*). Tp.: CDSP exam. aut. - (Brasil, Est. S. Paulo, Cantareira). Distr.: Brasil, região sudeste.

bruchii Kuhnt, 1910:245-246, fig. 12 (*Paratritoma*). Tp. ? - (Argentina, Santa Fé, Chaco); 1911:55. - Bruch, 1914:384. - Blackwelder, 1945:468. Distr.: Argentina.

caduca Gorham, 1888:73, pl. 4, fig. 12 (*Paratritoma*). Tp.: NHML - (Guatemala, Cerro Zunil). - Kuhnt, 1909:77; 1910:247; 1911:55. - Blackwelder, 1945:468. Distr.: Guatemala.

dimidiata Gorham, 1888:72 (*Paratritoma*). Tp.: NHML - (México, Cerro de Plumas). - Kuhnt, 1909:77; 1910:246; 1911:55. - Blackwelder, 1945:468. Distr.: México.

melanoderes Kuhnt, 1910:245 (*Paratritoma*). Tp. ? - (Colômbia); 1911:55. - Blackwelder, 1945:468. Distr.: Colômbia.

triplacoides Crotch, 1876:447 (*Mycotretus*). Tp.: MCZC exam. aut. - (Santarém). - Gorham, 1888:72 (*Paratritoma*). - Kuhnt, 1909:77; 1910:246; 1911:55. - Blackwelder, 1945:468. Distr.: Brasil, região amazônica.

vivida Gorham, 1888:73 (*Paratritoma*). Tp.: NHML - (Guatemala, Cerro Zunil).

- Kuhnt, 1909:77; 1910:246; 1911:55. - Blackwelder, 1945:468. Distr.: Guatemala.

Tritoma Fabricius, 1775

Tritoma Fabricius, 1775:68 (Tgen. *Tritoma bipustulata* Fabricius, 1775:68, seg. Latreille, 1810:239). - Lacordaire, 1842:31, 218. - Chapuis, 1876:31, 43. - Gorham, 1888:79. - Kuhnt, 1909:56, 77. - Deelder, 1942:53. - Boyle, 1956:96, 117. - Alvarenga, 1965:90. - Delkeskamp, 1981:34.

Cyrtotriplax Crotch, 1873:189. - Gorham, 1896:58. - Delkeskamp, 1981:34 (syn.).

dorsalis Gorham, 1888:80, pl. 4, fig. 20. Tp.: NHML - (Panamá, Bugaba). - Kuhnt, 1909:79; 1911:56. - Blackwelder, 1945:468. Distr.: Panamá.

Haematochiton Gorham, 1888

Haematochiton Gorham, 1888:82 (Tgen. *Haematochiton elateroides* Gorham, 1888:81, monotipia). - Kuhnt, 1909:56, 81. - Deelder, 1942:52. - Boyle, 1956:97, 138. - Alvarenga, 1965:85. - Johnson, 1967:15.

Scaeothea Gorham, 1888:81. - Kuhnt, 1909:56, 81. - Deelder, 1942:52. - Boyle, 1956:138 (syn.).

carbonarius Gorham, 1888:82, pl. 5, fig. 5 (*Scaeothea*). Tp.: NHML exam. aut. - (México, Toluca). - Kuhnt, 1909:81; 1911:58. - Blackwelder, 1945:468. - Boyle, 1956:139, fig. 137-138 (*Haematochiton*). - Johnson, 1967:17, 21. Distr.: U.S.A. e México.

opacus Schaeffer, 1915:236 (*Scaeothea*). - Boyle, 1956:140 (syn.).

cruentipennis Lacordaire, 1842:205 (*Triplax*). Tp.: MNHN - (Brasil). - Crotch, 1876:467. - Gemminger & Harold, 1876:3697. - Kuhnt, 1909:86; 1911:60. - Blackwelder, 1945:468. - Johnson, 1967:18-19, fig. 8 (*Haematochiton*). Distr.: Brasil.

elateroides Gorham, 1888:81, pl. 5, fig. 4. Tp.: NHML exam. aut. - (México, Durango). - Kuhnt, 1909:81; 1911:58. - Leng, 1920:201. - Blackwelder, 1945:468. - Boyle, 1956:139, fig. 133-136. - Johnson, 1967:17. Distr.: U.S.A. e México.

bisculptum Casey, 1916:168. - Boyle, 1956:139 (syn.).

maderi Delkeskamp, 1957:114, fig. 11 (*Triplax*). Tp.: ZMHU exam. aut. - (Brasil, Santa Catarina, Nova Teutônia). - Johnson, 1967:17, 20, fig. 10 (*Haematochiton*). Distr.: Brasil, regiões sudeste e sul.

Triplax Herbst, 1793

Triplax Herbst, 1793:146 (Tgen.: *Silpha russica* Linnaeus, 1758:360, seg. Curtis, 1838:706). - Lacordaire, 1842:31, 202. - Crotch, 1876:463. - Chapuis, 1876:31, 40. - Gorham, 1888:78. - Kuhnt, 1909:57, 81. - Guérin, 1952:180. - Boyle, 1956:96. - Alvarenga, 1965:90. - Johnson, 1965:1.

Paratritoma Gorham, 1888:71 (Tgen.: *Paratritoma divisa* Gorham, 1888:72, seg. Alvarenga 1965:88). - Kuhnt, 1909:58, 77. - Deelder, 1942:54. - Alvarenga, 1965:88). - Johnson, 1967:8 (**syn.**).

alvarengai Johnson, 1967:5-6, fig. 1. Tp.: FMNH - (Costa Rica, Ciruclas). Distr.: México e América Central.

azureipennis Guérin, 1952:182, fig. 4. Tp. ? - (Chile, Paulsen). Distr.: Chile.
bicolor Guérin, 1952:182, fig. 5. Tp. ? - (Chile, Paulsen). Distr.: Chile.

divisa Gorham, 1888:72, pl. 4, fig. 9 (*Paratritoma*). Tp.: NHML - (México, Esperanza, Jalapa, Cerro de Plumas). - Kuhnt, 1909:77; 1910:247; 1911:55. - Blackwelder, 1945:468. - Johnson, 1967:6, 8, fig. 2 (*Triplax*). Distr.: México e América Central.

errans Boyle, 1956:101, 110, fig. 99. Tp.: UK - (U.S.A., Texas, Cameron, Brownsville). - Johnson, 1967:5, 9, fig. 3. Distr.: U.S.A. e México.

flavicollis Lacordaire, 1842:218. Tp. ? - (U.S.A.). - Crotch, 1876:466. - Gemminger & Harold, 1876:3698. - Kuhnt, 1909:86; 1911:61. - Boyle, 1956:101, 107, fig. 76, 93. - Johnson, 1967:5, 10. Distr.: Canadá. U.S.A. México, América Central.

hogeii Gorham, 1888:78. - Johnson, 1967:10 (**syn.**).

championi Gorham, 1888:78, pl. 4, fig. 18. - Johnson, 1967:10 (**syn.**).

mesomelas Gorham, 1888:79. - Johnson, 1967:10 (**syn.**).

var. *confinis* LeConte, 1854:162. - Johnson, 1967:10 (**syn.**).

latipalpus Johnson, 1967:6, 11, fig. 4. Tp.: NMNH - (Brasil, Santa Catarina, Nova Teutônia). Distr.: Brasil, região sul.

mesosternalis Schaeffer, 1905:145. Tp.: NMNH - (U.S.A., Arizona, Cochise, Palmelee). - Kuhnt, 1909:86; 1911:62. - Boyle, 1956:101, 106, fig. 78, 94. - Johnson, 1967:5, 12. Distr.: U.S.A. e México.

monostigma Casey, 1916:165. - Boyle, 1956:106 (**syn.**).

coloradana Casey, 1924:179. - Boyle, 1956:106 (**syn.**).

rediviva Gorham, 1888:79, pl. 4, fig. 19. Tp.: NHML - (Guatemala, Quiché mts, 8000 fts.). - Kuhnt, 1909:86; 1911:63. - Blackwelder, 1945:468. - Johnson, 1967:6, 12, fig. 5-6. Distr.: Guatemala.

sola Johnson, 1967:6, 14, fig. 7. Tp. ? - (México, Querétaso, San Juan del Rio). Distr.: México.

valdiviana Philippi, 1864:401. Tp. ? - (Chile). - Gemminger & Harold, 1876:3699. - Kuhnt, 1911:65. - Blackwelder, 1945:468. - Guérin, 1952:182, fig. 3.

Distr.: Chile.

wehrlei Boyle, 1954a:260. Tp.: CAS - (U.S.A. Arizona, Santa Cruz, Patagonia); 1956:101, 108, fig. 84, 96. - Johnson, 1967:6, 15. Distr.: U.S.A. e México.

Mycophtorus Lacordaire, 1842

Mycophtorus Lacordaire, 1842:31, 193 (Tgen.: *Mycophtorus melanocerus* Lacordaire, 1842:193, seg. Crotch, 1876:470). - Chapuis, 1876:31, 34. - Crotch, 1876:470. - Gorham, 1888:73. - Kuhnt, 1909:57, 88. - Deelder, 1942:54. - Alvarenga, 1965:86.

melanocerus Lacordaire, 1842:193. Tp. ? - (Caïena). - Crotch, 1876:471. - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:89; 1911:66. - Blackwelder, 1945:468. Distr.: Guiana Francesa.

pauperculus Lacordaire, 1842:194. Tp. ? - (Colômbia). - Crotch, 1876:471. - Gemminger & Harold, 1876:3695. - Gorham, 1888:74, pl. 4, fig. 13. - Kuhnt, 1909:89; 1911:66. - Blackwelder, 1945:468. Distr.: América Central. Colômbia. Brasil, região amazônica.

peruvianus Kirsch, 1876:101. Tp.: SMTD exam. aut. - (Peru, Pozuzo). - Gemminger & Harold, 1876:3695. - Kuhnt, 1909:89; 1911:66. - Mader, 1942d:176; 1951:224. - Blackwelder, 1945:468. Distr.: Peru.

vernix Casey, 1916:159. Tp.: NMNH - (Panamá). - Blackwelder, 1945:468. Distr.: Panamá.

Pseudolybas Gorham, 1888

Gorham, 1888:74 (Tgen.: *Pseudolybas glaber* Gorham, 1888:74, seg. Alvarenga, 1965:89). - Kuhnt, 1909:56, 89. - Deelder, 1942:53. - Alvarenga, 1965:89.

glaber Gorham, 1888:74, pl. 4, fig. 14. Tp.: NHML - (Panamá, Bugaba). - Kuhnt, 1909:89; 1911:66. - Blackwelder, 1945:468. Distr.: Panamá.

verniscatus Gorham, 1888:75. Tp.: NHML - (Panamá, Bugaba, volcán de Chiriquí). - Kuhnt, 1909:89; 1911:66. - Blackwelder, 1945:468. Distr.: Panamá.

Apolybas Alvarenga, 1965

Apolybas Alvarenga, 1965:81 (Tgen.: *Lybas normalis* Lacordaire, 1842:235, desig. orig.).

anisotomoides Gorham, 1888:76 (*Lybas*). Tp.: NHML - (Panamá, volcán de Chi-

- riquí). - Kuhnt, 1909:90; 1911:66. - Blackwelder, 1945:468. Distr.: Panamá.
- atripennis* Erichson, 1847:180 (*Lybas*). Tp.: ZMHU exam. aut. - (Peru). - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:90; 1910:248; 1911:66. - Mader, 1942d:176; 1951:224. - Blackwelder, 1945:468. Distr.: Peru.
- axillaris* Lacordaire, 1842:236 (*Lybas*). Tp. ? - (Guiana Francesa). - Crotch, 1876:473. Gemminger & Harold, 1876:3701. - Kuhnt, 1909:91; 1911:66. - Curran, 1941:285. - Blackwelder, 1945:468. Distr.: Guiana Francesa.
- bicolor* Guérin-Méneville, 1841b:153 (*Brachymerus*). Tp.: MCZC exam. aut. - (Brasil). - Lacordaire, 1842:230 (*Lybas*). - Crotch, 1876:471. - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:90, pl. 3, fig. 11; 1911:66. - Schenkling, 1919:86. - Mader, 1942d:176; 1951:224. - Blackwelder, 1945:468. - Guérin, 1948:21. Distr.: Venezuela. Colômbia. Equador. Peru. Bolívia. Brasil, região amazônica.
- calidus* Lacordaire, 1842:233 (*Lybas*). Tp. ? - (Colômbia). - Crotch, 1876:472. - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:91; 1911:67. - Curran, 1941:285. - Blackwelder, 1945:468. Distr.: Colômbia. Brasil, região amazônica.
- carbunculus* Lacordaire, 1842:238 (*Lybas*). Tp.: MCZC exam. aut. - (México, Yucatán). - Crotch, 1876:473. - Gemminger & Harold, 1876:3701. - Gorham, 1888:76, pl. 4, fig. 16. - Kuhnt, 1909:90; 1911:67. - Blackwelder, 1945:468. Distr.: México. Guatemala. Panamá.
- chlamydophorus* Lacordaire, 1842:234 (*Lybas*). Tp. ? - (Colômbia). - Crotch, 1876:472. - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:91; 1911:67. - Curran, 1941:285. - Blackwelder, 1945:468. Distr.: Colômbia.
- corallinus* Lacordaire, 1842:239 (*Lybas*). Tp.: MCZC exam. aut. - (Caiena). - Crotch, 1876:473. - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:90; 1911:67. - Blackwelder, 1945:468. Distr.: Guiana Francesa.
- cruentissimus* Casey, 1916:170 (*Lybas*). Tp.: NMNH - (Guatemala, Quiriguá). - Blackwelder, 1945:468. Distr.: Guatemala.
- dorsalis* Gorham, 1883:86 (*Lybas*). Tp.: NHML exam. aut. - (Peru, Chanchamayo). - Fleutiaux, 1886:223. - Kuhnt, 1909:91; 1911:67. Curran, 1941:285. - Mader, 1942d:176; 1951:224. - Blackwelder, 1945:468. Distr.: Peru.
- faba* Lacordaire, 1842:234 (*Lybas*). Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:472. - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:90; 1911:67. - Blackwelder, 1945:468. Distr.: Colômbia.
- ferrugineus* Olivier, 1807:482, pl. 3, fig. 34 (*Erotylus*). Tp. ? - (Suriname). Lacordaire, 1842:230 (*Lybas*). - Crotch, 1876:471. - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:90; 1911:67. - Blackwelder, 1945:468. Distr.: Suriname. Guiana Francesa.
- granatus* Lacordaire, 1842:231 (*Lybas*). Tp. ? - (México, Yucatán). - Crotch,

- 1876:472. - Gemminger & Harold, 1876:3701. - Gorham, 1888:75, pl. 4, fig. 15; 1898:254. - Kuhnt, 1909:90; 1911:67. - Blackwelder, 1945:468. Distr.: México.
- guianacus* Curran, 1941:285, pl. 1, fig. 7 (*Lybas*). Tp.: DTNY - (Guiana, Kartabo). Distr.: Guiana.
- humeralis* Kuhnt, 1910:248 (*Lybas*). Tp.: ZMHU exam. aut. - (Guiana Francesa, St. Laurent); 1911:67. - Blackwelder, 1945:468. Distr.: Guiana Francesa.
- interpunctatus* Gorham, 1888:76 (*Lybas*). Tp.: NHML - (México, Cerro de Plumas). - Kuhnt, 1909:90; 1911:67. - Blackwelder, 1945:468. Distr.: México.
- kleinei* Mader, 1943:115 (*Lybas*). Tp.: MGFM exam. aut. - (Peru, Pebas); 1951:224. Distr.: Peru.
- mycetophilus* Lacordaire, 1842:237 (*Lybas*). Tp. ? - (Caiena). - Crotch, 1876:473. - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:91; 1911:67. - Curran, 1941:285. Blackwelder, 1945:468. Distr.: Guiana Francesa.
- normalis* Lacordaire, 1842:235 (*Lybas*). Tp. ? - (Caiena). - Crotch, 1876:472. - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:91; 1911:67. - Curran, 1941:285. - Blackwelder, 1945:468. Distr.: Guiana Francesa. Brasil, região amazônica.
- pulicarius* Lacordaire, 1842:238 (*Lybas*). Tp. ? - (Caiena). - Crotch, 1876:473. - Gemminger & Harold, 1876:3701. Kuhnt, 1909:91; 1911:67. - Curran, 1941:285. - Blackwelder, 1945:468. Distr.: Guiana Francesa.
- puncticollis* Mader, 1942d:176, 200 (*Lybas*). Tp.: DEIB - (Peru, Cushi); 1951:224. Distr.: Peru.
- rufinus* Lacordaire, 1842:232 (*Lybas*). Tp. ? - (Brasil). - Crotch, 1876:472. - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:90; 1911:67. - Blackwelder, 1945:468. Distr.: Guiana Francesa. Brasil.
- seminiger* Delkeskamp, 1957:99, 114 (*Lybas*). Tp.: ZSBS - (Bolívia, Sarampiuni, San Carlos, 1000 m). Distr.: Bolívia.
- seminulus* Lacordaire, 1842:237 (*Lybas*). Tp. ? - (Caiena). - Crotch, 1876:473. - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:91; 1911:67. - Curran, 1941:285. - Blackwelder, 1945:468. Distr.: Guiana Francesa.
- thoracicus* Olivier, 1807:486, pl. 3, fig. 41 (*Erotylus*). Tp.: MCZC exam. aut. - (Guiana Francesa). - Duponchel, 1825:174. - Lacordaire, 1842:236 (*Lybas*). - Crotch, 1876:472. - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:90; 1911:67. - Blackwelder, 1945:468. Distr.: Guiana Francesa.
- triangularis* Curran, 1941:285, pl. 1, fig. 6 (*Lybas*). Tp.: DTNY - (Guiana, Kartabo). Distr.: Guiana.

Lybanoides Gorham, 1888

Lybanoides Gorham, 1888:77 (Tgen.: *Lybanoides castaneus* Gorham, 1888:77, monotipia). - Kuhnt, 1909:56, 91. - Deelder, 1942:53. - Alvarenga, 1965:85.

castaneus Gorham, 1888:77, pl. 4, fig. 17. Tp.: NHML exam. aut. - (Nicarágua, Chontales). - Kuhnt, 1909:91; 1911:67. - Blackwelder, 1945:468. Distr.: Nicarágua.

Mycolybas Crotch, 1876

Mycolybas Crotch, 1876:473 (Tgen.: *Lybas lucidus* Lacordaire, 1842:232, desig. orig.). - Kuhnt, 1909:56, 91. - Deelder, 1942:53. - Alvarenga, 1965:86.

coccineipennis Motschulsky, 1858:116 (*Ischyrys*). Tp. ? - (América Central). - Crotch, 1876:474 (*Mycolybas* ?). - Gemminger & Harold, 1876:3690. - Kuhnt, 1909:92; 1911:67. - Blackwelder, 1945:468. Distr.: América Central.

cruentatus Kirsch, 1865:97 (*Lybas*). Tp.: SMTD exam. aut. - (Colômbia, Bogotá). - Crotch, 1876:474 (*Mycolybas*). - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:92; 1911:67. - Blackwelder, 1945:468. Distr.: Colômbia. Brasil.

egae Crotch, 1876:474. Tp.: MCZC exam. aut. - (Ega)[atualmente Tefé]. - Gemminger & Harold, 1876:3701. Kuhnt, 1909:92; 1911:67. - Blackwelder, 1945:468. Distr.: Brasil, região amazônica.

lucidus Lacordaire, 1842:232 (*Lybas*). Tp.: MCZC exam. aut. - (Brasil). - Crotch, 1876:474 (*Mycolybas*). - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:92; 1911:67. - Bruch, 1914:384. - Deelder, 1942:96. - Blackwelder, 1945:468. - Guérin, 1948:21. Distr.: Brasil, regiões sudeste e sul. Argentina.

sachi Mader, 1938:19 (*Mycomystes*). - Delkeskamp, 1939:29. (syn.).

melanocorynus Lacordaire, 1842:233 (*Lybas*). Tp. ? - (Brasil). - Crotch, 1876:474 (*Mycolybas*). - Gemminger & Harold, 1876:3701. - Kuhnt, 1909:92; 1911:67. - Blackwelder, 1945:468. Distr.: Brasil.

rufipennis Guérin, 1956:63, fig. 27. Tp.: CDSP exam. aut. - (Brasil, Amazonas, Manaus). Distr.: Brasil, região amazônica.

sanguinosus Motschulsky, 1858:116 (*Ischyrys*). Tp. ? - (Colômbia). - Crotch, 1876:474 (*Mycolybas* ?). - Gemminger & Harold, 1876:3691. - Kuhnt, 1909:91; 1911:67. - Blackwelder, 1945:468. Distr.: Colômbia.

Neoxestus Crotch, 1876

Neoxestus Crotch, 1876:476 (Tgen.: *Neoxestus chilensis* Crotch, 1876:476, monotípia). - Kuhnt, 1909:57, 93. - Deelder, 1942:54. - Guérin, 1952:180. - Alvarenga, 1965:87.

chilensis Crotch, 1876:476. Tp.: MCZC exam. aut. - (Chile). - Gemminger & Harold, 1876:3696. - Kuhnt, 1909:93; 1911:68. - Blackwelder, 1945:468. - Guérin, 1952:183, fig. 6. Distr.: Chile.

EROTYLINAE Crotch, 1876

Lacordaire, 1842:243-518 (*Erotyliens vrais*). - Chapuis, 1876:48-72 (*Erotylites*). - Crotch, 1876:481-562 (*Erotylini*). - Gorham, 1888:82-114 (*Erotylides*). - Kuhnt, 1909:7-51 (*Erotylini*). - Boyle, 1956:78, 93-96 (*Erotylinae*).

Thonius Lacordaire, 1842

Thonius Lacordaire, 1842:31, 252 (Tgen.: *Thonius pavoninus* Lacordaire, 1842:253, seg. Crotch, 1876:481). - Chapuis, 1876:49, 51. - Crotch, 1876:481. - Kuhnt, 1909:9, 12. - Deelder, 1942:51. - Alvarenga, 1965:90.

buckleyi Crotch, 1876:482. Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:13; 1911:5. - Blackwelder, 1945:456. Distr.: Equador.

flavipennis Guérin-Ménéville, 1844:309. Tp. ? - (Colômbia). - Crotch, 1876:482. - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:13; 1911:5. - Blackwelder, 1945:456. Distr.: Colômbia.

flexuososignatus Crotch, 1876:482. Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:13; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.

maculatus Guérin-Ménéville, 1844:308. Tp.: MNHN exam. aut. - (Colômbia). - Lacordaire, 1876, pl. 132, fig. 3. - Crotch, 1876:481. - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:13; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.

nebrioides Crotch, 1876:482. Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:13; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.

pavoninus Lacordaire, 1842:253. Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:481. - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:13; 1911:6. - Deelder, 1942:56. - Blackwelder, 1945:456. Distr.: Colômbia.

substriatus Crotch, 1876:482. Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:13; 1911:6. - Blackwelder, 1945:456.

Distr.: Colômbia.

unicolor Guérin-Méneville, 1844:309. Tp.: MNHN exam. aut. - (Colômbia); 1855:610. - Crotch, 1876:482. - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:13; 1911:6. - Mader, 1943:109. - Blackwelder, 1945:456. Distr.: Colômbia. Equador.

Euphanistes Lacordaire, 1842

Euphanistes Lacordaire, 1842:31, 255 (Tgen.: *Euphanistes hydrophiloides* Lacordaire, 1842:256, seg. Crotch, 1876:483). - Chapuis, 1876:49, 52. - Crotch, 1876:483. - Kuhnt, 1909:9, 13. - Deelder, 1942:51. - Alvarenga, 1965:84.

hydrophiloides Lacordaire, 1842:256. Tp. ? - (Colômbia). - Crotch, 1876:483. - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:14; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.

Cyclomorphus Hope, 1841

Cyclomorphus Hope, 1841:114 (Tgen.: *Cyclomorphus globosus* Guérin-Méneville, 1841:120, desig. orig.). - Lacordaire, 1842:31, 258. - Chapuis, 1876:49, 53. - Crotch, 1876:483. - Gorham, 1898:254. - Kuhnt, 1909:8, 14. - Deelder, 1942:51. - Alvarenga, 1965:83.

aeneomaculatus Crotch, 1876:486. Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:15; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.

alienus Crotch, 1876:484. Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:15; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.

apicicornis Crotch, 1876:486. Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:15; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.

beauvoisi Lacordaire, 1842:259. Tp. ? - (Colômbia). - Crotch, 1876:483. - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:15; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.

bihamatus Lacordaire, 1842:414 (*Brachysphoenus*). Tp. ? (Colômbia). - Crotch, 1876:487 (*Cyclomorphus*). - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:15; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.

bisbimaculatus Lacordaire, 1842:265. Tp. ? - (Colômbia). - Crotch, 1876:485. - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:14; 1911:6. - Deelder, 1942:56. - Blackwelder, 1945:456. Distr.: Colômbia.

bonplandi Lacordaire, 1842:263. Tp. ? - (Colômbia). - Crotch, 1876:484. -

- Gemminger & Harold, 1876:3703. - Kuhnt, 1909:14; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.
- chrysomelinus* Lacordaire, 1842:191 (*Mycotretus*). Tp. ? - (Colômbia). - Crotch, 1876:487 (*Cyclomorphus*). - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:15; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.
- coccinellinus* Crotch, 1876:486. Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:15; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.
- extricatus* Crotch, 1876:485. Tp.: MCZC exam. aut. - (Bogotá). - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:14; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.
- gibbosus* Crotch, 1876:486. Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3703. - Kuhnt, 1909:15; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.
- glabratus* Waterhouse, 1879:428, pl. 9, fig. 5. Tp.: NHML - (Colômbia, Medellín). - Fleutiaux, 1886:224. - Kuhnt, 1909:14; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.
- globosus* Guérin-Ménéville, 1841a:120. Tp.: MCZC exam. aut. - (Colômbia). - Lacordaire, 1842:261. - Crotch, 1876:484. - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:14; 1911:6. - Deelder, 1942:56. - Blackwelder, 1945:456. Distr.: Colômbia.
- humboldti* Lacordaire, 1842:263. Tp. ? - (Colômbia). - Crotch, 1876:484. - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:14; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.
- infaustus* Lacordaire, 1842:265. - Crotch, 1876:484 (syn.).
- inflatus* Lacordaire, 1842:262. Tp. ? - (Colômbia). - Crotch, 1876:484. - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:14; 1911:6. Blackwelder, 1945:456. Distr.: Colômbia.
- iphicloides* Crotch, 1876:485. Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:14; 1911:6. - Blackwelder, 1945:456. Distr.: Equador.
- laeviusculus* Crotch, 1876:483. Tp.: MCZC exam. aut. - (Venezuela). - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:15; 1911:6. - Blackwelder, 1945:456. Distr.: Venezuela.
- maeander* Lacordaire, 1842:260. Tp. ? - (Colômbia). - Crotch, 1876:483. - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:15; 1911:6. Deelder, 1942:56. Distr.: Colômbia.
- octopunctatus* Erichson, 1847:179. Tp.: exam. aut. - (Peru). - Crotch, 1876:487. - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:15; 1911:6. - Mader, 1942d:150; 1944:95. - Blackwelder, 1945:456. Distr. Peru. Bolívia.
- pertinax* Lacordaire, 1842:336 (*Brachysphoenus*). Tp.: MCZC exam. aut. -

- (Colômbia). - Crotch, 1876:485 (*Cyclomorphus*). - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:14; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.
- quadriplagiatus* Lacordaire, 1842:264. Tp. ? - (Colômbia). - Crotch, 1876:485. - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:15; 1911:6. - Blackwelder, 1945:456. Distr.: Colômbia.
- sicardi* Kuhnt, 1910:248. Tp.: ZMHU exam. aut. - (Peru, Cushi); 1911:6. - Mader, 1942d:150; 1944:95. - Blackwelder, 1945:456. Distr.: Peru.
- sordidus* Gorham, 1898:254. Tp.: NHML exam. aut. - (México, Guerrero, Omilteme). - Kuhnt, 1909:14; 1911:7. - Blackwelder, 1945:456. Distr.: México.
- subocellatus* Crotch, 1876:485. Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:14; 1911:7. - Blackwelder, 1945:456. Distr.: Colômbia.
- tumidus* Lacordaire, 1842:261. Tp. ? - (Colômbia). - Crotch, 1876:483. - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:15; 1911:7. - Blackwelder, 1945:456. Distr.: Colômbia.
- variegatus* Kirsch, 1865:98. Tp.: SMTD exam. aut. - (Bogotá). - Crotch, 1876:487. - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:14; 1911:7. - Blackwelder, 1945:456. Distr.: Colômbia.

Scaphengis Gorham, 1888

- Scaphengis* Gorham, 1888:82 (Tgen.: *Scaphengis picipes* Gorham, 1888:83, monotipia). - Kuhnt, 1909:8, 15. - Deelder, 1942:51. - Alvarenga, 1965:89.
- picipes* Gorham, 1888:83, pl. 5, fig. 6. Tp.: NHML - (México, Toxpan). - Kuhnt, 1909:15; 1911:7. - Blackwelder, 1945:456. Distr.: México.

Strongylosomus Chevrolat, 1837

- Strongylosomus* Chevrolat, 1837:427 (Tgen.: *Erotylus unicolor* Olivier, 1807:481, seg. Crotch, 1876:487). - Crotch, 1876:487. - Alvarenga, 1965:90.
- Coccimorphus* Hope, 1841:114 (Tgen.: *Erotylus unicolor* Olivier, 1807:481, desig. orig.). - Lacordaire, 1842:32, 266. - Chapuis, 1876:49, 54. - Gorham, 1888:83. - Kuhnt, 1909:9, 15. - Deelder, 1942:51. - Alvarenga, 1965:90 (syn.).
- alutaceus* Erichson, 1847:179 (*Coccimorphus*). Tp. ? - (Peru). - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:16; 1911:7. - Mader, 1942d:150; 1944:95. - Blackwelder, 1945:456. - Crotch, 1876:489 (*Strongylosomus*). Distr.: Peru.

- bolivianus* Schenkling, 1919:80 (*Aegithus*). Tp.: DEME exam. aut. - (Bolívia). - Blackwelder, 1945:456. - Mader, 1942c:550 (*Coccimorphus*). Distr.: Bolívia.
- capitatus* Lacordaire, 1842:270 (*Coccimorphus*. Tp. ? - (Brasil). - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:16; 1911:7. - Blackwelder, 1945:456. - Crotch, 1876:488 (*Strongylosomus*). Distr.: Brasil, região amazônica.
- carmineus* Lacordaire, 1842:269 (*Coccimorphus*). Tp. ? - (Brasil). - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:16; 1911:7. - Blackwelder, 1945:456. - Crotch, 1876:487 (*Strongylosomus*). Distr.: Brasil.
- coccinelloides* Duponchel, 1825:157, pl. 7, fig. 63 (*Erotylus*). Tp. ? (Brasil). - Lacordaire, 1842:272 (*Coccimorphus*). - Guérin-Méneville, 1855:610. - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:16; 1911:7. - Blackwelder, 1945:456. - Crotch, 1876:488 (*Strongylosomus*). Distr.: Brasil.
- cribripennis* Achard, 1926:143 (*Coccimorphus*). Tp. ? - (Argentina, Misiones). - Blackwelder, 1945:456. Distr.: Argentina.
- dichrous* Lacordaire, 1842:274 (*Coccimorphus*). Tp. ? - (Colômbia, rio Magdalena). - Gemminger & Harold, 1876:3704. - Gorham, 1888:84. - Kuhnt, 1909:16, 1911:7. - Deelder, 1942:57. - Mader, 1942d:150; 1944:95. - Blackwelder, 1945:456. - Crotch, 1876:489 (*Strongylosomus*). Distr.: Da América Central até o Brasil, região amazônica.
- emys* Lacordaire, 1842:518 (*Coccimorphus*). Tp. ? - (México, Oaxaca). - Gemminger & Harold, 1876:3704. - Gorham, 1888:84, pl. 4, fig. 21. - Kuhnt, 1909:16; 1911:7. - Deelder, 1942:57. - Blackwelder, 1945:456. - Crotch, 1876:488 (*Strongylosomus*). Distr.: México.
- floripesae* Alvarenga, 1962:11, fig. 1 (*Coccimorphus*). Tp. perdido - (Brasil, Mato Grosso, P.N. Xingu). Distr.: Brasil, região central.
- foveicollis* Lacordaire, 1842:275 (*Coccimorphus*). Tp. ? - (Brasil). - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:16; 1911:7. - Blackwelder, 1945:456. - Crotch, 1876:489 (*Strongylosomus*). Distr.: Brasil.
- frenatus* Guérin-Méneville, 1841a:120 (*Coccimorphus*). Tp. ? - (Colômbia). - Lacordaire, 1842:271. - Gemminger & Harold, 1876:3704. - Gorham, 1888:84. - Kuhnt, 1909:16; 1911:7. - Blackwelder, 1945:456. - Crotch, 1876:488 (*Strongylosomus*). Distr.: Nicarágua. Colômbia.
- melanopus* Lacordaire, 1842:269 (*Coccimorphus*). Tp.: MCZC exam. aut. - (Caena). - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:16; 1911:7. - Deelder, 1942:57. - Blackwelder, 1945:456. Guérin, 1948:5. - Crotch, 1876:487 (*Strongylosomus*). Distr.: Guiana Francesa. Brasil, região sudeste.
- nigripes* Duponchel, 1825:158, pl. 7, fig. 65 (*Erotylus*). Tp.: MNHN exam. aut. - (Brasil). - Lacordaire, 1842:268 (*Coccimorphus*). - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:16; 1911:7. - Blackwelder, 1945:456. - Crotch, 1876:487 (*Strongylosomus*). Distr.: Brasil.
- nigrotibialis* Mader, 1942c:549 (*Coccimorphus*). Tp.: DEIB - (Paraguai). - Distr.:

Paraguai.

- peruvianus* Crotch, 1876:488 (*Strongylosomus*). Tp.: MCZC exam. aut. - (Peru). - Gemminger & Harold, 1876:3704 (*Coccimorphus*). - Kuhnt, 1909:16; 1911:7. - Mader, 1942c:150; 1944:95. - Blackwelder, 1945:456. Distr.: Peru.
- pictus* Schenkling, 1919:80 (*Aegithus*). Tp.: DEME exam. aut. - (Panamá, Chiquirí). - Blackwelder, 1945:457. - Mader, 1942c:550 (*Coccimorphus*). Distr.: Panamá.
- rotundatus* Lacordaire, 1842:270 (*Coccimorphus*). Tp. ? - (Caïena). - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:16; 1911:7. - Blackwelder, 1945:456. Crotch, 1876:488 (*Strongylosomus*). Distr.: Guiana Francesa.
- rugosus* Lacordaire, 1842:276 (*Coccimorphus*). Tp.: MCZC exam. aut. - (Caïena). - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:16, pl. 3, fig. 1; 1911:7. - Bruch, 1914:379. - Schenkling, 1919:79. - Deelder, 1942:57. - Blackwelder, 1945:456. - Guérin, 1948:5. - Delkeskamp, 1957:96. - Crotch, 1876:489 (*Strongylosomus*). Distr.: Do Panamá até a Argentina.
- simplex* Guérin, 1956:45, fig. 1 (*Coccimorphus*). Tp.: CDSP exam. aut. - (Brasil, Amazonas, São Paulo de Olivença). Distr.: Brasil, região amazônica.
- unicolor* Olivier, 1807:481, pl. 3, fig. 32 (*Erotylus*). Tp. ? - (Guiana Francesa). - Lacordaire, 1842:272 (*Coccimorphus*). - Guérin-Ménéville, 1855:610. - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:16; 1911:7. - Bruch, 1914:379. - Deelder, 1942:57. - Blackwelder, 1945:456. - Guérin, 1948:5. - Crotch, 1876:489 (*Strongylosomus*). Distr.: Guiana Francesa. Brasil. Argentina.
- brevicornis* Duponchel, 1825:160, pl. 7, fig. 68. - Lacordaire, 1842:272 (syn.).

Plastococcus Gorham, 1898

- Plastococcus* Gorham, 1898:255 (Tgen.: *Plastococcus atricinctus* Gorham, 1898:255, seg. Alvarenga, 1965:88). - Kuhnt, 1909:9, 17. - Deelder, 1942:51. - Alvarenga, 1965:88.
- apicalis* Gorham, 1898:256. Tp.: NHML exam. aut. - (Panamá, Chiriquí, San Felix). - Kuhnt, 1909:17; 1911:8. - Blackwelder, 1945:456. Distr.: Panamá.
- atricinctus* Gorham, 1898:255. Tp.: NHML exam. aut. - (Panamá, Bugaba, David, volcán de Chiriquí). - Kuhnt, 1909:17; 1911:8. - Blackwelder, 1945:456. Distr.: Panamá.

Aegithus Fabricius, 1801

Aegithus Fabricius, 1801:9 (Tgen.: *Chrysomela clavicornis* Linnaeus, 1758:370, seg. Hope, 1841:114). - Hope, 1841:114. - Lacordaire, 1842:32, 276. - Crotch, 1873b:145; 1876:489. - Chapuis, 1876:49, 55. - Gorham, 1888:85. - Kuhnt, 1909:9, 17. - Deelder, 1942:51. - Alvarenga, 1965:81.

Aegithomimus Mader, 1942d:177. - Alvarenga, 1977:105 (**syn.**).

abruptus Casey, 1916:170. Tp.: NMNH - (México, Guerrero, rio Balsas). Blackwelder, 1945:456. Distr.: México.

andreae Lacordaire, 1842:282. Tp. ? - (Colômbia). - Crotch, 1876:492. - Gemminger & Harold, 1876:3704. - Kuhnt, 1909:19, pl. 2, figs 3, 3a, 3b; 1911:8. - Deelder, 1942:57. - Blackwelder, 1945:456. Distr.: Colômbia. Suriname. Brasil.

var. *denticulatus* Deelder, 1945:57, fig. 1a. Tp.: RNHL - (Suriname). Distr.: Suriname.

var. *quadrinaculatus* Guérin, 1956:46. Tp.: CDSP exam. aut. - (Brasil, Estado São Paulo, Batatais). Distr.: Brasil, região sudeste.

sexmaculatus Kirsch, 1865:99. - Crotch, 1876:492 (**syn.**).

armitagei Gorham, 1889:619. - Tp.: NHML exam. aut. - (Brasil, Amazonas). - Kuhnt, 1909:19; 1911:8. - Deelder, 1942:57. - Mader, 1942d:153; 1944:98. - Blackwelder, 1945:456. Distr.: Colômbia. Peru. Brasil, região amazônica.

assimilis Crotch, 1876:495. Tp. ? - (Amazonas). - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:8. - Blackwelder, 1945:456. Distr.: Brasil, região amazônica.

bartletti Gorham, 1889:619, pl. 61, figs 9, 9a. Tp.: NHML exam. aut. - (Peru, região sudeste). - Kuhnt, 1909:19; 1911:8. - Mader, 1942d:153; 1944:98. - Blackwelder, 1945:456. Distr.: Equador. Peru.

bicolor Kirsch, 1865:99. Tp.: SMTD exam. aut. - (Colômbia, Bogotá). - Crotch, 1876:496. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:8. - Blackwelder, 1945:456. Distr.: Colômbia.

binarius Casey, 1916:169. Tp.: NMNH - (México, Guerrero). Blackwelder, 1945:456. Distr.: México.

bourcierii Guérin-Ménéville, 1855:610. Tp.: MNHN exam. aut. - (Equador, rio Napo). - Crotch, 1876:496. - Gemminger & Harold, 1876:3705. - Kuhnt, 1911:8. - Blackwelder, 1945:456. Distr.: Equador.

brunnipennis Lacordaire, 1842:285. Tp. ? - (Brasil). - Crotch, 1876:491. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:8. - Bruch, 1914:379. - Deelder, 1942:57. - Mader, 1942d:153; 1944:98. - Blackwelder, 1945:456. Distr.: Peru. Bolívia. Paraguai. Brasil. Argentina.

bullae Lacordaire, 1842:289. - Tp. ? - (Caiena). - Crotch, 1876:494. - Gemminger

- & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:8. - Blackwelder, 1945:456. Distr.: Guiana Francesa. Brasil, região amazônica.
- burmeisteri* Lacordaire, 1842:281. Tp. ? - (Bolívia, Santa Cruz de la Sierra); 1876, pl. 132, fig. 5. - Crotch, 1876:491. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:18; 1911:8. - Deelder, 1942:57. - Mader, 1942d:153; 1944:98. - Blackwelder, 1945:456. - Guérin, 1948:5. Distr.: América do Sul, região amazônica.
- cardinalis* Chevrolat, 1834, fasc. 4, Tp.: MCZC exam. aut. - (México, volcán Orizaba). - Lacordaire, 1842:284. - Crotch, 1873b:146; 1876:492. - Gemminger & Harold, 1876:3705. - Gorham, 1888:86, pl. 4, fig. 23. - Kuhnt, 1909:18; 1911:8. - Deelder, 1942:57. - Blackwelder, 1945:457. Distr.: México. América Central.
- var. *minor* Gorham, 1888:86. Tp.: BMBH - (México, Jalapa). - Kuhnt, 1909:18; 1911:8. - Blackwelder, 1945:457. Distr.: México.
- chalybeus* Duponchel, 1825:157, pl. 7, fig. 62 (*Erotylus*). Tp. ? - [Localidade não citada]. - Lacordaire, 1842:279 (*Aegithus*). - Crotch, 1876:489. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:17; 1911:8. - Bruch, 1914:179. - Deelder, 1942:57. - Mader, 1942d:151; 1944:96. - Blackwelder, 1945:457. Distr.: Brasil, regiões sudeste e sul. Paraguai. Argentina.
- cinctipennis* Duponchel, 1825:157, pl. 7, fig. 60 (*Erotylus*). Tp. ? - [Localidade não citada]. - Lacordaire, 1842:280 (*Aegithus*). - Crotch, 1876:490. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:18. - 1911:8. - Deelder, 1942:57. - Blackwelder, 1945:457. Distr.: Brasil, região sudeste.
- circumfusus* Kuhnt, 1908b:627. Tp.: ZMHU exam. aut. - (Peru, Chanchamayo); 1909:19; 1911:8. - Mader, 1942d:153; 1944:98. - Blackwelder, 1945:457. Distr.: Peru. Bolívia.
- clathraticollis* Mader, 1942c:551, 553. Tp.: MGFM exam. aut. - (Paraguai, Assunción). Distr.: Paraguai.
- clavicornis* Linnaeus, 1758:370 (*Chrysomela*). Tp. ? - (América). - Degeer, 1778:418, pl. 16, fig. 11. - Chevrolat, 1834 (*Aegithus*). - Crotch, 1873b:147; 1876:493. - Gemminger & Harold, 1876:3705. - Gorham, 1888:87. - Kuhnt, 1909:18; 1911:8. - Bruch, 1914:379. - Schenkling, 1919:79. - Deelder, 1942:57. - Mader, 1942d:152; 1944:97. - Blackwelder, 1945:457. - Guérin, 1948:5. - Delkeskamp, 1957:96. Distr.: Do México até a Argentina.
- surinamensis* Linnaeus, 1763:10 (*Coccinella*). - Fabricius, 1775:79; 1781:93; 1787: 53; 1792:266. - Gmelin, 1890: 1645. - Fabricius, 1792: 39 (*Erotylus*). - Olivier, 1792:435; 1807:480, pl. 1, fig. 9. - Herbst, 1799:373, pl. 137, fig. 12. - Latreille, 1804:37. - Schönherr, 1808:328. - Fabricius, 1801:9 (*Aegithus*). - Illiger, 1804:160. - Sturm, 1826:139. - Lacordaire, 1842:285. - Guérin-Méneville, 1844, pl. 50, fig. 2; 1855:611. - Kirsch, 1876:102 (*syn.*).
- consularis* Guérin-Méneville, 1855:610. Tp.: MNHN ex aut. - (Brasil, Ama-

- zonas). - Crotch, 1876:490. - Kirsch, 1876:102. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:18; 1911:9. - Mader, 1942d:151; 1944:96. - Blackwelder, 1945:457. - Guérin, 1948:5. Distr.: Peru. Equador. Brasil, região amazônica.
- cordatus* Crotch, 1876:493. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:9. - Blackwelder, 1945:457. Distr.: Brasil, região amazônica.
- cretaceus* Guérin, 1956:46, fig. 2. Tp.: CDSP exam. aut. - (Brasil, Amazonas, Benjamin Constant). Distr.: Brasil, região amazônica.
- cribrosus* Lacordaire, 1842:293. Tp. ? - (Brasil). - Crotch, 1876:491. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:18; 1911:9. - Mader, 1942d:152; 1944:97. - Blackwelder, 1945:457. Distr.: Equador. Peru. Bolívia. Brasil, região amazônica.
- cyanipennis* Guérin-Ménéville, 1841a:120. Tp.: MCZC exam. aut. - (Bolívia); 1855:610. - Lacordaire, 1842:279. - Crotch, 1876:490. - Gemminger & Harold, 1876:3705. - Dohrn, 1880:152. - Kuhnt, 1909:18; 1911:9. - Brèthes, 1920:48. - Deelder, 1942:59. - Mader, 1942d:151; 1944:96. - Blackwelder, 1945:457. - Guérin, 1948:5. - Delkeskamp, 1957:96. Distr.: Equador. Peru. Bolívia. Brasil, região amazônica.
- var. *viridis* Brèthes, 1920:48. Tp. ? - (Peru, Chanchamayo). - Deelder, 1942:59. - Mader, 1942d:151. - Blackwelder, 1945:457. Distr.: Peru.
- decoloratus* Kuhnt, 1910:249, fig. 13. Tp.: ZMHU exam. aut. - (Colômbia, El Tambo, Bogotá); 1911:9. - Blackwelder, 1945:457. Distr.: Colômbia.
- dichrous* Crotch, 1876:495. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:9. - Blackwelder, 1945:457. Distr.: Brasil, região amazônica.
- dohrni* Mader, 1942d:152, 176. Tp. ? - (Peru, Marcapata); 1944:97. Distr.: Peru.
- dubius* Gorham, 1888:90. Tp.: NHML exam. aut. - (Panamá, Bugaba, Caldera). - Kuhnt, 1909:19; 1911:9. - Blackwelder, 1945:457. Distr.: Panamá.
- duplicatus* Gorham, 1888:89. Tp.: NHML exam. aut. - (Guatemala, Capetilo). - Kuhnt, 1909:19; 1911:9. - Blackwelder, 1945:457. Distr.: Guatemala. Nicarágua.
- ecuadoricus* Mader, 1942c:550. Tp.: MGFM exam. aut. - (Equador, Loreto); 1944:96. Distr.: Equador.
- flavolineatus* Mader, 1943:109. Tp.: SMTD exam. aut. - (Bolívia). Distr.: Bolívia.
- geminatus* Lacordaire, 1842:287. Tp. ? - (Rio de Janeiro). - Crotch, 1876:494. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:9. - Deelder, 1942:59. - Blackwelder, 1945:457. - Guérin, 1948:5. Distr.: Brasil, região sudeste.
- globulus* Achard, 1926:144. Tp. ? - (Equador). - Blackwelder, 1945:457. Distr.: Equador.

gorhami Alvarenga, 1977:105. Distr.: Costa Rica.

discoideus; Gorham, 1888, **nec** Fabricius, 1801. - Gorham, 1888:88, pl. 5, fig. 2. Tp.: NHML exam. aut. - (Costa Rica, Cachí). - Kuhnt, 1909:19; 1911:9. - Blackwelder, 1945: 457. - Alvarenga, 1977:105 (**nom. praeoc.**).

grammicus Gorham, 1888:91, pl. 5, fig. 3. Tp.: NHML exam. aut. - (Guatemala, Vera Paz, San Juan). - Kuhnt, 1909:18; 1911:9. - Blackwelder, 1945:457. Distr.: Guatemala.

hemisphaericus Lacordaire, 1842:289. Tp. ? - (Brasil). - Crotch, 1876:493. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:9. - Deelder, 1942:59. - Mader, 1942d:153; 1944:98. - Blackwelder, 1945:457. - Guérin, 1948:5. Distr.: Peru. Suriname. Brasil, região amazônica.

hoge Gorham, 1888:89. Tp.: NHML exam. aut. - (México, Guerrero, Chilpancingo). - Kuhnt, 1909:18; 1911:9. - Blackwelder, 1945:457. Distr.: México.

inflatus Crotch, 1876:493. Tp.: MCZC exam. aut. - (Peru, Pebas). - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:9. - Mader, 1942d:153; 1944:98. - Blackwelder, 1945:457. - Guérin, 1948:5. Distr.: Peru. Brasil, região amazônica.

jansoni Crotch, 1873b:146. Tp.: NHML exam. aut. - (Nicarágua, Chontales, Santo Domingo). - Gemminger & Harold, 1876:3705. - Gorham, 1888:88, pl. 5, fig. 1. - Kuhnt, 1909:19; 1911:9. - Blackwelder, 1945:457. Distr.: Nicarágua.

lateritius Lacordaire, 1842:293. Tp. ? - (Caiena). - Crotch, 1876:494. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:9. - Blackwelder, 1945:457. Distr.: Guiana Francesa. Brasil, região amazônica.

leachi Lacordaire, 1842:287. Tp. ? - (Colômbia). - Crotch, 1876:491. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:9. - Blackwelder, 1945:457. Distr.: Colômbia.

lebasi Lacordaire, 1842:285. Tp. ? - (Colômbia, Cartagena). - Crotch, 1876:494. - Gemminger & Harold, 1876:3705. - Gorham, 1888:89. - Kuhnt, 1909:18; 1911:9. - Deelder, 1942:59. - Blackwelder, 1945:457. Distr.: Costa Rica, Panamá. Colômbia.

cassideus Lacordaire, 1842:295. - Crotch, 1876:494 (**syn.**).

lineatus Guérin-Ménéville, 1844:308. Tp.: MNHN ex aut. - (Colômbia). - Crotch, 1876:492. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:18; 1911:9. - Blackwelder, 1945:457. Distr.: Colômbia. Brasil, região amazônica.

var. *thoracicus* Kuhnt, 1908b:628. Tp.: ZMHU exam. aut. - (Colômbia, Antioquia); 1909:18; 1911:9. - Blackwelder, 1945:457. Distr.: Colômbia.

lineola Lacordaire, 1842:294. Tp. ? - (Colômbia). - Crotch, 1876:494. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:9. - Blackwelder,

- 1945:457. Distr.: Colômbia.
- luridus* Kuhnt, 1908b:627. Tp.: ZMHU exam. aut. - (Colômbia); 1909:19; 1911:9. - Deelder, 1942:59. - Blackwelder, 1945:457. Distr.: Colômbia. Suriname.
- luteus* Erichson, 1847:179. Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:496. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:9. - Deelder, 1942:59. - Mader, 1942d:153; 1944:98. - Blackwelder, 1945:457. Distr.: Peru.
- maculicollis* Duponchel, 1825:158, pl. 7, fig. 64 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:288 (*Aegithus*). - Crotch, 1876:491. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:9. - Blackwelder, 1945:457. - Guérin, 1948:5. Distr.: Brasil.
- melaspis* Gorham, 1888:85, pl. 4, fig. 22. Tp.: NHML exam. aut. - (México, Presidio). - Kuhnt, 1909:18; 1911:9. - Deelder, 1942:59. - Blackwelder, 1945:457. Distr.: México. Guatemala. Nicarágua.
- meridionalis* Crotch, 1873:146. Tp. ? - (Nicarágua, Chontales); 1876:493. - Gorham, 1888:87, pl. 4, fig. 25. - Kuhnt, 1909:18; 1911:10. - Deelder, 1942:59. - Blackwelder, 1945:457. Distr.: México. América Central.
- mesosternalis* Kuhnt, 1908b:626. Tp.: ZMHU exam. aut. - (Colômbia); 1909:19; 1911:10. - Blackwelder, 1945:457. Distr.: Colômbia.
- monochrous* Lacordaire, 1842:294. Tp. ? - (Caiena). - Crotch, 1876:494. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:10. - Blackwelder, 1945:457. Distr.: Guiana Francesa.
- multistriatus* Mader, 1942d:153, 177. Tp.: MGFM exam. aut. - (Peru, Chanchamayo); 1944:99. Distr.: Peru. Brasil, região amazônica.
- nigrocinctus* Erichson, 1847:179. Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:495. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:10. - Deelder, 1942:59. - Mader, 1942d:153; 1944:98. - Blackwelder, 1945:457. Distr.: Peru.
- olivaceipennis* Mader, 1942c:552, 553. Tp., MGFM exam. aut. - (Bolívia, Coroico). Distr.: Bolívia.
- ornaticollis* Lacordaire, 1842:292. Tp. ? - (Colômbia). - Crotch, 1876:492. - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:10. - Blackwelder, 1945:457. Distr.: Colômbia.
- pallidus* Kuhnt, 1908b:626. Tp.: ZMHU exam. aut. - (Brasil, Pará, Cametá); 1909:19; 1911:10. - Deelder, 1942:59. - Blackwelder, 1945:457. Distr.: Brasil, região amazônica.
- politissimus* Crotch, 1876:493. Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3705. - Kuhnt, 1909:19; 1911:10. - Blackwelder, 1945:457. Distr.: Equador.
- politus* Gorham, 1888:86. Tp.: NHML exam. aut. - (Nicarágua, Chontales). -

- Kuhnt, 1909:18; 1911:10. - Blackwelder, 1945:457. Distr.: Nicarágua. Costa Rica. Panamá.
- punctatissimus* Fabricius, 1775:123 (*Erotylus*). Tp.: HCGU - (América); 1781:157; 1787:91; 1792:37; 1801:5. - Olivier, 1792:433; 1807:469, pl. 2, fig. 13. - Illiger, 1806:231. - Gmelin, 1790:1727. - Herbst, 1799:367, pl. 137, fig. 8. - Schönherr, 1808:326. - Duponchel, 1825:157, pl. 7, fig. 61. - Zimsen, 1964:114. - Lacordaire, 1842:281 (*Aegithus*). - Erichson, 1848:579. - Crotch, 1876:490. - Gemminger & Harold, 1876:3706. - Kuhnt, 1909:18; 1911:10. - Staig, 1931:102. - Curran, 1941:282. - Deelder, 1942:59. - Mader, 1942d:153; 1944:97. - Blackwelder, 1945:457. Distr.: América do Sul, região amazônica.
- centumpunctatus* Herbst, 1783:45, pl. 22, fig. 13 (*Coccinella*). - Lacordaire, 1842:281 (syn.).
- separandus* Crotch, 1876:490. - Curran, 1941:282 (syn.).
- punctata* Voet, 1778:44. pl. 33, fig. 3 (*Pseudochrysomela*). - Alvarenga, 1977:105 (syn.).
- quadrimaculatus* Gistel, 1848:124. Tp. ? - [Localidade não citada]. Distr.: ?
- quadrinotatus* Chevrolat, 1834, fasc. 4, Tp. ? - (México, Toulepeck). - Lacordaire, 1842:283. - Guérin-Méneville, 1844:308. - Crotch, 1873b:146; 1876:495. - Gemminger & Harold, 1876:3706. - Gorham, 1888:89. - Kuhnt, 1909:19; 1911:10. - Deelder, 1942:59. - Blackwelder, 1945:457. - Pallister, 1955b:5. - Candèze, 1861:398, pl. 6, fig. 3 Distr.: México. Belize. Guatemala. Nicarágua.
- clathratus* Lacordaire, 1842:282. - Crotch, 1873b:146 (sin).
- rhombifer* Casey, 1916:169. Tp.: NMNH - (Honduras, San Pedro Sula). - Blackwelder, 1945:457. Distr.: Honduras.
- rubriventris* Kuhnt, 1908b:626. Tp.: ZMHU exam. aut. - (Brasil); 1909:19; 1911:10. - Blackwelder, 1945:457. Distr.: Brasil, região sudeste.
- rufipennis* Chevrolat, 1834, fasc. 4. Tp.: MCZC exam. aut. - (México, Orizaba). - Lacordaire, 1842:284. - Crotch, 1876:492. - Gorham, 1888:87, pl. 4, fig. 24. - Kuhnt, 1909:18; 1911:10. - Deelder, 1942:59. - Blackwelder, 1945:457. - Pallister, 1955b:4. Distr.: México. Belize. Guatemala.
- sanguinans* Dohrn, 1880:152, 293. Tp. ? - [Localidade não citada]. Fleutiaux, 1886:224. - Kuhnt, 1909:18, pl. 2, fig. 2; 1911:10. - Deelder, 1942:59. - Mader, 1942d:151; 1944:96. - Blackwelder, 1945:457. - Guérin, 1948:5. Distr.: Peru. Brasil, região amazônica.
- satellitius* Lacordaire, 1842:295. Tp. ? - (Colômbia). - Crotch, 1876:495. - Gemminger & Harold, 1876:3706. - Kuhnt, 1909:19; 1911:10. - Mader, 1942d:153; 1944:98. - Blackwelder, 1945:457. Distr.: Colômbia. Peru. Brasil, região amazônica.
- schenklingi* Mader, 1942c:551. Distr.: Brasil, região amazônica.
- clathratus*; Schenkling, 1919, nec Lacordaire, 1842. - Schenkling, 1919:79.

- Tp.: DEIB - (Brasil). - Mader, 1942c:551 (**nom.praeoc.**)
- scurra* Lacordaire, 1842:288. Tp. ? - (Brasil). - Crotch, 1876:494. - Gemminger & Harold, 1876:3706. - Kuhnt, 1909:19; 1911:10. - Blackwelder, 1945:457. Distr.: Brasil, região sudeste.
- stillatus* Gorham, 1888:91. Tp.: NHML exam. aut. - (México). - Kuhnt, 1909:18; 1911:10. - Blackwelder, 1945:457. Distr.: México. Belize.
- striatellus* Crotch, 1876:495. Tp. ? - (Equador). - Gemminger & Harold, 1876:3706. - Kuhnt, 1909:19; 1911:10. - Schenkling, 1919:79. - Mader, 1942d:153; 1944:98. - Blackwelder, 1945:457. Distr.: Equador. Peru.
- strigicollis* Gorham, 1888:90. Tp.: NHML exam. aut. - (Panamá, David). - Kuhnt, 1909:19; 1911:10. - Blackwelder, 1945:457. Distr.: Panamá.
- suturella* Lacordaire, 1842:290. Tp.: ? - (Colômbia). - Crotch, 1876:491. - Gemminger & Harold, 1876:3706. - Kuhnt, 1909:19; 1911:10. - Blackwelder, 1945:457. Distr.: Colômbia.
- torquatus* Lacordaire, 1842:291. Tp.: MCZC exam. aut. - (Caiena). - Crotch, 1876:494. - Gemminger & Harold, 1876:3706. - Kuhnt, 1909:19; 1911:10. - Mader, 1942c:552. - Blackwelder, 1945:457. Distr.: Guiana Francesa.
- trilineatus* Kuhnt, 1908b:626. Tp.: ZMHU exam. aut. - (México); 1909:19; 1911:10. - Blackwelder, 1945:457. Distr.: México.
- truncatus* Crotch, 1876:492. Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3706. - Gorham, 1891:56. - Kuhnt, 1909:18; 1911:11. - Blackwelder, 1945:457. Distr.: Equador.
- uva* Lacordaire, 1842:290. Tp. ? - (Colômbia). - Crotch, 1876:492. - Gemminger & Harold, 1876:3706. - Gorham, 1888:88; 1898:255. - Kuhnt, 1909:18; 1911:11. - Deelder, 1942:59. - Blackwelder, 1945:457. Distr.: México. América Central. Colômbia. Equador.
- var. *abdominalis* Kuhnt, 1908b:627. Tp. ? - (Costa Rica); 1909:18; 1911:11. - Deelder, 1942:59. - Blackwelder, 1945:457. Distr.: Costa Rica. Colômbia.
- var. *brunneus* Kuhnt, 1908b:628. Tp. ? - (Costa Rica); 1909:18; 1911:11. - Blackwelder, 1945:457. Distr.: Costa Rica.
- varicollis* Lacordaire, 1842:291. Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:491. - Gemminger & Harold, 1876:3706. - Gorham, 1888:88. - Kuhnt, 1909:19; 1911:11. - Schenkling, 1919:79. - Deelder, 1942:59. - Blackwelder, 1945:457. Distr.: Guatemala. Panamá. Colômbia.
- var. *collaris* Kuhnt, 1908b:627. Tp.: ZMHU exam. aut. - (Colômbia); 1909:19; 1911:9. - Mader, 1942c:551. - Blackwelder, 1945:457. Distr.: Colômbia.
- walkenaeri* Lacordaire, 1842:280. Tp. ? - [Localidade não citada]. - Crotch, 1876:490. - Fleutiaux, 1886:224. - Kuhnt, 1909:18; 1911:11. - Blackwelder, 1945:457. - Guérin, 1948:5. Distr.: Brasil, região sudeste.

Iphiclus Chevrolat, 1837

- Iphiclus* Chevrolat, 1837:426 (Tgen.: *Erotylus flavovittatus* Duponchel, 1825:59, seg. Alvarenga, 1965:82). - Alvarenga, 1965:82.
Brachysphoenus Lacordaire, 1842:32, 296. - Crotch, 1873b:147; 1876:496. - Chapuis, 1876:49, 56. - Mader, 1944:99.
Brachysphaenus Kuhnt, 1909:9, 20. - Deelder, 1942:51.
Brachysphenus Gorham, 1888:92.
Morphoides Gemminger & Harold, 1876:3706.

Iphiclus (*Megaprotus*) Lacordaire, 1842

- Megaprotus* Lacordaire, 1842:297 (Tsubgen.: *Erotylus signatus* Duponchel, 1825:159, seg. Alvarenga, 1965:86). - Chapuis, 1876:58. - Crotch, 1876:496. - Kuhnt, 1909:22-23. - Mader, 1944:102. - Alvarenga, 1965:86.
- ardens* Curran, 1941:284, fig. 5 (*Brachysphaenus*). Tp.: DTNY - (Guiana, Kartabo). Distr.: Guiana.
- argus* Kuhnt, 1910:257, fig. 17 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (Brasil, Bahia); 1911:12. - Blackwelder, 1945:458. Distr.: Brasil, regiões nordeste e sudeste.
- catillifer* Gorham, 1888:93, pl. 5, figs 10, 11 (*Brachysphenus*). Tp.: NHML exam. aut. - (Nicaragua, Chontales, Santo Domingo). - Kuhnt, 1909:24; 1911:13. - Blackwelder, 1945:458. Distr.: Panamá. Costa Rica.
- cinctellus* Lacordaire, 1842:300 (*Brachysphoenus*). Tp. ? - (Caïena). - Crotch, 1876:496. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:24; 1911:13. - Blackwelder, 1945:458. Distr.: Guiana Francesa. Brasil, região amazônica.
- circulus* Lacordaire, 1842:307 (*Brachysphoenus*). Tp. ? - (Caïena). - Crotch, 1876:498. - Kirsch, 1876:102. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:24; 1911:13. - Mader, 1942d:157; 1944:103. - Blackwelder, 1945:458. Distr.: Guiana Francesa. Peru.
- clarosignatus* Kuhnt, 1910:258 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (Guiana Francesa, Caïena); 1911:13. - Deelder, 1942:60. - Blackwelder, 1945:458. Distr.: Suriname. Guiana Francesa.
- coadunatus* Lacordaire, 1842:303 (*Brachysphoenus*). Tp. ? - (Caïena). - Crotch, 1876:499. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:23; 1911:13. - Blackwelder, 1945:458. Distr.: Guiana Francesa. Brasil, região amazônica.
- cunctabundus* Mader, 1942c:553 (*Brachysphoenus*). Tp.: MGFM exam. aut. - (Bolívia, Coroico). Distr.: Bolívia.
- decussatus* Lacordaire, 1842:298 (*Brachysphoenus*). Tp. ? - (Colômbia). - Crotch,

- 1876:496. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:24; 1911:14. - Blackwelder, 1945:458. Distr.: Colômbia.
- delineatus* Lacordaire, 1842:306 (*Brachysphoenus*). Tp. ? - (Caiena). - Crotch, 1876:497. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:24; 1911:14. - Deelder, 1942:61. - Blackwelder, 1945:458. Distr.: Panamá. Colômbia. Guiana Francesa. Brasil, região amazônica.
- dilectus* Gorham, 1888:93 (*Brachysphenus*). Tp.: NHML exam. aut. - (Panamá, volcán de Chiriquí). - Kuhnt, 1909:23; 1911:14. - Blackwelder, 1945:458. Distr.: Panamá. Peru.
- duodecimpustulatus* Lacordaire, 1842:301 (*Brachysphoenus*). Tp. ? - (Caiena). - Crotch, 1876:496. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:24; 1910:260; 1911:14. - Blackwelder, 1945:458. Distr.: Guiana Francesa. Brasil, região amazônica.
- duplicatus* Lacordaire, 1842:299 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Colômbia). - Guérin-Méneville, 1855:611. - Crotch, 1876:498. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:23; 1911:14. - Deelder, 1942:61. - Mader, 1942d:157; 1944:103. - Blackwelder, 1945:458. - Guérin, 1948:13. Distr.: Colômbia. Peru. Brasil, região central.
- var. *mediatus* Lacordaire, 1842:308. Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:498. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:23; 1911:14. - Mader, 1942d:157. - Blackwelder, 1945:458. Distr.: Colômbia.
- ephippium* Duponchel, 1825:163, pl. 7, fig. 77 (*Erotylus*). Tp. ? (Guiana Francesa). - Lacordaire, 1842:302 (*Brachysphoenus*). - Crotch, 1876:497. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:24, pl. 2, fig. 5; 1911:14. - Bruch, 1914:380. - Deelder, 1942:61. - Blackwelder, 1945:458. - Guérin, 1948:13. Distr.: Guiana Francesa?. Brasil, regiões sudeste e sul. Argentina.
- epigraphus* Crotch, 1876:500 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:23; 1911:15. - Blackwelder, 1945:458. Distr.: Brasil, região amazônica.
- eximius* Lacordaire, 1842:393 (*Brachysphoenus*). Tp. ? - (Brasil). - Crotch, 1876:499. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:24; 1911:15. - Blackwelder, 1945:458. Distr.: Brasil.
- fasciellus* Crotch, 1876:497 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:24; 1911:15. - Blackwelder, 1945:458. Distr.: Brasil, região amazônica.
- fasciunculus* Crotch, 1876:497 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:24; 1911:15. - Blackwelder, 1945:458. Distr.: Brasil, região amazônica.
- laetus* Crotch, 1876:499 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:23; 1911:16. - Mader,

- 1942d:157; 1944:102. - Blackwelder, 1945:459. Distr.: Peru. Brasil, região amazônica.
- ab. *mediolineatus* Mader, 1942d:157. Tp.: DEIB - (Peru); 1944:102. Distr.: Peru. Brasil, região amazônica.
- laevipennis* Kuhnt, 1910:256 (*Brachysphaenus*). Tp. ? - (Guiana Francesa, Caiena); 1911:16. - Blackwelder, 1945:459. Distr.: Guiana Francesa.
- luctuosus* Kuhnt, 1910:260 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (Brasil, Mato Grosso); 1911:16. - Blackwelder, 1945:459. Distr.: Brasil, região central.
- luteoniger* Crotch, 1876:498 (*Brachysphaenus*). Tp. ? - (Equador). - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:23; 1911:16. - Blackwelder, 1945:459. Distr.: Equador.
- luteopictus* Crotch, 1876:501 (*Brachysphaenus*). TP.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:23; 1911:16. - Blackwelder, 1945:459. - Guérin, 1948:6. Distr.: Brasil, região amazônica.
- masculinus* Crotch, 1876:499 (*Brachysphaenus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:23; 1911:17. - Blackwelder, 1945:459. Distr.: Brasil, região amazônica.
- moniliferus* Guérin-Ménéville, 1841b:155 (*Mycotretus*). Tp.: MCZC exam. aut. - (Guiana Francesa, Caiena); 1855:611 (*Brachysphaenus*). - Lacordaire, 1842:302. - Crotch, 1876:496. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:24; 1911:17. - Curran, 1941:284. - Blackwelder, 1945:459. Distr.: Guiana. Guiana Francesa.
- nubilus* Lacordaire, 1842:310 (*Brachysphaenus*). Tp. ? - (Caiena). - Crotch, 1876:499. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:23; 1911:17. - Blackwelder, 1945:459. Distr.: Guiana Francesa.
- nuculus* Gorham, 1888:94 (*Brachysphaenus*). Tp.: NHML exam. aut. - (México, Toxpam). - Kuhnt, 1909:23; 1911:17. - Blackwelder, 1945:459. Distr.: México.
- obliteratus* Guérin, 1956:57, fig. 19 (*Brachysphaenus*). Tp.: CDSP exam. aut. - (Brasil, Est. Rio de Janeiro, Itatiaia). Distr.: Brasil, região sudeste.
- octolinearis* Kuhnt, 1910:257, fig. 16 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (Peru, Chanchamayo); 1911:18. - Mader, 1942d:157; 1944:104. - Blackwelder, 1945:459. Distr.: Peru.
- octopunctatus* Kirsch, 1876:103 (*Megaprotus*). Tp.: SMTD exam. aut. - (Peru, Pozuzo). - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:24 (*Brachysphaenus*); 1911:18. - Mader, 1942d:158; 1944:104. - Blackwelder, 1945:459. - Delkeskamp, 1957:96. Distr.: Peru. Equador. Bolívia.
- orphanulus* Lacordaire, 1842:307 (*Brachysphaenus*). Tp. ? - (Caiena). - Crotch, 1876:500. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:23; 1911:18. - Blackwelder, 1945:459. Distr.: Guiana Francesa.

- patruelis* Kuhnt, 1910:259, fig.18 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (Brasil); 1911:18. - Blackelder, 1945:459. Distr.: Brasil.
- perlepidus* Lacordaire, 1842:299 (*Brachysphaenus*). Tp.: MNHN exam. aut. - (Caïena). - Blanchard, 1843, pl. 25, fig. 8. - Crotch, 1876:497. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:24; 1911:18. - Mader, 1942d:157; 1944:103. - Blackwelder, 1945:459. Distr.: Guiana Francesa. Peru. Bolívia.
- pithecius* Lacordaire, 1842:309 (*Brachysphaenus*). Tp. ? - (Caïena). Crotch, 1876:498. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:23; 1911:18. - Blackwelder, 1945:459. Distr.: Guiana Francesa.
- porcellana* Lacordaire, 1842:300 (*Brachysphaenus*). Tp. ? - (Caïena). - Crotch, 1876:500. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:23; 1911:18. - Blackwelder, 1945:459. Distr.: Guiana Francesa.
- pulcher* Gorham, 1888:93, pl. 5, fig. 9 (*Brachysphaenus*). Tp.: NHML - (Panamá, Bugaba, volcán Chiriquí). - Kuhnt, 1909:24; 1911:18. - Blackwelder, 1945:459. Distr.: Panamá.
- sedecimlinearis* Mader, 1942d:157, 183 (*Brachysphaenus*). Tp.: SMTD (Peru); 1944:104. Distr.: Peru.
- sedecimpunctatus* Lacordaire, 1842:309 (*Brachysphaenus*). Tp. ? - (Caïena). - Crotch, 1876:498. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:24; 1911:19. - Blackwelder, 1945:460. Distr.: Guiana Francesa.
- sedecimstrigatus* Mader, 1942d:157, 182 (*Brachysphaenus*). Tp.: MGFM exam. aut. - (Peru, Chanchamayo); 1944:103. Distr.: Peru.
- sexsigillatus* Lacordaire, 1842:390 (*Brachysphaenus*). Tp. ? - (Brasil). - Crotch, 1876:499. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:24; 1911:19. - Blackwelder, 1945:460. Distr.: Brasil.
- signatus* Duponchel, 1825:159, pl. 7, fig. 67 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:304 (*Brachysphaenus*). - Crotch, 1876:497. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:24; 1911:20. - Schenkling, 1919:80. - Deelder, 1942:63. - Mader, 1942c:554. - Blackwelder, 1945:460. - Guérin, 1948:13. Distr.: Brasil, regiões sudeste e sul.
- amabilis* Guérin-Méneville, 1841:154 (*Brachymerus*). - Lacordaire, 1842:305 (*Brachysphaenus*). - Mader, 1942c:554 (**syn.**).
- zonulus* Crotch, 1873b:147 (*Brachysphaenus*). Tp.: MCZC exam. aut. - (Equador); 1876:498. - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:24; 1911:20. - Mader, 1942d:157; 1944:103. - Blackwelder, 1945:460. Distr.: Nicaraguá. Equador. Peru. Brasil, região amazônica.

Iphiclus (Habrodactylus) Lacordaire, 1842

- Habrodactylus* Lacordaire, 1842: 311 (Tsubgen.: *Brachysphoenus sulphurifer* Lacordaire, 1842: 324, seg. Alvarenga, 1965:84). - Chapuis, 1876:58. - Crotch, 1876:503. - Kuhnt, 1909:22, 24. - Mader, 1944:104. - Alvarenga, 1965:84.
- agathinus* Guérin-Ménéville, 1841b:154 (*Brachymerus*). Tp.: MNHN exam. aut. - (Brasil). - Lacordaire, 1842:411 (*Brachysphoenus*). - Crotch, 1876:508. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:25; 1911:12. - Blackwelder, 1945:457. Distr.: Brasil, região sudeste.
- annulatus* Germar, 1824:613 (*Erotulus*). - Tp.: ZMHU exam. aut. - (Brasil). - Sturm, 1826:139. - Lacordaire, 1842:330 (*Brachysphoenus*). - Crotch, 1876:500. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:23; 1911:12. - Blackwelder, 1945:458. - Guérin, 1948:10. Distr.: Brasil, região sudeste e sul.
- antennalis* Lacordaire, 1842:410 (*Brachysphoenus*). Tp. ? - (Caïena). - Crotch, 1876:507. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:24; 1911:12. - Blackwelder, 1945:458. Distr.: Guiana Francesa.
- arculifer* Kirsch, 1883:211 (*Brachysphoenus*). Tp.: SMTD exam. aut. - (Equador). - Fleutiaux, 1886:224. - Kuhnt, 1909:25; 1911:12. - Blackwelder, 1945:458. Distr.: Equador.
- basinotatus* Crotch, 1876:504 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Brasil). - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:25; 1911:12. - Blackwelder, 1945:458. Distr.: Brasil, região sudeste.
- bisquadripunctatus* Kuhnt, 1911:12 (*Brachysphaenus*). - Blackwelder, 1945:458. - Guérin, 1946b:370; 1948:13. Distr.: Brasil.
- octopunctatus*; Kuhnt, 1910, **nec** Kirsch, 1876. - Kuhnt, 1910:263, fig. 20. Tp.: ZMHU exam. aut. - (Brasil); 1911:12. - Guérin, 1946b:370 (**nom. praeoc.**).
- kirschi* Kuhnt, 1911:16. - Blackwelder, 1945:459. - Guérin, 1946b:370 (**syn.**).
- bisquinquepunctatus* Lacordaire, 1842:318 (*Brachysphoenus*). Tp. ? - (Caïena). - Crotch, 1876:504. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:25; 1910:265; 1911:13. - Mader, 1943:110. - Blackwelder, 1945:458. Distr.: Guiana Francesa.
- bisquinesignatus* Mader, 1943:110 (*Brachysphoenus*). Tp. ? - (Brasil, Est. São Paulo, Santos). Distr.: Brasil, região sudeste.
- bistripunctatus* Lacordaire, 1842:314 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Caïena). - Crotch, 1876:503. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:25; 1911:13. - Blackwelder, 1945:458. Distr.: Guiana Francesa.
- brevicollis* Gorham, 1888:95 (*Brachysphenus*). Tp.: NHML - (Panamá, Bugaba). - Kuhnt, 1909:24; 1911:13. - Blackwelder, 1945:458. Distr.: Panamá.

- centromaculatus* Lacordaire, 1842:329 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Caïena). - Crotch, 1876:508. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:25; 1911:13. - Blackwelder, 1945:458. Distr.: Guiana Francesa.
- cereus* Gorham, 1888:94 (*Brachysphenus*). Tp.: NHML exam. aut. - (Panamá, Bugaba, volcán Chiriquí). - Kuhnt, 1909:24; 1911:13. - Deelder, 1942:60. - Blackwelder, 1945:458. Distr.: Panamá.
- concolor* Lacordaire, 1842:328 (*Brachysphoenus*). Tp. ? - (Caïena). - Crotch, 1876:507. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:24; 1911:13. - Blackwelder, 1945:458. Distr.: Guiana Francesa.
- congener* Lacordaire, 1842:318 (*Brachysphoenus*). Tp. ? (Rio de Janeiro). - Crotch, 1876:504. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:24; 1911:13. - Blackwelder, 1945:458. - Guérin, 1948:13. Distr.: Brasil, regiões sudeste e sul.
- conspicillatus* Gorham, 1888:97, pl. 5, fig. 12 (*Brachysphenus*). Tp.: NHML exam. aut. - (Costa Rica, Cachí). - Kuhnt, 1909:25; 1911:14. - Blackwelder, 1945:458. Distr.: Costa Rica.
- cordiger* Crotch, 1876:507 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Ega [atualmente Tefé]). - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:25; 1911:14. - Blackwelder, 1945:458. Distr.: Brasil, região amazônica.
- decemocolatus* Mader, 1943:110 (*Brachysphoenus*). Tp. ? - (Brasil, Santa Catarina, Mafra). Distr.: Brasil, região sul.
- decemplagiatus* Kuhnt, 1910:264 (*Brachysphaenus*). Tp.: ZMHU exam. aut. (Brasil); 1911:14. - Mader, 1943:110. - Blackwelder, 1945:458. Distr.: Brasil.
- decempunctatus* Duponchel, 1825:162, pl. 7, fig. 74 (*Erotylus*). Tp.: MNHN exam. aut. - (Brasil). - Lacordaire, 1842:317 (*Brachysphoenus*). - Crotch, 1876:504. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:25; 1910:265; 1911:14. - Bruch, 1914:380. - Mader, 1943:110. - Blackwelder, 1945:458. - Guérin, 1948:13. Distr.: Brasil, região sudeste.
- var. *quadricticus* Guérin, 1956:46. Tp.: CDSP exam. aut. - (Brasil, Est. S. Paulo, S. Paulo, Casa Grande). Distr.: Brasil, região sudeste.
- deficiens* Crotch, 1876:505 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Amazonas). - Fleutiaux, 1886:224. - Kuhnt, 1909:25; 1911:14. - Blackwelder, 1945:458. - Distr.: Brasil, região amazônica.
- deletus* Lacordaire, 1842:408 (*Brachysphoenus*). Tp. ? - (Caïena). Crotch, 1876:508. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:25; 1911:14. - Blackwelder, 1945:458. Distr.: Guiana Francesa.
- detritus* Lacordaire, 1842:314 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:504. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:25; 1911:14. - Deelder, 1942:61. - Blackwelder, 1945:458. Distr.: Colômbia.

- discrepans* Guérin, 1956:46, fig. 3 (*Brachysphaenus*). Tp.: CDSP exam. aut. - (Brasil, Santa Catarina, Nova Teutônia). Distr.: Brasil, região sul.
- discus* Lacordaire, 1842:327 (*Brachysphoenus*). Tp. ? - (Caiena). - Crotch, 1876:507. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:25; 1911:14. - Blackwelder, 1945:458. Distr.: Guiana Francesa.
- egensis* Gorham, 1889:615, pl. 61, fig. 8 (*Brachysphenus*) Tp.: NHML exam. aut. - (Brasil, Amazonas, Ega)[atualmente Tefé]. - Kuhnt, 1909:25; 1911:14. - Blackwelder, 1945:458. Distr.: Brasil, região amazônica.
- exiguenotatus* Gorham, 1888:95 (*Brachysphenus*). Tp.: NHML - (Nicarágua). - Kuhnt, 1909:15. - Blackwelder, 1945:458. Distr.: Nicarágua. Panamá.
- festivus* Lacordaire, 1842:332 (*Brachysphoenus*). Tp. ? - (México). - Crotch, 1876:555 (*Priotelus*). - Gorham, 1888:100, pl. 5, fig. 14 (*Brachysphenus*). - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:25; 1911:15. - Blackwelder, 1945:458. Distr.: México.
- fulvipennis* Erichson, 1847:179 (*Brachysphenus*). Tp. ZMHU exam. aut. - (Peru). - Crotch, 1876:522. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:25; 1911:15. - Deelder, 1942:62. - Mader, 1942d:158; 1944:105. - Blackwelder, 1945:458. Distr.: Equador. Peru.
- fuscipes* Duponchel, 1825:160, pl. 7, fig. 69 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:410 (*Brachysphoenus*). - Crotch, 1876:507. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:24; 1911:15. - Deelder, 1942:62. - Blackwelder, 1945:458. Distr.: Brasil, região sudeste.
- fuscumaculatus* Duponchel, 1825:57, pl. 2, fig. 50 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:322 (*Brachysphoenus*). - Crotch, 1876:506. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:25; 1911:15. - Blackwelder, 1945:458. Distr.: Brasil, região sudeste.
- grammicoides* Mader, 1943:111 (*Brachysphaenus*). Tp.: MGFM exam. aut. - (Venezuela). Distr.: Venezuela.
- grammicus* Erichson, 1847:179 (*Brachysphenus*). Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:523. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:25; 1911:15. - Mader, 1942d:158; 1944:105. - Blackwelder, 1945:458. - Delkeskamp, 1957:96. Distr.: Peru. Bolívia.
- haematites* Lacordaire, 1842:326 (*Brachysphoenus*). Tp. ? - (Caiena). - Crotch, 1876:507. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:24; 1911:15. - Blackwelder, 1945:458. Distrib.: Guiana Francesa.
- haematomelas* Lacordaire, 1842:320 (*Brachysphoenus*). Tp. ? - [Localidade não citada]. - Crotch, 1876:506. - Gemminger & Harold, 1876:4709. - Kuhnt, 1909:25; 1911:16. - Blackwelder, 1945:459. Distr.: Panamá. Colômbia. Bolívia. Argentina.
- hamatus* Guérin, 1956:47, fig. 4 (*Brachysphaenus*). Tp.: CDSP exam. aut. - (Brasil, Amazonas, Maués). Distr.: Brasil, região amazônica.

hoffmanni Lacordaire, 1842:323 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Brasil). - Crotch, 1876:506. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:25; 1911:16. - Blackwelder, 1945:459. - Guérin, 1948:13. Distr.: Brasil, regiões sudeste e sul.

var. *reductus* Guérin, 1956:47. Tp.: CDSP exam. aut. - (Brasil, Rio Grande do Sul, Serro Azul). Distr.: Brasil, região sul.

hybridus Lacordaire, 1842:319 (*Brachysphoenus*). Tp. ? - (Rio de Janeiro). - Crotch, 1876:506. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:24; 1911:16. - Blackwelder, 1945:459. Distr.: Brasil, região sudeste.

ictericus Lacordaire, 1842:327 (*Brachysphoenus*). Tp. ? - (Caiena). - Crotch, 1876:507. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:24; 1911:16. - Blackwelder, 1945:459. Distr.: Guiana Francesa.

jejunus Gorham, 1888:97 (*Brachysphenus*). Tp.: NHML - (México, Toxpan). - Kuhnt, 1909:24; 1911:16. - Blackwelder, 1945:459. Distr.: México.

kourouensis Lacordaire, 1842:325 (*Brachysphoenus*). Tp. ? - (Caiena, rio Kourou). - Crotch, 1876:506. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:25; 1911:16. Blackwelder, 1945:459. Distr.: Guiana Francesa

manicatus Lacordaire, 1842:312 (*Brachysphoenus*). Tp. ? - (Colômbia). - Crotch, 1876:500. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:23; 1911:16. - Blackwelder, 1945:459. Distr. Colômbia.

melanostictus Crotch, 1876:505 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:26; 1911:17. - Blackwelder, 1945:459. Distr.: Equador.

meleagris Lacordaire, 1842:320 (*Brachysphoenus*). Tp. ? - (Caiena). - Crotch, 1876:504. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:25; 1911:17. - Blackwelder, 1945:459. Distr.: Guiana Francesa.

mendax Lacordaire, 1842:321 (*Brachysphoenus*). Tp. ? - (Rio de Janeiro). - Crotch, 1876:505. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:25; 1911:17. - Blackwelder, 1945:459. Distr.: Brasil, região sudeste.

litigiosus Lacordaire, 1842:322. - Crotch, 1876:505 (**syn.**).

var. *niger* Guérin, 1956:47. Tp.: FIOC exam. aut. - (Brasil, Est. Rio de Janeiro, Itatiaia). Distr.: Brasil, região sudeste.

multiguttatus Gorham, 1888:100, pl. 5, fig. 15 (*Brachysphoenus*). Tp.: NHML - (México, Tabasco, Teapa). - Kuhnt, 1909:25; 1911:17. - Blackwelder, 1945:459. Distr.: México. Guatemala.

obliqueguttatus Crotch, 1876:505 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Brasil). - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:25; 1911:17. - Blackwelder, 1945:459. - Guérin, 1948:13. Distr.: Brasil, região sul.

oblitus Lacordaire, 1842:325 (*Brachysphoenus*). Tp. ? - (México). - Crotch, 1876:506. - Gemminger & Harold, 1876:3710. - Gorham, 1888:101. - Kuhnt, 1909:25; 1911:17. Blackwelder, 1945:459. Distr.: México.

- oblongonotatus* Lacordaire, 1842:315 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:504. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:25; 1911:17. - Deelder, 1942:62. - Mader, 1942d:158; 1944:105. - Blackwelder, 1945:459. Distr.: Colômbia. Peru. Brasil, região amazônica.
- oliquatus* Kuhnt, 1910:262 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (Peru); 1911:17. - Mader, 1942d:158; 1944:105. - Blackwelder, 1945:459. Distr.: Peru.
- pallidipennis* Gorham, 1888:96 (*Brachysphenus*). Tp.: NHML - (Panamá, Bugaba). - Kuhnt, 1909:24; 1911:18. - Blackwelder, 1945:459. Distr.: Panamá.
- palmaris* Lacordaire, 1842:347 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:506. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:25; 1911:18. - Blackwelder, 1945:459. Distr.: Colômbia.
- perspicillatus* Lacordaire, 1842:312 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:503. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:25; 1911:18. - Blackwelder, 1945:459. Distr.: Colômbia.
- proximus* Guérin-Ménéville, 1844:311 (*Brachymerus*). Tp. ? - (Colômbia). - Crotch, 1876:523 (*Brachysphoenus*). - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:24; 1911:18. - Mader, 1942d:158; 1944:104. - Blackwelder, 1945:459. Distr.: Colômbia. Peru.
- punctiger* Lacordaire, 1842:328 (*Brachysphoenus*). Tp. ? - (Caiena). - Crotch, 1876:507. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:25; 1911:18. - Blackwelder, 1945:459. Distr.: Guiana Francesa.
- quadrimaculatus* Duponchel, 1825:58, pl. 2, fig. 52 (*Erotylus*). Tp. ? - (Brasil) Lacordaire, 1842:313 (*Brachysphoenus*). - Crotch, 1876:503. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:25; 1911:18. - Blackwelder, 1945:459. Distr.: Brasil, região sudeste.
- rufescens* Lacordaire, 1842:319 (*Brachysphoenus*). Tp. ? - (Caiena). - Crotch, 1876:506. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:24; 1911:19. - Deelder, 1942:63. - Mader, 1942d:158; 1944:104. - Blackwelder, 1945:459. Distr.: Guiana Francesa. Peru.
- rufifrons* Lacordaire, 1842:409 (*Brachysphoenus*). Tp. ? - (Colômbia). - Crotch, 1876:508. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:25; 1911:19. - Mader, 1942d:158; 1944:105. - Blackwelder, 1945:459. Distr.: Colômbia. Peru.
- scutulatus* Kuhnt, 1910:264-265, fig. 21 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (Brasil); 1911:19. - Mader, 1943:110. - Blackwelder, 1945:460. - Guérin, 1948:13. Distr.: Brasil, região sudeste.
- septemmaculatus* Guérin, 1956:48, fig. 5 (*Brachysphaenus*). Tp.: CDSP exam. aut. - (Bolívia, Chapare). Distr.: Bolívia.
- spadiceus* Lacordaire, 1842:409 (*Brachysphoenus*). Tp. ? - (Caiena). - Crotch,

- 1876:507. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:24; 1911:20. - Blackwelder, 1945:460. - Guérin, 1948:13. Distr.: Guiana Francesa. Brasil, região amazônica.
- striatipennis* Gorham, 1888:96 (*Brachysphenus*). Tp.: NHML - (Panamá, Bugaba). - Kuhnt, 1909:24; 1911:20. - Blackwelder, 1945:460. Distr.: Panamá.
- subsignatus* Lacordaire, 1842:329 (*Brachysphoenus*). Tp. ? - (Caïena). - Crotch, 1876:508. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:25; 1911:20. Blackwelder, 1945:460. Distr. Guiana Francesa.
- sulphurifer* Lacordaire, 1842:324 (*Brachysphoenus*). - Tp. ? - (Brasil). - Crotch, 1876:506. - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:26; 1911:20. - Schenkling, 1919:80. - Blackwelder, 1945:460. - Guérin, 1948:13. Distr.: Brasil, regiões sudeste e sul.
- tabidus* Erichson, 1847:179 (*Brachysphenus*). Tp. ? - (Peru). - Crotch, 1876:523. - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:24; 1911:20. - Mader, 1942d:158; 1944:104. - Blackwelder, 1945:460. Distr.: Peru.
- tetrastictus* Crotch, 1876:505 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:25; 1911:20. - Blackwelder, 1945:460. Distr.: Brasil, região amazônica.
- thoracicus* Kirsch, 1876:103 (*Habrodactylus*). Tp.: SMTD exam. aut. Peru. - Gemminger & Harold, 1876:3712. - Kuhnt, 1911:20 (*Brachysphaenus*). - Mader, 1942d:158; 1944:104. - Blackwelder, 1945:460. Distr.: Peru.
- vetula* Lacordaire, 1842:316 (*Brachysphoenus*). Tp.: MNHN exam. aut. - (Caïena). - Crotch, 1876:504. - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:25; 1911:20. - Blackwelder, 1945:460. Distr.: Guiana Francesa.

Iphiclus (*Neacronotus*) Alvarenga, 1965

- Neacronotus* Alvarenga, 1965:87 (Tsubgen.: *Erotylus annularis* Laporte, 1840:520, desig. orig.).
- Acronotus*; Lacordaire, 1842, nec Smith, 1827. - Lacordaire, 1842:332 (*Brachysphoenus*). - Chapuis, 1876:58. - Crotch, 1876:508. - Kuhnt, 1909:22, 26. - Alvarenga, 1965:81 (nom. praeoc.).
- annularis* Laporte, 1840:520 (*Erotylus*). Tp. ? - (Colômbia). - Lacordaire, 1842:333 (*Brachysphoenus*). - Guérin-Méneville, 1855:611. - Crotch, 1876:508. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:26; 1911:12. - Deelder, 1942:60. - Blackwelder, 1945:458. Distr.: México. Colômbia.
- circumdatus* Guérin-Méneville, 1841a:119 (*Alloiotelus*). - Lacordaire, 1842:333 (syn.).
- bimaculicollis* Mader, 1942c:554 (*Brachysphoenus*). Tp.: DEIB - (Colômbia, Cañca). Distr.: Colômbia.

colombi Guérin-Ménéville, 1844:311 (*Brachysphoenus*). Tp.: MNHN exam. aut. - (Colômbia). - Crotch, 1876:508. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:26; 1911:13. - Blackwelder, 1945:458. Distr.: Colômbia.

perversus Gorham, 1889:618 (*Brachysphenus*). Tp.: NHML exam. aut. - (Colômbia, Medellín). - Kuhnt, 1909:26; 1911:18. - Blackwelder, 1945:459. Distr.: Colômbia.

Iphiclus (Sternolobus) Guérin-Ménéville, 1841

Sternolobus Guérin-Ménéville, 1841a:118 (Tsubgen.: *Sternolobus bisignatus* Guérin-Ménéville, 1841a:118. *seg.* Alvarenga, 1965:89). - Lacordaire, 1842:333. - Chapuis, 1876:59. - Crotch, 1876:508. - Kuhnt, 1909:22, 26. - Mader, 1944:105. - Alvarenga, 1965:89.

atricaudatus Kuhnt, 1910:256, fig. 15 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (Equador, Los Llanos); 1911:12. - Blackwelder, 1945:458. Distr.: Equador.

bisignatus Guérin-Ménéville, 1841a:118 (*Sternolobus*). Tp.: MNHN exam. aut. - (Colômbia). - Lacordaire, 1842:335 (*Brachysphoenus*). - Crotch, 1876:509. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:26; 1911:12. - Deelder, 1942:60. - Blackwelder, 1945:458. Distr.: Colômbia.

dispilotus Lacordaire, 1842:334 (*Brachysphoenus*). - Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:508. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:26; 1911:14. - Schenkling, 1919:81. - Deelder, 1942:61. - Blackwelder, 1945:458. Distr.: Colômbia.

var. *immaculatus* Deelder, 1942:61. Tp.: RNHL - (Colômbia, Cañca). Distr.: Colômbia.

ab. *inversus* Mader, 1942c:555. Tp. ? - (Colômbia). Distr.: Colômbia.

ecuadorensis Crotch, 1876:509 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:26; 1911:14. - Blackwelder, 1945:458. Distr.: Equador.

ellipticus Kuhnt, 1910:255 (*Brachysphaenus*). Tp. ? - (Venezuela, Mérida); 1911:14. - Blackwelder, 1945:458. Distr.: Venezuela.

luscus Erichson, 1847:178 (*Brachysphenus*). Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:523. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:26; 1911:16. - Mader, 1942d:158; 1944:105. - Blackwelder, 1945:459. Distr.: Peru.

oblongosignatus Guérin-Ménéville, 1844:311 (*Brachysphoenus*). Tp.: MNHN exam. aut. - (Colômbia). - Crotch, 1876:509. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:26; 1911:17. - Blackwelder, 1945:459. Distr.: Colômbia.

Iphiclus (*Iphiclus*) Chevrolat, 1837

Iphiclus Chevrolat, 1837:426 (Tsubgen.: *Erotylus flavovittatus* Duponchel, 1825: 59, seg. Alvarenga, 1965:85). - Lacordaire, 1842:337. - Chapuis, 1876:59. - Crotch, 1876:509. - Kuhnt, 1909:22, 26. - Mader, 1944:105. - Alvarenga, 1965:85.

abdominalis Olivier, 1792:433 (*Erotylus*). Tp. ? - [Localidade não citada]; 1807:474, pl 2, fig. 18. - Fabricius, 1792:38; 1801:5. - Herbst, 1799:377. - Schönherr, 1808:327. - Duponchel, 1825:44, pl. 1, fig. 19. - Sturm, 1843:304 (*Saccomorphus*). - Lacordaire, 1842:398 (*Brachysphoenus*). - Crotch, 1876:511. - Gemminger & Harold, 1876:3706. - Kuhnt, 1909:29; 1911:11. - Bruch, 1914:381. - Deelder, 1942:60. - Blackwelder, 1945:457. - Guérin, 1948:5. Distr.: Brasil, regiões sudeste e sul.

atrisignatus Alvarenga, 1976:513 Distr.: Brasil, Minas Gerais.

conspersus; Duponchel, 1825, *nec* Germar, 1824. - Duponchel, 1825:57, pl. 2, fig. 48 (*Erotylus*). Tp.: MNHN exam. aut. - (Brasil). - Lacordaire, 1842:342 (*Brachysphoenus*). - Crotch, 1876:500. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:23; 1911:14. - Blackwelder, 1945:458. - Alvarenga, 1976:513 (**nom.praeoc.**).

basalis Crotch, 1876:410 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:27; 1911:12. - Blackwelder, 1945:458. Distr.: Brasil, região amazônica.

chelonarius Lacordaire, 1842:343 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Brasil). - Crotch, 1876:512. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:27; 1911:13. - Blackwelder, 1945:458. Distr.: Brasil.

cingulatus Lacordaire, 1842:341 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Brasil) - Crotch, 1876:512. - Gemminger & Harold, 1876:3707. - Kunth, 1909:27; 1911:13. - Blackwelder, 1945:458. Distr.: Brasil, região sudeste.

claropictus Kuhnt, 1910:260 (*Brachysphaenus*). Tp. ZMHU exam. aut. - (Paraguai, San Pedro); 1911:13. - Blackwelder, 1945:458. Distr.: Paraguai.

decemnotatus Duponchel, 1825:45, pl. 1, fig. 22 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:340 (*Brachysphoenus*). - Crotch, 1876:512. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:27; 1911:14. - Schenkling, 1919:81. - Blackwelder, 1945:458. - Guérin, 1948:6. Distr.: Brasil, regiões sudeste e sul.

var. *mediofasciatus* Guérin, 1956:50. Tp.: CDSP exam. aut. - (Brasil, Paraná, Ponta Grossa). Distr.: Brasil, região sul.

var. *rufonotatus* Crotch, 1876:512. - Kunth, 1909:27; 1911:14. - Blackwelder, 1945:458.

flavovittatoides Mader, 1943:111 (*Brachysphoenus*). Tp. ? - (Brasil, Minas Gerais, Teófilo Otoni). Distr.: Brasil, região sudeste.

- flavovittatus* Duponchel, 1825:59, pl. 2, fig. 55 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:339 (*Brachysphoenus*). - Crotch, 1876:510. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:26, pl. 2, fig. 4; 1911:15. - Bruch, 1914:380. - Mader, 1942c:556. - Deelder, 1942:62. - Blackwelder, 1945:458. - Guérin, 1948:6. Distr.: Brasil, regiões sudeste e sul. Argentina.
- flexuosus* Lacordaire, 1842:400 (*Brachysphoenus*). Tp. ? - (Brasil, Goiás). - Crotch, 1876:512. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:30; 1911:15. - Deelder, 1942:62. - Blackwelder, 1945:458. Distr.: Brasil, regiões sudeste, sul e central.
- guttatus* Duponchel, 1825:52, pl. 2, fig. 37 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:352 (*Brachysphoenus*). - Crotch, 1876:511. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:27; 1911:15. - Deelder, 1942:62. - Blackwelder, 1945:458. Distr.: Brasil, região sudeste.
- guttiger* Kuhnt, 1910:261 (*Brachysphoenus*). Tp.: ZMHU exam. aut. - (Peru); 1911:15. - Mader, 1942d:159; 1944:105. - Blackwelder, 1945:458. Distr.: Peru.
- intersectus* Duponchel, 1825:49, pl. 2, fig. 29 (*Erotylus*). Tp.: MNHN exam. aut. - (Brasil). - Lacordaire, 1842:131 (*Ischyrus* ?). - Crotch, 1876:512 (*Brachysphoenus*). - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:27; 1911:16. - Schenkling, 1919:81. - Deelder, 1942:62. - Blackwelder, 1945:459. - Guérin, 1948:6. Distr.: Brasil, regiões sudeste e sul.
- lineellus* Duponchel, 1825:58, pl. 2, fig. 51 (*Erotylus*). Tp.: MNHN exam. aut. - (Brasil). - Lacordaire, 1842:354 (*Brachysphoenus*). - Crotch, 1876:511. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:27; 1911:16. - Blackwelder, 1945:459. Distr.: Brasil, região sudeste.
- amabilis* Guérin-Ménéville, 1941b:154 (*Brachymerus*). - Crotch, 1876:511 (*syn.*).
- maculatus* Voet, 1778:44, pl. 33, fig. 7 (*Pseudochrysomela*). Tp. ? - [Localidade não citada]. - Alvarenga, 1977:105 (*Iphiclus*). Distr.: Venezuela. Suriname. Guiana Francesa. Brasil, região amazônica.
- sedecimguttatus* Olivier, 1792:436 (*Erotylus*). Tp. ? - (Suriname); 1807:477, pl. 2, fig. 23. - Duponchel, 1825:53, pl. 2, fig. 39. - Lacordaire, 1842:348 (*Brachysphoenus*). - Crotch, 1876:511. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:26; 1911:19. - Deelder, 1942:63. - Blackwelder, 1945:460. - Alvarenga, 1977:105 (*syn.*).
- ocellatus* Kuhnt, 1910:262, fig. 19 (*Brachysphaenus*). - Tp.: ZMHU exam. aut. - (Brasil, Bahia); 1911:17. - Blackwelder, 1945:459. - Guérin, 1948:6. Distr.: Brasil, regiões sudeste e sul.
- octodecimguttatus* Lacordaire, 1842:351 (*Brachysphoenus*). Tp. ? - (Rio de Janeiro). - Crotch, 1876:511. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:26; 1911:17. - Blackwelder, 1945:459. - Guérin, 1948:6. Distr.: Brasil, região sudeste.

- ab. atricollis* Mader, 1942c:556. Tp. ? - (Brasil). Distr.: Brasil.
- pardalinus* Lacordaire, 1842:355 (*Brachysphoenus*). Tp. ? - (Rio de Janeiro). - Crotch, 1876:511. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:27; 1911:18. - Blackwelder, 1945:459. Distr.: Brasil, região sudeste.
- pictus* Duponchel, 1825:48, pl. 1, fig. 28 (*Erotylus*). Tp.: MNHN exam. aut. - (Brasil). - Lacordaire, 1842:341 (*Brachysphoenus*). - Crotch, 1876:512. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:27; 1911:18. - Blackwelder, 1945:459. Distr.: Brasil, região sudeste.
- quadrstrictus* Guérin, 1956:51, fig. 9 (*Brachysphaenus*). Tp.: FIOC exam. aut. - (Brasil, Est. Rio de Janeiro, Itatiaia). Distr.: Brasil, região sudeste.
- quinquevingitipunctatus* Mader, 1943:112 (*Brachysphoenus*). Tp.: MGFM exam. aut. - (Brasil, Est. S. Paulo, Alto da Serra). Distr.: Brasil, região sudeste.
- rubidus* Duponchel, 1825:59, pl. 2, fig. 53 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:338 (*Brachysphoenus*). - Crotch, 1876:510. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:26; 1911:19. - Deelder, 1942:63. - Blackwelder, 1945:459. - Guérin, 1948:6. Distr.: Brasil, região sudeste.
- scutellaris* Gorham, 1888:98 (*Brachysphenus*). Tp.: NHML exam. aut. - (Guatemala, Cerro Zunil). - Kuhnt, 1909:26; 1911:19. - Blackwelder, 1945:460. Distr.: Guatemala. Nicarágua. Costa Rica.
- sedecimmaculatus* Buquet, 1840:173 (*Iphiclus*). Tp.: MNHN exam. aut. - (Colômbia). - Guérin-Méneville, 1841a:118 (*Scaphidomorphus*). - Lacordaire, 1842:348 (*Brachysphoenus*). - Crotch, 1876:510. - Gemminger & Harold, 1876:3711. - Gorham, 1888:97, pl. 5, fig. 13. - Kuhnt, 1909:27; 1911:19. - Deelder, 1942:63. - Mader, 1942d:159; 1944:105. - Blackwelder, 1945:460. Distr.: Panamá. Colômbia. Peru. Brasil. Paraguai.
- var. *concentratus* Crotch, 1876:510. Tp. ? - (Colômbia). - Kuhnt, 1909:27; 1911:19. - Mader, 1942d:159; 1944:105. - Blackwelder, 1945:460. Distr.: Colômbia.
- var. *discedens* Kuhnt, 1910:261. Tp.: ZMHU exam. aut. - [Localidade não citada]; 1911:19. - Mader, 1942d:159; 1944:105. - Blackwelder, 1945:460.
- sedecimpustulatus* Lacordaire, 1842:349 (*Brachysphoenus*). Tp.: MNHN exam. aut. - (Caiena). - Crotch, 1876:510. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:26; 1911:19. - Deelder, 1942:63. - Blackwelder, 1945:460. - Guérin, 1948:9. Distr.: Brasil, região amazônica.
- var. *sanguinans* Guérin, 1948:7, fig. 1. Tp.: MNRJ exam. aut. - (Brasil, Pará, Santarém). Distr.: Brasil, região amazônica.
- sexpunctatus* Duponchel, 1825:163, pl. 7, fig. 78 (*Erotylus*). Tp. ? - [Localidade não citada]. - Sturm, 1826:139. - Lacordaire, 1842:337 (*Brachysphoenus*). - Sturm, 1843:304. - Crotch, 1876:509. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:26; 1911:19. - Deelder, 1942:63. - Blackwelder,

- 1945:460. - Guérin, 1948:9. Distr.: Brasil, região sudeste.
- striolatus* Guérin, 1956:51. fig. 8 (*Brachysphaenus*). Tp.: CDSP exam. aut. - (Bolívia, Yungas del Palmar). Distr.: Bolívia.
- tenuecinctus* Lacordaire, 1842:340 (*Brachysphaenus*). Tp. ? - (Brasil). - Crotch, 1876:510. - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:26; 1911:20. - Blackwelder, 1945:460. Distr.: Brasil, região sudeste.
- titschacki* Mader, 1942d:158, 184 (*Brachysphaenus*). Tp. ? - (Peru, Siva); 1944:105. Distr.: Peru.
- varians* Lacordaire, 1842:344 (*Brachysphaenus*). Tp. ? - (Colômbia). - Crotch, 1876:509. - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:26; 1911:20. - Schenkling, 1919:81. - Deelder, 1942:63. - Blackwelder, 1945:460. Distr.: Colômbia. Brasil, região amazônica.
- m-nigrum* Lacordaire, 1842:346. Tp.: MNHN exam. aut. (Colômbia). - Crotch, 1876:509 (**syn.**).
- ab. *atricollis* Mader, 1942c:555. Tp. ? - (Colômbia). Distr.: Colômbia. Venezuela.
- ventralis* Lacordaire, 1842:399 (*Brachysphaenus*). Tp. ? - (Rio de Janeiro). - Crotch, 1876:512. - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:29; 1911:20. - Blackwelder, 1945:460. - Guérin, 1948:6. Distr.: Brasil, região sudeste.
- vigintipunctatus* Olivier, 1792:436 (*Erotylus*). Tp. ? - (Suriname); 1807:477, pl. 2, fig. 24. - Crotch, 1876:511 (*Brachysphaenus*). - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:26; 1911:20. - Deelder, 1942:63. - Blackwelder, 1945:460. Distr.: Suriname. Brasil, região amazônica.
- vigintiguttatus* Germar, 1824:612 (*Erotylus*). - Lacordaire, 1842:350 (*Brachysphaenus*). - Crotch, 1876:511 (**syn.**).
- vigintiguttatus* Duponchel, 1825:53, pl. 2, fig. 40 (*Erotylus*). - Lacordaire, 1842:350 (*Brachysphaenus*). - Crotch, 1876:511 (**syn.**).
- var. *castaneus* Guérin, 1956:52. Tp.: FIOC exam. aut. - (Brasil, Est. Rio de Janeiro, Itatiaia). Distr.: Brasil, região sudeste.

lphiclus (*Aegithomorphus*) Lacordaire, 1842

- Aegithomorphus* Lacordaire, 1842:374 (Tsubgen.: *Morphoides biplagiatus* Guérin-Méneville, 1841a:119, seg. Alvarenga, 1965:81). - Chapuis, 1876:60. - Crotch, 1876:513. - Kuhnt, 1909:22, 27. - Alvarenga, 1965:81.
- biplagiatus* Guérin-Méneville, 1841a:119 (*Morphoides*). Tp. ? - (Brasil). - Lacordaire, 1842:374 (*Brachysphaenus*). - Crotch, 1876:513. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:27; 1911:12. - Blackwelder, 1945:458. Distr.: Brasil, região sudeste.
- dorsomaculatus* Lacordaire, 1842:375 (*Brachysphaenus*). Tp. ? - (Brasil). -

Crotch, 1876:513. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:27; 1911:14. - Blackwelder, 1945:458. Distr.: Brasil, região sudeste.

lphiclus (*Neogaster*) Alvarenga, 1965

Neogaster Alvarenga, 1965:87 (Tsubgen.: *Erotylus marginatus* Olivier, 1792:437, monotipia). - Alvarenga, 1965:87.

Oogaster Lacordaire, 1842 **nec** Falderman, 1840. - Lacordaire, 1842:377. - Chapuis, 1876:61. - Crotch, 1876:513. - Kuhnt, 1909:22, 27. - Alvarenga, 1965:88 (**nom.praeoc.**).

marginatus Olivier, 1792:437 (*Erotylus*). Tp. ? - (Caiena ?); 1807:482, pl. 1, fig. 8. - Gemminger & Harold, 1876:3710 (*Morphoides*). - Kuhnt, 1911:16 (*Brachysphaenus*). - Deelder, 1942:62. - Blackwelder, 1945:459. Distr.: Guadeloupe. República Dominicana. Guiana Francesa ?

guadeloupensis Fabricius, 1792:16 (*Galleruca*). Tp.: ZMCD - (Guadeloupe); 1801:10 (*Aegithus*). - Duponchel, 1825:162, pl. 7, fig. 76 (*Erotylus*). - Lacordaire, 1842:377 (*Brachysphaenus*). - Gemminger & Harold, 1876:3710 (**syn.**).

suturalis Lacordaire, 1842:378 (*Brachysphaenus*). - Crotch, 1876:513 (**syn.**).

lphiclus (*Saccomorphus*) Chevrolat, 1837

Saccomorphus Chevrolat, 1837:426 (Tsubgen. *Erotylus limbatus* Olivier, 1792:437, seg. Alvarenga, 1965:89). - Crotch, 1876:513. - Kuhnt, 1909:22, 27. - Mader, 1944:106. - Alvarenga, 1965:89; 1977:103.

Charidemus Gistel, 1848:123 (Tgen. *Chrysomela bimaculata* Fabricius, 1775, monotipia). - Alvarenga, 1970:45 (**syn.**).

Morphoides Hope, 1841:111 (Tgen. *Erotylus limbatus* Olivier, 1792:437, design. orig.). - Lacordaire, 1842:356. - Chapuis, 1876:60. - Crotch, 1876:515. - Kuhnt, 1909:22, 28. - Mader, 1944:108. - Alvarenga, 1965:86 (**syn.**).

adamsi Lacordaire, 1842:366 (*Brachysphaenus*). Tp. ? - (Colômbia). - Crotch, 1876:515. - Gemminger & Harold, 1876:3707. - Gorham, 1888:98. - Kuhnt, 1909:28; 1911:11. - Mader, 1935:295; 1942d:160; 1944:108. - Blackwelder, 1945:457. Distr.: Panamá. Colômbia. Peru. Brasil, região amazônica.

bilineatus Duponchel, 1825:166, pl. 7, fig. 85 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:365 (*Brachysphaenus*). - Crotch, 1876:515. - Gemminger & Harold, 1876:3707. - Dohrn, 1878:451. - Berg, 1881:110. - Kolbe, 1907:79. - Kuhnt, 1909:28; 1911:12. - Bruch, 1914:380. - Mader, 1935:295. - Deelder, 1942:60. - Blackwelder, 1945:458. - Delkeskamp, 1957:96. Distr.: Brasil, região sul. Uruguai. Argentina. Bolívia.

- bimaculatus* Fabricius, 1775:820 (*Chrysomela*). Tp. ? - (América). - Germar, 1824:612 (*Erotylus*). - Duponchel, 1825:41, pl. 1, fig. 13. - Gistel, 1848:123 (*Charidemus*). - Lacordaire, 1842:358 (*Brachysphoenus*). - Crotch, 1876:513. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:28; 1911:12. - Mader, 1935:294. - Deelder, 1942:60. - Blackwelder, 1945:458. - Guérin, 1948:9. Distr.: Brasil, região sudeste.
- bisigillatus* Lacordaire, 1842:365 (*Brachysphoenus*). Tp. ? - (Colômbia). - Crotch, 1876:515. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:28; 1911:12. - Mader, 1935:272. - Deelder, 1942:60. - Blackwelder, 1945:458. Distr.: Colômbia.
- collaris* Deelder, 1942:60 (*Brachysphaenus*). Tp.: RNHL - (Brasil ?). Distr.: Brasil ?
- erotyloides* Crotch, 1876:515 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:28; 1911:15. - Mader, 1935:272; 1942d:159; 1944:106. - Blackwelder, 1945:458. Distr.: Brasil, região amazônica. Peru. Bolívia.
- erythrocephalus* Olivier, 1807:475, pl. 2, fig. 19 (*Erotylus*). Tp. ? - (América meridional). - Duponchel, 1825:49, pl. 2, fig. 30. - Lacordaire, 1842:405 (*Brachysphoenus*). - Gemminger & Harold, 1876:3708. - Deelder, 1942:61. - Mader, 1942c:557. - Blackwelder, 1945:458. Distr.: Colômbia.
- glyptoderus* Lacordaire, 1842:361 (*Brachysphoenus*). Tp. ? - (Colômbia). - Crotch, 1876:514. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:28; 1911:15. - Mader, 1935:294; 1942d:160; 1944:108. - Blackwelder, 1945:458. Distr.: Colômbia. Equador. Peru.
- goianus* Guérin, 1948:9, fig. 2 (*Brachysphaenus*). Tp.: MNRJ exam. aut. - (Brasil, Goiás, Goiátuba). Distr.: Brasil, região central.
- haematocephalus* Lacordaire, 1842:361 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:514. - Gemminger & Harold, 1876:3709. - Gorham, 1888:98; 1891:56. - Kuhnt, 1909:28; 1911:16. - Bruch, 1914:380. - Mader, 1935:293. - Blackwelder, 1945:459. Distr.: Panamá. Colômbia. Venezuela. Argentina.
- humeralis* Guérin, 1956:49, fig. 7 (*Brachysphaenus*). Tp.: CDSP exam. aut. - (Brasil, Paraná, Monte Alegre). Distr.: Brasil, região sul.
- intercedens* Schenkling, 1919:82 (*Brachysphaenus*). Tp.: DEME exam. aut. - (Peru, Ocobamba, Chanchamayo). - Mader, 1935:272; 1942d:159; 1944:106. - Blackwelder, 1945:459. Distr.: Peru. Bolívia.
- interruptus* Kuhnt, 1908b:632 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (Bolívia); 1909:28; 1911:15. - Mader, 1935:272; 1942d:159; 1944:106. - Deelder, 1942:61. - Blackwelder, 1945:458. - Delkeskamp, 1957:96. Distr.: Equador. Peru. Bolívia.
- klugi* Lacordaire, 1842:362 (*Brachysphoenus*). Tp.: MNHN exam. aut. - (Brasil meridional). - Crotch, 1876:514. - Gemminger & Harold, 1876:3809. -

- Dohrn, 1878:451. - Kuhnt, 1909:28; 1911:16. - Bruch, 1914:380. - Mader, 1935:295. - Deelder, 1942:62. - Blackwelder, 1945:459. - Guérin, 1952:180, fig. 1. Distr.: Brasil, região sul. Argentina. Chile.
- kratii* Mader, 1935:271, 295 (*Brachysphaenus*). Tp.: MGFM exam. aut. - (Bolívia, Coroico). - Blackwelder, 1945:459. Distr.: Bolívia.
- kuhnti* Mader, 1942c:559 (*Brachysphaenus*). Tp.: MGFM exam. aut. - (Brasil, Amazonas, São Paulo de Olivença). Distr.: Brasil, região amazônica.
- limbatus* Olivier, 1792:437 (*Erotylus*). Tp. ? - (Caïena); 1807:477, pl. 2, fig. 25. - Fabricius, 1792:39; 1801:7. - Herbst, 1799:379. - Schönherr, 1808:328. - Duponchel, 1825:165, pl. 7, fig. 84. - Lacordaire, 1842:364 (*Brachysphaenus*). - Crotch, 1876:514. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:28; 1911:16. - Mader, 1935:295. - Blackwelder, 1945:459. Distr.: Guiana Francesa. Brasil.
- maculicollis* Kuhnt, 1910:254 (*Brachysphaenus*). Tp.: ZMHU - (Brasil); 1911:16. - Mader, 1944:109. - Blackwelder, 1945:459. Distr.: Brasil.
- mundus* Schenkling, 1919:82 (*Brachysphaenus*). Tp.: DEME exam. aut. - (Bolívia). - Mader, 1935:272. - Blackwelder, 1945:459. Distr.: Bolívia.
- mutabilis* Gorham, 1889:618 (*Brachysphaenus*). Tp.; NHML exam. aut. - (Peru, Chanchamayo). - Kuhnt, 1909:27; 1911:17. - Mader, 1935:272; 1942d:159; 1944:106. - Blackwelder, 1945:459. Distr.: Peru.
- nebulosus* Guérin-Ménéville, 1841b:155 (*Ischyrys*). Tp.: MNHN exam. aut. - (Brasil). - Lacordaire, 1842:357 (*Brachysphaenus*). - Crotch, 1876:513. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:28; 1911:17. - Bruch, 1914:380. - Schenkling, 1919:81. - Mader, 1935:293; 1942d:159; 1944:106. - Deelder, 1942:62. - Blackwelder, 1945:459. Distr.: Brasil, região central. Peru. Bolívia. Argentina.
- var. *nigricollis* Mader, 1935:293. Tp. ? - (Peru); 1942d:159; 1944:107. - Blackwelder, 1945:459. Distr.: Peru.
- var. *nigripes* Mader, 1935:293. Tp. ? - [Localidade não citada]; 1944:107. - Blackwelder, 1945:459. Distr.: ?.
- var. *ruber* Guérin, 1956:49. Tp.: CDSP exam. aut. - (Brasil, Goiás, Itumbiara). Distr.: Brasil, região central.
- var. *unicoloripennis* Mader, 1942d:160. Tp. ? - (Brasil, Mato Grosso, Corumbá); 1944:107. Distr.: Brasil, região central.
- nitidus* Mader, 1942c:556 (*Brachysphaenus*). Tp.: SMTD exam. aut. - (Bolívia). Distr.: Bolívia.
- paraguayanus* Mader, 1943:112 (*Brachysphaenus*). Tp. ? - (Paraguai). Distr.: Paraguai.
- placitus* Kirsch, 1876:108 (*Erotylus*). Tp.: SMTD exam. aut. - (Peru, Pozuzo). - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:93; 1909:36; 1911:25. - Mader, 1942d:164; 1944:116. - Blackwelder, 1945:461. - Alvarenga, 1977:104 (*Iphiclus*). Distr.: Peru.

- procerus* Erichson, 1847:178 (*Brachysphenus*). Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:523. - Gemminger & Harold, 1876:3711. - Dohrn, 1883:105. - Kuhnt, 1909:28; 1911:18. - Mader, 1942d:160; 1944:107. - Blackwelder, 1945:459. Distr.: Peru.
- quadrisignatus* Duponchel, 1825:166, pl. 7, fig. 86 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:363 (*Brachysphoenus*). - Crotch, 1876:514. - Gemminger & Harold, 1876:3711. - Kunth, 1908b:633; 1909:28; 1911:18. - Bruch, 1914:380. - Schenkling, 1919:82. - Mader, 1935:294; 1942d:160; 1944:107. - Deelder, 1942:62. - Blackwelder, 1945:459. - Guérin, 1948:10. Distr.: Brasil, região sul. Peru. Bolívia. Paraguai. Argentina.
- ruficeps* Guérin-Ménéville, 1841a:118 (*Morphoides*). Tp.: MNHN exam. aut. - (Bolívia); 1855:611 (*Brachysphaenus*). - Lacordaire, 1842:359. - Crotch, 1876:514. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:28; 1911:19. - Bruch, 1914:380. - Schenkling, 1919:81. - Mader, 1935:294; 1942d:160; 1944:107. - Deelder, 1942:63. - Blackwelder, 1945:459. - Delkeskamp, 1957:96. Distr.: Da Colômbia até a Argentina.
- ab. *immaculipennis* Mader, 1935:294; 1942d:160; 1944:107. - Blackwelder, 1945:459. Distr.: Peru. Brasil.
- terrestris* Gistel, 1857:74 (*Saccomorphus*). Tp. ? - (Brasil). Distr.: Brasil.
- testaceipennis* Mader, 1942c:558 (*Brachysphoenus*). Tp.: MGFM exam. aut. - (Colômbia). Distr.: Colômbia.

Iphiclus (*Neomorphoides*) Alvarenga, 1977

- Neomorphoides* Alvarenga, 1977:103 (Tsubgen. *Brachysphoenus* (*Morphoides*) *simplex* Lacordaire, 1842:372, desig. orig.).
- Morphoides*; Crotch, 1876, **nec** Hope, 1841. - Alvarenga, 1977:103.
- amazonus* Crotch, 1876:516 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:28; 1911:12. - Mader, 1944:110. - Blackwelder, 1945:457. Distr.: Brasil, região amazônica.
- atriventris* Mader, 1943:113 (*Brachysphoenus*). Tp.: MGFM exam. aut. - (Peru); 1944:110. Distr.: Peru.
- bicolor* Lacordaire, 1842:368 (*Brachysphoenus*). Tp. ? - (Brasil). - Crotch, 1876:516. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:28; 1911:12. - Mader, 1944:110. - Blackwelder, 1945:458. - Guérin, 1948:9. Distr.: Brasil, região sudeste.
- clavicornis* Olivier, 1792:435 (*Erotylus*). Tp. ? - (Suriname); 1807:479, pl. 2, fig. 28. - Duponchel, 1825:42, pl. 1, fig. 14. - Sturm, 1843:304 (*Saccomorphus*). - Lacordaire, 1842:367 (*Brachysphoenus*). - Kuhnt, 1909:28; 1911:13. - Mader, 1942d:161; 1944:110. - Deelder, 1942:60. - Black-

- welder, 1945:458. - Guérin, 1948:9. Distr.: Da Colômbia até ao sul do Brasil.
- lacordairei* Crotch, 1876:515. - Gemminger & Harold, 1876:3709 (**syn.**).
- columbiae* Crotch, 1876:516 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Colômbia, Bogotá). - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:28; 1911:13. - Deelder, 1942:61. - Mader, 1944:110. - Blackwelder, 1945:458. Distr.: Colômbia.
- costaricensis* Mader, 1943:113 (*Brachysphoenus*). Tp.: MGFM exam. aut. - (Costa Rica); 1944:111. Distr.: Costa Rica.
- disconigrum* Mader, 1942:161, 185 (*Brachysphoenus*). Tp.: MGFM exam. aut. - (Peru, Chanchamayo); 1944:109. Distr.: Peru.
- dorsonotatus* Lacordaire, 1842:370 (*Brachysphoenus*). Tp. ? - (Colômbia). - Crotch, 1876:516. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:28; 1911:14. - Deelder, 1942:61. - Mader, 1944:108. - Blackwelder, 1945:458. Distr.: Colômbia. Brasil.
- haematopterus* Lacordaire, 1842:371 (*Brachysphoenus*). - Crotch, 1876:516 (**syn.**).
- fulviventris* Gorham, 1888:97 (*Brachysphenus*). Tp.: NHML - (Guatemala, San Gerónimo). - Kuhnt, 1909:28; 1911:15. - Mader, 1944:110. - Blackwelder, 1945:458. Distr.: Guatemala.
- humeropictus* Mader, 1943:113 (*Brachysphoenus*). Tp. ? - (Brasil); 1944:109. Distr.: Brasil.
- lateripunctatus* Crotch, 1876:517 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:28; 1911:16. - Mader, 1944:109. - Blackwelder, 1945:459. - Guérin, 1948:10. Distr.: Equador. Peru. Brasil, região amazônica.
- var. *niger* Guérin, 1956:49. Tp.: CDSP exam. aut. - (Peru, Huancayo, Satipo). Distr.: Peru.
- melanopus* Gorham, 1888:99 (*Brachysphenus*). Tp.: NHML - (Panamá, volcán de Chiriquí). - Kuhnt, 1909:28; 1911:17. - Mader, 1944:110. - Blackwelder, 1945:459. Distr.: Panamá.
- neglectus* Guérin, 1956:48, fig. 6 (*Brachysphaenus*). Tp.: CDSP exam. aut. - (Brasil, Paraná, Ortigueira). Distr.: Brasil, região sul.
- nigritarsis* Mader, 1942d:161, 186 (*Brachysphoenus*). Tp.: MGFM exam. aut. - (Peru, Puerto Inca, rio Pachitea); 1944:111. Distr.: Peru.
- nigriventris* Crotch, 1876:516 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:28; 1911:17. - Mader, 1944:110. - Blackwelder, 1945:459. Distr.: Equador. Brasil, região amazônica.
- nigropectus* Mader, 1943:114 (*Brachysphoenus*). Tp. ? - (Brasil, Santa Catarina); 1944:111. Distr.: Brasil, região sul.

- posticenigrum* Mader, 1942d:161, 185 (*Brachysphoenus*). Tp. ? -(Peru); 1944:109. Distr.: Peru.
- pyrrhocephalus* Erichson, 1847:178 (*Brachysphenus*). Tp. ? - (Peru). - Crotch, 1876:522. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:28; 1911:18. - Mader, 1942d:160; 1944:108. - Blackwelder, 1945:459. Distr.: Peru.
- rubripennis* Lacordaire, 1842:372 (*Brachysphoenus*). Tp. ? - (Brasil). - Crotch, 1876:516. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:28; 1911:19. - Deelder, 1942:63. - Mader, 1944:110. - Blackwelder, 1945:459. - Guérin, 1948:10. Distr.: Brasil.
- rufipennis* Fabricius, 1801:8 (*Erotylus*). Tp.: ZMCD - (América meridional). - Schönherr, 1808:328. - Duponchel, 1825:173. - Lacordaire, 1842:516. - Gemminger & Harold, 1876:3715. - Zimsen, 1964:115. - Chevrolat, 1843:79 (*Morphoides*). Distr.: Peru. Brasil.
- immaculatus* Lacordaire, 1842:369 (*Brachysphoenus*). Tp. ? - (Brasil). - Crotch, 1876:516. - Gemminger & Harold, 1876:3709. - Kunth, 1909:28; 1911:16. - Deelder, 1942:62. - Mader, 1942d:161; 1944:110. - Blackwelder, 1945:459. - Guérin, 1948:10. - Chevrolat, 1843:79 (**syn.**).
- signaticollis* Kuhnt, 1910:254 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (Brasil); 1911:19. - Mader, 1944:109. - Blackwelder, 1945:460. Distr.: Brasil.
- simplex* Lacordaire, 1842:372 (*Brachysphoenus*). Tp. ? - (Brasil). - Crotch, 1876:517. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:28; 1911:20. - Deelder, 1942:63. - Mader, 1942d:161; 1944:111. - Blackwelder, 1945:460. - Guérin, 1948:10. - Delkeskamp, 1957:96. Distr.: Peru. Bolívia. Brasil.
- spilotus* Gorham, 1888:111, pl. 6 fig. 19 (*Prepopharus*). Tp.: NHML exam. aut. - (Panamá, Bugaba). - Kuhnt, 1909:44. - Arrow, 1909:196 (*Brachysphoenus*). - Kuhnt, 1911:20. - Mader, 1944:109. - Blackwelder, 1945:460. Distr.: Panamá.
- tibialis* Duponchel, 1825:55, pl. 2, fig. 44 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:373 (*Brachysphoenus*). - Crotch, 1876:517. - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:28; 1911:20. - Bruch, 1914:380. - Deelder, 1942:63. - Mader, 1944:111. - Blackwelder, 1945:460. - Guérin, 1948:10. Distr.: Brasil, regiões sudeste e sul. Argentina.

Iphiclus (Brachymerus) Chevrolat, 1837

- Brachymerus* Chevrolat, 1837:427 (Tsubgen. *Erotylus nitidulus* Olivier, 1807:479, seg. Hope, 1841:110). Hope, 1841:110, 113. - Alvarenga, 1977:103.
- Barytopus*; Lacordaire, 1842, nec Duponchel & Chevrolat, 1844. - Lacordaire, 1842:379. - Chapuis, 1876:61. - Crotch, 1876:517. - Kuhnt, 1909:22, 29. - Mader, 1944:99. - Alvarenga, 1965:87 (= *Neobarytopus*).
- Neobarytopus* Alvarenga, 1965:87 (Tsubgen. *Erotylus trincinctus* Duponchel, 1824, desig. orig.). - Alvarenga, 1977:103 (= *Brachymerus*).
- adustus* Duponchel, 1825:56, pl. 2, fig.47 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:395 (*Brachysphaenus*). - Crotch, 1876:519. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:29; 1911:11. - Blackwelder, 1945:457. Distr.: Brasil, região sudeste.
- alboniger* Guérin, 1956:52, fig. 10 (*Brachysphaenus*). Tp.: CDSP exam. aut. - (Brasil, Rio Grande do Sul, Serro Azul). Distr.: Brasil, regiões central e sul.
- var. *picturatus* Guérin, 1956:52. Tp.: CDSP exam. aut. - (Paraguai, Colônia Independência). Distr.: Paraguai.
- amictus* Erichson, 1847:178 (*Brachysphenus*). Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:523. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:29; 1911:12. - Mader, 1942d:154; 1944:100. - Blackwelder, 1945:457. Distr.: Peru.
- andicola* Kirsch, 1876:104 (*Barytopus*). Tp.: SMTD exam. aut. - (Peru, Pozuzo). - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:22 (*Brachysphaenus*); 1911:12. - Mader, 1942d:154; 1944:99. - Blackwelder, 1945:458. Distr.: Peru.
- ab. *anteinterrupta* Mader, 1942d:201. Tp. ? - (Peru); 1944:99. Distr.: Peru.
- assequens* Mader, 1942b:79 (*Brachysphaenus*). Tp. ? - (Bolívia, Coroico). Distr.: Bolívia.
- bajulus* Lacordaire, 1842:413 (*Brachysphaenus*). Tp. ? - (Brasil). - Crotch, 1876:521. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:31; 1911:12. - Blackwelder, 1945:458. Distr.: Brasil.
- batesi* Gorham, 1889:617, pl. 61, fig. 7 (*Brachysphenus*). Tp.: NHML exam. aut. (Brasil, Amazonas). - Kuhnt, 1909:22; 1911:12. - Blackwelder, 1945:458. Distr.: Brasil, região amazônica.
- bellulus* Lacordaire, 1842:404 (*Brachysphaenus*). Tp. ? - (Caïena). - Crotch, 1876:521. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:30; 1911:12. - Deelder, 1942:60. - Blackwelder, 1945:458. Distr.: Colômbia. Guiana Francesa. Brasil, região amazônica.
- bicinctus* Olivier, 1807:472, pl. 2, fig. 15 (*Erotylus*). Tp.: MNHN exam. aut. - (América meridional). - Duponchel, 1825:44, pl. 1, fig. 20. - Lacordaire,

- 1842:381 (*Brachysphoenus*). - Crotch, 1876:503. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:23; 1911:12. - Deelder, 1942:60. - Mader, 1942d:154; 1944:100. - Blackwelder, 1945:458. Distr.: Suriname. Peru. Brasil, região amazônica.
- bistrifolius* Gorham, 1889:616, pl. 61, fig. 5 (*Brachysphenus*). Tp.: NHML exam. aut. - (Peru, Chanchamayo). - Kuhnt, 1909:29; 1910:254; 1911:13. - Mader, 1942d:154; 1944:100. - Blackwelder, 1945:458. Distr.: Peru.
- bizonatus* Crotch, 1876:502 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:23; 1911:13. - Blackwelder, 1945:458. Distr.: Brasil, região amazônica.
- bremei* Guérin-Ménéville, 1841a:117 (*Zonarius*). Tp.: MCZC exam. aut. - (Bolívia). - Lacordaire, 1842:393 (*Brachysphoenus*). - Crotch, 1876:503. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:23; 1911:13. - Blackwelder, 1945:458. Distr.: Bolívia. Brasil, região central.
- brongiarti* Lacordaire, 1842:397 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:519. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:29; 1911:13. - Bruch, 1914:381. - Blackwelder, 1945:458. - Delkeskamp, 1957:96. Distr.: Colômbia. Bolívia. Brasil. Argentina.
- var. *fasciatopunctatus* Lacordaire, 1842:396. Tp. ? - (Bolívia, Santa Cruz de la Sierra). - Crotch, 1876:519. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:29; 1911:13. - Blackwelder, 1945:458. - Guérin, 1948:5. - Delkeskamp, 1957:96. Distr.: Bolívia. Brasil, região central.
- brunneostriolatus* Kuhnt, 1910:265, fig. 22 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (Brasil, Bahia); 1911:13. - Blackwelder, 1945:458. Distr.: Brasil, região sudeste.
- cerasinus* Lacordaire, 1842:400 (*Brachysphoenus*). Tp. ? - (Brasil). - Crotch, 1876:520. - Gemminger & Harold, 1876:3707. - Kuhnt, 1909:29; 1911:13. - Blackwelder, 1945:458. Distr.: Brasil.
- conformis* Lacordaire, 1842:353 (*Brachysphoenus*). Tp. ? - (Rio de Janeiro). - Crotch, 1876:522. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:31; 1911:13. - Blackwelder, 1945:458. - Guérin, 1948:6. Distr.: Brasil, região sudeste.
- var. *alienus* Guérin, 1956:50. Tp.: CDSP exam. aut. - (Brasil, Amazonas, S. Paulo de Olivença). Distr.: Bolívia. Brasil, região amazônica.
- var. *minor* Guérin, 1956:50. Tp.: CARJ exam. aut. - (Brasil, Pará, Mocajuba, Mangabeira). Distr.: Brasil, região amazônica.
- distinctus* Duponchel, 1825:168 (*Erotylus*). Tp. ? - [Localidade não citada]. - Lacordaire, 1824:394 (*Brachysphoenus*). - Crotch, 1876:519. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:29; 1911:14. - Blackwelder, 1945:458. Distr.: Guiana Francesa.
- divisus* Guérin, 1956:53, fig. 11 (*Brachysphaenus*). Tp.: CDSP exam. aut. - (Brasil, Amazonas, Benjamin Constant). Distr.: Brasil, região amazônica.

- dorsalis* Olivier, 1792:436 (*Erotylus*). Tp.: MCZC exam. aut. - (Suriname); 1807:475, pl. 2, fig. 20. - Duponchel, 1825:59, pl. 2, fig. 54. - Lacordaire, 1842:388 (*Brachysphoenus*). - Crotch, 1876:518. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:29; 1911:14. - Deelder, 1942:61. - Mader, 1942d:155, 177; 1944:101. - Blackwelder, 1945:458. - Guérin, 1948:6. Distr.: Peru. Bolívia. Suriname. Guiana Francesa. Brasil. Paraguai.
- ab. *quinquefasciatoides* Mader, 1942d:155, 178. Tp. ? - [Localidade não citada]. Distr.: ?
- eburneus* Crotch, 1876:519 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Amazonas) - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:29; 1911:14. - Blackwelder, 1945:458. Distr.: Brasil, região amazônica.
- elegans* Mader, 1942c:560 (*Brachysphoenus*). Tp. ? - (Brasil, S. Paulo, Alto da Serra). Distr.: Brasil, região sudeste.
- epipleuralis* Crotch, 1876:517 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:29; 1911:15. - Deelder, 1942:61. - Mader, 1942d:154; 1944:100. - Blackwelder, 1945:458. Distr.: Peru. Brasil.
- erichsoni* Lacordaire, 1842:390 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:502. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:23; 1911:15. - Deelder, 1942:61. - Blackwelder, 1945:458. Distr.: Colômbia.
- exoticus* Voet, 1778:44, pl. 33, fig. 2 (*Pseudochrysomela*). Tp. ? - [Localidade não citada]. - Alvarenga, 1977:105 (*Iphiclus*). Distr.: ?
- flavofasciatus* Duponchel, 1825:43, pl. 1, fig. 18 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:386 (*Brachysphoenus*). - Crotch, 1876:517. - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:30; 1911:15. - Bruch, 1914:381. - Schenkling, 1919:82. - Deelder, 1942:61. - Blackwelder, 1945:458. - Guérin, 1948:6. Distr.: Brasil, regiões sudeste e sul. Argentina.
- var. *apicalis* Kuhnt, 1908b:633. Tp.: ZMHU exam. aut. - (Brasil); 1909:30; 1911:15. - Bruch, 1914:381. - Blackwelder, 1945:458. Distr.: Brasil, região Sul. Argentina.
- flavosignatus* Duponchel, 1825:57, pl. 2, fig. 49 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:352 (*Brachysphoenus*). - Crotch, 1876:522. - Gemminger & Harold, 1876:3709. - Kunth, 1909:30; 1911:15. - Deelder, 1942:62. - Blackwelder, 1945:458. - Guérin, 1948:6. Distr.: Brasil, região sudeste.
- fragmentatus* Gorham, 1888:99, pl. 5, fig. 16 (*Brachysphenus*). Tp.: NHML exam. aut. - (Guatemala, Capetillo). - Kuhnt, 1909:30; 1911:15. - Blackwelder, 1945:458. Distr.: Guatemala.
- friedeli* Mader, 1938:15, 17 (*Brachysphoenus*). Tp.: MGFM exam. aut. - (Colômbia, Cauca) [Localidade tipo foi trocada pela de *Iphiclus laceratus*]. -

- Blackwelder, 1945:458. Distr.: Colômbia.
- geometra* Lacordaire, 1842:381 (*Brachysphoenus*). Tp.: MNHN exam. aut. - (Caiena). - Crotch, 1876:503. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:23; 1911:15. - Blackwelder, 1945:458. Distr.: Colômbia. Guiana Francesa. Brasil, região amazônica.
- hebraicus* Lacordaire, 1842:403 (*Brachysphoenus*). Tp. ? - (Caiena). - Crotch, 1876:521. - Gemminger & Harold, 1876:3709. - Kunth, 1909:30; 1911:16. - Blackwelder, 1945:459. Distr.: Guiana Francesa.
- hexastictus* Crotch, 1876:520 (*Brachysphoenus*). Tp.: MCZC exam. aut. -(Ega) [atualmente Tefé]. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:29; 1911:16. - Blackwelder, 1945:459. Distr.: Brasil, região amazônica.
- var. *discretus* Crotch, 1876:520. Tp.: MCZC exam. aut. - (S. Paulo de Olivença). - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:29; 1911:16. - Blackwelder, 1945:459. Distr.: Brasil, região amazônica.
- incas* Gorham, 1889:617, pl. 61, fig. 4 (*Brachysphenus*). Tp.: NHML exam. aut. - (Peru, Chanchamayo). - Kuhnt, 1909:23; 1911:16. - Deelder, 1942:62. - Mader, 1944:100. - Blackwelder, 1945:459. Distr.: Peru.
- iris* Guérin, 1956:53, fig. 12 (*Brachysphaenus*). Tp.: CDSP exam. aut. - (Brasil, Amazonas, Maués). Distr.: Brasil, região amazônica.
- jacinthoi* Alvarenga, 1977:104. Distr.: Peru.
- oculatus*; Guérin, 1956, nec Duponchel 1825. Guérin, 1956:54, fig. 14 (*Brachysphaenus*). Tp.: CDSP exam. aut. - (Peru, Marcapata). - Alvarenga, 1977:104 (**nom.praeoc.**).
- laceratus* Mader, 1938:14 (*Brachysphoenus*). Tp.: MGFM exam. aut. - (Brasil, Santa Catarina, Blumenau) [Localidade tipo foi trocada pela de *Iphiclus friedeli*]. - Blackwelder, 1945:459. - Guérin, 1946:369; 1948:6. Distr.: Brasil, região sul.
- lugens* Lacordaire, 1842:384 (*Brachysphoenus*). Tp. ? - (Colômbia). - Crotch, 1876:503. - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:23; 1911:16. - Blackwelder, 1945:459. Distr.: Colômbia.
- lunaris* Guérin, 1956:54, fig. 13 (*Brachysphaenus*). Tp.: CDSP exam. aut. - (Brasil, Pará, Obidos). Distr.: Brasil, região amazônica.
- luteozonatus* Crotch, 1876:518 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3709. - Kuhnt, 1909:29; 1911:16. - Blackwelder, 1945:459. Distr.: Brasil, região amazônica.
- miles* Mader, 1942d:155, 180 (*Brachysphoenus*). Tp.: MGFM exam. aut. - (Peru, Marcapata); 1944:101. Distr.: Peru.
- mirus* Mader, 1942d:155, 181 (*Brachysphoenus*). Tp.: MGFM exam. aut. - (Peru, Chanchamayo); 1944:101. Distr.: Peru.
- musicalis* Lacordaire, 1842:388 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:502. - Gemminger & Harold, 1876:3710. -

- Kuhnt, 1909:22; 1911:17. - Blackwelder, 1945:459. Distr.: Colômbia.
- neophyta* Lacordaire, 1842:415 (*Brachysphoenus*). Tp. ? - (Caïena). - Crotch, 1876:522. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:30; 1911:17. - Blackwelder, 1945:459. Distr.: Guiana Francesa.
- nigripennis* Demay, 1838:24 (*Erotylus*). Tp.: MCZC exam. aut. - (Demerara). - Lacordaire, 1842:412 (*Brachysphoenus*). - Crotch, 1876:522. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:30; 1911:17. - Blackwelder, 1945:459. Distr.: Guiana.
- nigropictus* Lacordaire, 1842:387 (*Brachysphoenus*). Tp. ? - (Colômbia). - Guérin-Méneville, 1855:611. - Crotch, 1873b:147; 1876:502. - Gemminger & Harold, 1876:3710. - Gorham, 1888:99. - Kuhnt, 1909:22, 1911:17. - Deelder, 1942:62. - Blackwelder, 1945:459. Distr.: Da América Central ao Brasil (região amazônica).
- var. *decoloratus* Crotch, 1876:502. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:22; 1911:17. - Blackwelder, 1945:459. Distr.: Brasil, região amazônica.
- ab. *taeniatus* Mader, 1942c:553. Tp. ? - (Colômbia). Distr.: Colômbia.
- nigrotrifasciatus* Mader, 1942d:155, 178 (*Brachysphoenus*). Tp.: MGFM exam. aut. - (Peru, Oxapampa); 1944:101. Distr.: Peru.
- nitidulus* Olivier, 1807:479, pl. 2, fig. 29 (*Erotylus*). Tp. ? - (Guiana Francesa). - Duponchel, 1825:167. - Lacordaire, 1842:403 (*Brachysphoenus*). - Crotch, 1876:521. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:30; 1911:17. - Deelder, 1942:62. - Blackwelder, 1945:459. Distr.: Guiana Francesa. Brasil, região amazônica.
- obsoletesignatus* Crotch, 1876:520 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (São Paulo). - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:29; 1911:17. - Deelder, 1942:62. - Blackwelder, 1945:459. Distr.: Brasil, região amazônica.
- octoguttatus* Olivier, 1807:485, pl. 3, fig. 39 (*Erotylus*). Tp. ? - (Caïena). - Duponchel, 1825:175. - Lacordaire, 1842:412 (*Brachysphoenus*). - Crotch, 1876:522. - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:30; 1911:18. - Blackwelder, 1945:459. Distr.: Guiana Francesa.
- oculatus* Duponchel, 1825:161, pl. 7, fig. 73 (*Erotylus*). - Crotch, 1876:522 (syn.).
- octopustulatus* Guérin, 1956:56, fig. 18 (*Brachysphaenus*). Tp. : CDSP exam. aut. - (Brasil, Est. São Paulo, São Paulo, Jabaquara). Distr.: Brasil, região sudeste.
- odyneroides* Crotch, 1876:518 (*Brachysphoenus*). Tp.: MCZC exam. aut. -(Ega [atualmente Tefé]). - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:29; 1911:18. - Mader, 1938:17. - Blackwelder, 1945:459. Distr.: Brasil, região amazônica.
- ornatus* Kuhnt, 1909:30 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (Brasil);

- 1911:18. - Bruch, 1914:381. - Mader, 1942d:156; 1944:102. - Blackwelder, 1945:459. - Guérin, 1948:6. Distr.: Brasil, região amazônica. Argentina.
- pantherinus* Kuhnt, 1909:31 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (Brasil, Pará); 1911:18. - Blackwelder, 1945:459. Distr.: Brasil, região amazônica.
- pauper* Guérin, 1956:56, fig. 17 (*Brachysphaenus*). Tp.: CDSP exam. aut. - (Brasil, Est. São Paulo, São Paulo, Cantareira). Distr.: Brasil, regiões sudeste e sul.
- peraffinis* Crotch, 1876:502 (*Brachysphaenus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3710. - Kuhnt, 1909:23; 1911:18. - Mader, 1938:16. - Blackwelder, 1945:459. Distr.: Equador. Brasil, região amazônica.
- perplexus* Mader, 1942d:155, 179 (*Brachysphaenus*). Tp. ? - (Peru, Chanchamayo); 1944:101. Distr.: Peru.
- peruvianus* Mader, 1942d:154, 177 (*Brachysphaenus*). Tp.: MGFM exam. aut. - (Peru, Sático); 1944:99. Distr.: Peru.
- planipennis* Kuhnt, 1909:29 (*Brachysphaenus*). Tp.: ZMHU exam. aut. - (Suriname); 1911:18. - Blackwelder, 1945:459. Distr.: Suriname.
- puncticollis* Kirsch, 1876:104 (*Brachysphaenus*). Tp.: SMTD exam. aut. - (Peru, Pozuzo). - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:30; 1911:18. - Mader, 1942d:155, 156; 1944:102. - Blackwelder, 1945:459. Distr.: Peru.
- quadrifasciatus* Kirsch, 1865:98 (*Brachysphaenus*). Tp.: SMTD exam. aut. - (Colômbia, Bogotá). - Crotch, 1876:503. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:22; 1911:18. - Deelder, 1942:62. - Blackwelder, 1945:459. Distr.: Colômbia.
- quinquefasciatus* Lacordaire, 1842:396 (*Brachysphaenus*). Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:518. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:30; 1911:19. - Deelder, 1942:62. - Mader, 1942d:155, 178; 1944:101. - Blackwelder, 1945:459. Distr.: Equador. Colômbia. Brasil, região amazônica.
- var. *anisozonius* Crotch, 1876:518. Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:30; 1911:19. - Blackwelder, 1945:459. Distr.: Equador. Brasil, região amazônica.
- var. *basinictus* Crotch, 1876:518. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:30; 1911:19. - Blackwelder, 1945:459. Distr.: Brasil, região amazônica.
- var. *orthozonius* Crotch, 1876:518. Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:30; 1911:19. - Blackwelder, 1945:459. Distr.: Equador.
- ramosus* Olivier, 1807:480, pl. 2, fig. 30 (*Erotylus*). Tp.: MCZC exam. aut. - (Caïena). - Duponchel, 1825:56, pl. 2, fig. 46. - Lacordaire, 1842:401

- (*Brachysphoenus*). - Crotch, 1876:520. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:29; 1911:19. - Deelder, 1942:62. - Blackwelder, 1945:459. Distr.: Colômbia. Equador. Suriname. Guiana Francesa. Brasil, região amazônica.
- var. *apicinctus* Crotch, 1876:521. Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:29; 1911:19. - Blackwelder, 1945:459. Distr.: Equador.
- var. *carmineus* Crotch, 1876:521. Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:29; 1911:19. - Blackwelder, 1945:459. - Guérin, 1948:6. Distr.: Equador. Brasil, região amazônica.
- var. *dilaceratus* Lacordaire, 1842:402. Tp. ? - (Colômbia). - Crotch, 1876:521. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:29; 1911:19. - Blackwelder, 1945:459. Distr.: Colômbia.
- regularis* Erichson, 1848:579 (*Brachysphenus*). Tp.: ZMHU exam. aut. - (Guiana). - Crotch, 1876:523. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:29; 1911:19. - Mader, 1938:16. - Deelder, 1942:62. - Blackwelder, 1945:459. Distr.: Guiana. Suriname.
- rhomboidalis* Guérin, 1956:55, fig. 15 (*Brachysphaenus*). Tp.: CARJ - (Brasil, Pará, Mocajuba, Mangabeira). Distr.: Brasil, região amazônica.
- var. *integer* Guérin, 1956:55. Tp.: CDSP exam. aut. - (Brasil, Pará, Obidos). Distr.: Brasil, região amazônica.
- salamandra* Erichson, 1847:178 (*Brachysphenus*). Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:3711. - Kunth, 1909:29; 1911:19. - Bruch, 1914:381. - Mader, 1938:16; 1942d:155; 1944:100. - Blackwelder, 1945:460. Distr.: Equador. Peru. Bolívia. Brasil. Argentina.
- spectabilis* Lacordaire, 1842:392 (*Brachysphoenus*). Tp. ? - (Colômbia). - Crotch, 1876:519. - Gemminger & Harold, 1876:3711. - Gorham, 1888:100. - Kuhnt, 1909:29; 1911:20. - Mader, 1938:16. - Blackwelder, 1945:460. Distr.: Panamá. Colômbia.
- stramineus* Lacordaire, 1842:415 (*Brachysphoenus*). Tp. ? - (Colômbia). - Crotch, 1876:522. - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:30; 1911:20. - Blackwelder, 1945:460. Distr.: Colômbia.
- subsanguineus* Crotch, 1876:521 (*Brachysphoenus*). Tp.: MCZC exam. aut. - (São Paulo). - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:30; 1911:20. - Blackwelder, 1945:460. Distr.: Brasil, região amazônica.
- var. *disjunctus* Crotch, 1876:521. Tp. ? - (Santarém). - Gemminger & Harold, 1876:3711. - Kuhnt, 1909:30; 1911:20. - Blackwelder, 1945:460. Distr.: Brasil, região amazônica.
- superbus* Mader, 1942c:561 (*Brachysphoenus*). Tp.: MGFM exam. aut. - (Brasil, Amazonas, São Paulo de Olivença). Distr.: Brasil, região amazônica.
- tigrinatus* Guérin, 1956:55, fig. 16 (*Brachysphaenus*). Tp.: CDSP exam. aut. -

- (Brasil, Amazonas, Borba). Distr.: Brasil, região amazônica.
- tricinctus* Duponchel, 1825:42, pl. 1, fig. 16 (*Erotylus*). Tp. ? - (Caiena). - Lacordaire, 1842:385 (*Brachysphoenus*). - Kirsch, 1876:104. - Crotch, 1876:501. - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:23; 1911:20. - Mader, 1938:16; 1942d:154; 1944:100. - Deelder, 1942:63. - Blackwelder, 1945:460. - Guérin, 1948:6. Distr.: Peru. Guiana Francesa. Brasil, região amazônica.
- var. *rectesignatus* Crotch, 1876:501. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:23, pl. 2, fig. 16; 1911:20. - Mader, 1938:16; 1942d:154; 1944:100. - Blackwelder, 1945:460. Distr.: Brasil, região amazônica.
- trifasciatus* Olivier, 1807:473, pl. 2, fig. 16 (*Erotylus*). Tp. ? - (Brasil). - Duponchel, 1825:43, pl. 1, fig. 17. - Lacordaire, 1842:384 (*Brachysphoenus*). Distr.: Brasil, regiões sudeste e sul. Paraguai. Argentina.
- fasciatus* Olivier, 1792:433 (*Erotylus*). - Crotch, 1876:501 (*Brachysphoenus*). - Gemminger & Harold, 1876:3708. - Kuhnt, 1909:22; 1911:15. - Bruch, 1914:381. - Schenkling, 1919:82. - Mader, 1938:16. - Deelder, 1942:61. - Blackwelder, 1945:458. - Guérin, 1948:6. - Olivier, 1807:473 (**nom.praeoc.**).
- tripartitus* Lacordaire, 1842:386 (*Brachysphoenus*). Tp. ? - (Colômbia). - Crotch, 1876:519. - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:29; 1911:20. - Blackwelder, 1945:460. Distr.: Colômbia.
- ucayalensis bolivianus* Mader, 1942:156 (*Brachysphoenus*). Tp.: NHMW (Bolívia, Coroico); 1944:102. Distr.: Bolívia.
- ucayalensis ucayalensis* Gorham, 1889:615, pl. 61, fig. 6 (*Brachysphenus*). Tp.: NHML exam. aut. - (Peru, rio Ucayale). - Kuhnt, 1909:26; 1911:20. - Schenkling, 1919:81. - Mader, 1942d:155, 156; 1944:102. - Blackwelder, 1945:460. - Guérin, 1948:6. Distr.: Peru. Brasil, região amazônica.
- venezuelae* Crotch, 1876:519 (*Brachysphoenus*). Tp. ? - (Venezuela). - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:29; 1911:20. - Mader, 1938:16. - Blackwelder, 1945:460. Distr.: Venezuela.
- westwoodi* Guérin-Méneville, 1841a:117 (*Zonarius*). Tp.: MNHN exam. aut. - (Bolívia). - Lacordaire, 1842:391 (*Brachysphoenus*). - Crotch, 1876:502. - Gemminger & Harold, 1876:3712. - Kuhnt, 1909:23; 1911:20. - Mader, 1942d:154; 1944:99. - Blackwelder, 1945:460. - Guérin, 1948:6. Distr.: Peru. Bolívia. Brasil, região amazônica.

Typocephalus Chevrolat, 1837

Typocephalus Chevrolat, 1837:427 (Tgen. *Erotylus dimidiatus* Olivier, 1792:435, seg. Hope, 1841:113). - Hope, 1841:113. - Crotch, 1876:523. - Alvarenga, 1965:90.

Cytorea Laporte, 1840:224. - Kuhnt, 1909:9, 31. - Deelder, 1942:51. - Alvarenga, 1965:83 (**syn.**).

cruciatus Lacordaire, 1842:407 (*Brachysphoenus*). Tp. ? - (Caïena). - Gemminger & Harold, 1876:3706 (*Cytorea*). - Kuhnt, 1909:31; 1911:21. - Blackwelder, 1945:460. - Crotch, 1876:524 (*Typocephalus*). Distr.: Colômbia. Guiana Francesa.

dimidiatus Olivier, 1792:435 (*Erotylus*). Tp. ? - (Suriname); 1807:481, pl. 3, fig. 31. - Duponchel, 1825:176. - Lacordaire, 1842:406 (*Brachysphoenus*). - Gemminger & Harold, 1876:3706 (*Cytorea*). - Kuhnt, 1909:31; 1911:21. - Blackwelder, 1945:460. - Crotch, 1876:523 (*Typocephalus*). Distr.: Colômbia. Guiana. Suriname. Guiana Francesa. Brasil, região amazônica.

bicolor Laporte, 1840:224 (*Cytorea*). - Lacordaire, 1842:406 (**syn.**).

interpunctatus Crotch, 1876:524. Tp.: MCZC exam. aut. - (Venezuela). - Gemminger & Harold, 1876:3706 (*Cytorea*). - Kuhnt, 1909:31, pl. 2, fig. 8; 1911:21. - Blackwelder, 1945:460. Distr.: Venezuela.

tricolor Kuhnt, 1910:266. Tp.: ZMHU exam. aut. - (Oribá, Amazonas); 1911:21 (*Cytorea*). - Blackwelder, 1945:460. Distr.: Brasil, região amazônica.

vespoides Crotch, 1876:524. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3706 (*Cytorea*). - Kuhnt, 1909:31; 1911:21. - Blackwelder, 1945:460. Distr.: Brasil, região amazônica.

Kakoia Alvarenga, 1971

Kakoia Alvarenga, 1971c:35 (Tgen. *Kakoia travassosi* Alvarenga, 1971, monotípia).

travassosi Alvarenga, 1971:35. Tp.: CARJ - (Brasil, Est. São Paulo, Barueri). Distr.: Brasil, regiões sudeste e central.

Sphenoxus Lacordaire, 1842

Sphenoxus Lacordaire, 1842:376 (Tgen. *Brachysphoenus germari* Lacordaire, 1842:376, seg. Crotch, 1876:524). - Chapuis, 1876:60. - Crotch, 1876:524 (*Sphenoxus*). - Kuhnt, 1909:9, 31. - Deelder, 1942:51. - Alvarenga, 1965:89.

germari Lacordaire, 1842:376 (*Brachysphoenus*). Tp. ? - (Colômbia). - Gemminger & Harold, 1876:3709 (*Morphoides*). - Crotch, 1876:524 (*Sphenoxus*). - Kuhnt, 1909:31; 1911:21. - Blackwelder, 1945:460. Distr.: Colômbia.

Eurycardius Lacordaire, 1842

Eurycardius Lacordaire, 1842:32, 479 (Tgen. *Eurycardius erythropterus* Lacordaire, 1842:480, monotipia). - Chapuis, 1876:49, 65. - Crotch, 1876:524. - Kuhnt, 1909:9, 32. - Deelder, 1942:51. - Alvarenga, 1965:84.

concolor Crotch, 1876:524. Tp.: MCZC exam. aut. - (Brasil, Minas Gerais). - Gemminger & Harold, 1876:3717. - Kuhnt, 1909:32; 1911:21. - Blackwelder, 1945:460. Distr.: Brasil, regiões sudeste e central.

erythropterus Lacordaire, 1842:480. Tp. ? - (Caïena). - Crotch, 1876:524. - Gemminger & Harold, 1876:3717. - Kuhnt, 1909:32; 1911:21. - Blackwelder, 1945:460. Distr.: Guiana Francesa. Brasil.

seabrai Alvarenga, 1971a:117. Tp.: UFPR - (Brasil, Espírito Santo, Barra de São Francisco, Corrego Itá). Distr.: Brasil, região sudeste.

Dichomorpha Kuhnt, 1909

Dichomorpha Kuhnt, 1909:9, 32 (Tgen. *Dichomorpha fulva* Kuhnt, 1909:33, monotipia). - Deelder, 1942:51. - Alvarenga, 1965:83.

fulva Kuhnt, 1909:33, pl. 2, figs 7, 7a. Tp. ? - (Colômbia); 1911:21. - Blackwelder, 1945:460. Distr.: Colômbia.

Erotylus Fabricius, 1775

Erotylus Fabricius, 1775:123 (Tgen. *Coccinella gigantea* Linnaeus, 1758:368, *seg.* Hope, 1841:110); 1787:91; 1792:35; 1798:101; 1801:3. - Olivier, 1792:429; 1807:465. - Duponchel, 1825:30. - Hope, 1841:110. - Lacordaire, 1842:32, 416. - Crotch, 1873b:148; 1876:525. - Chapuis, 1876:49, 62. - Gorham, 1888:101. - Kuhnt, 1908a:67; 1909:10, 33. - Curran, 1941:283. - Deelder, 1942:51. - Alvarenga, 1965:84.

Pseudochrysomela Voet, 1778:43. - Alvarenga, 1970:45 (*syn.*).

aegrotus Lacordaire, 1842:420. Tp. ? - (Brasil, Bahia). - Crotch, 1876:525. - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:72, 73; 1909:34; 1911:21. - Bruch, 1914:382. - Deelder, 1942:63. - Blackwelder, 1945:460. - Guérin, 1948:13. Distr.: Brasil, região sudeste e sul. Argentina.

dryas Lacordaire, 1842:424. - Crotch, 1876:525 (*syn.*).

aequatoris Kirsch, 1883:211. Tp.: SMTD exam. aut. - (Equador, Baños-Pintuc). - Fleutiaux, 1886:224. - Kuhnt, 1908a:92; 1909:36; 1911:22. - Blackwelder, 1945:460. Distr.: Equador.

apiatoides Mader, 1942c:565. Tp. ? - (Brasil, Manaus). Distr.: Brasil, região amazônica.

- aulicus* Lacordaire, 1842:438. Tp.: MNHN exam. aut. - (Caïena). - Crotch, 1876:536. - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:100; 1909:38; 1911:22. - Blackwelder, 1945:460. Distr.: Guiana Francesa.
- bellopictus* Kuhnt, 1910:266, fig. 23. Tp.: ZMHU exam. aut. - (Argentina, Misiones); 1911:22. - Bruch, 1914:382. - Blackwelder, 1945:460. Distr.: Argentina.
- bibalteatus* Alvarenga, 1976:511. Distr.: Equador.
- bifasciatus*; Crotch, 1876, nec Olivier, 1792. - Crotch, 1876:532. Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:92; 1909:36; 1911:22. - Blackwelder, 1945:460. - Alvarenga, 1976:511 (nom.praeoc.).
- boylei* Alvarenga, 1971b:149. Tp.: UFPR - (Brasil, Pará, Óbidos). Distr.: Brasil, região amazônica.
- buckleyi* Crotch, 1876:527. Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:83, 84; 1909:35; 1911:22. - Deelder, 1942:63. - Blackwelder, 1945:460. Distr.: Equador.
- var. *catenatus* Kuhnt, 1908a:83, 85. Tp. ? - [Localidade não citada]; 1911:22. - Blackwelder, 1945:460. Distr.: Equador.
- cassidoides* Crotch, 1876:533. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3713. - Dohrn, 1880:293. - Kuhnt, 1908a:99; 1909:37, pl. 1, fig. 2; 1911:22. - Blackwelder, 1945:460. - Guérin, 1948:15. Distr.: Brasil, região amazônica.
- chevrolati* Lacordaire, 1842:421. Tp.: MCZC exam. aut. - (Brasil). - Crotch, 1876:525. - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:71, 73; 1909:34; 1911:22. - Blackwelder, 1945:460. - Guérin, 1948:15. Distr.: Brasil, região sudeste.
- cingulatus* Crotch, 1876:530. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:85; 1909:35; 1911:22. - Blackwelder, 1945:460. Distr.: Brasil, região amazônica.
- clarosignatus* Kuhnt, 1908a:72, 74. Tp.: ZMHU exam. aut. - (Brasil); 1909:34; 1911:22. - Deelder, 1942:63. - Blackwelder, 1945:460. Distr.: Brasil.
- contractus* Kuhnt, 1908a:86. Tp.: ZMHU exam. aut. - (Bolívia); 1909:35; 1911:22. - Blackwelder, 1945:460. - Delkeskamp, 1957:97. Distr.: Bolívia.
- cornaliae* Guérin-Ménéville, 1855:611. Tp.: MNHN exam. aut. - [Localidade não citada]. - Crotch, 1876:536. - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:93; 1909:36; 1911:22. - Blackwelder, 1945:460. Distr.: Equador.
- crotchii* Deelder, 1942:63, fig. 1c. Tp.: RNHL - (Peru, Chanchamayo). Distr.: Peru.
- crucifer* Kuhnt, 1908a:85. Tp.: ZMHU exam. aut. - (Brasil); 1909:35; 1911:22. - Mader, 1942d:163; 1944:115. - Blackwelder, 1945:460. - Guérin,

- 1948:15. Distr.: Peru. Brasil, região amazônica.
- decipiens* Crotch, 1876:536. Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:100; 1909:38; 1911:22. - Blackwelder, 1945:460. Distr.: Equador.
- var. *peruvianus* Kuhnt, 1908a:100. Tp. ? - (Peru, Chanchamayo); 1909:38; 1911:22. - Mader, 1938:17. Distr.: Peru.
- var. *kuhnti* Mader, 1938:17. Tp. ? - (Peru, Chanchamayo); 1944:117. Distr.: Peru.
- delentus* Alvarenga, 1976:511. Distr.: Venezuela.
- dilaceratus* Kirsch, 1876:106. Tp.: SMTD exam. aut. - (Peru, Sarayacu). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:89; 1909:36; 1911:22. - Mader, 1942d:163; 1944:114. - Blackwelder, 1945:460. Distr.: Peru.
- egregius* Guérin, 1946b:365, fig. 1. Tp.: CDSP exam. aut. - (Brasil, Amazonas, Maués). Distr.: Brasil, região amazônica.
- elegans* Kuhnt, 1908a:71, 73. Tp.: ZMHU exam. aut. - (Brasil); 1909:34; 1911:22. - Deelder, 1942:64. - Blackwelder, 1945:460. - Guérin, 1948:15. Distr.: Brasil, região sudeste.
- elegantulus* Guérin, 1946b:366, fig. 2. Tp.: CDSP exam. aut. - (Brasil, Amazonas, Maués). Distr.: Brasil, região amazônica.
- elongatulus* Crotch, 1876:533. Tp.: MCZC exam. aut. - [Localidade não citada]. - Fleutiaux, 1886:224. - Kuhnt, 1908a:91; 1909:36; 1911:22. - Mader, 1942d:162; 1944:113. - Blackwelder, 1945:460. Distr.: Peru.
- flavopunctatus* Kuhnt, 1908a:78, 82; Tp.: ZMHU exam. aut. - (Peru, Marcapata); 1909:35; 1911:22. - Mader, 1942d:162; 1944:113. - Blackwelder, 1945:460. Distr.: Peru.
- flavotaeniatulus* Kuhnt, 1908a:75, 81. Tp. ? - (São Paulo ?); 1909:34; 1911:22. - Blackwelder, 1945:460. Distr.: Brasil.
- forsteri* Delkeskamp, 1957:97, 101. Tp.: ZSBS exam. aut. - (Bolívia, Chapare, alto rio Chipiriri). Distr.: Bolívia.
- fulvofasciatus* Kuhnt, 1908a:88. Tp. ? - (Brasil, rio Jurua); 1909:36; 1911:22. - Blackwelder, 1945:460. Distr.: Brasil.
- giganteus* Linnaeus, 1758:368 (*Coccinella*). Tp. ? - (Índia). - Sulzer, 1761, pl. 3, fig. 15a. - Houttuyn, 1766:74, fig. 3 (*Chrysomela*). - Degeer, 1775:349, pl. 16, fig. 8; 1781:416, pl. 16, fig. 8. - Fabricius, 1775:123 (*Erotylus*); 1781:157; 1787:91; 1792:35; 1801:3. - Sulzer, 1776, pl. 3, fig. 8. - Roemer, 1789:43. - Gmelin, 1790:1726. - Olivier, 1792:432; 1807:468, pl. 1, fig. 6. - Herbst, 1799:360, pl. 136, fig. 9. - Latreille, 1804:57. - Illiger, 1806:230. - Schönherr, 1808:325. - Duponchel, 1825:37, pl. 1, fig. 5. - Lacordaire, 1842:434. - Fauvel, 1860:326. - Crotch, 1876:529. - Gemminger & Harold, 1876:3714. - Dohrn, 1878:449. - Kuhnt, 1908a:79, 82; 1909:35; 1911:22. - Deelder, 1942:64. - Blackwelder, 1945:460. -

- Guérin, 1948:15. Distr.: Suriname. Guiana Francesa. Brasil, região amazônica.
- paramariboensis* Voet, 1778:44, pl. 33, fig.4 (*Pseudochrysomela*). - Alvarenga, 1977:105 (syn.).
- glaber* Kuhnt, 1908a:93. Tp. ? - (Equador, Baiza); 1909:36; 1911:23. - Blackwelder, 1945:460. Distr.: Equador.
- guerini* Demay, 1838:23. Tp.: MCZC exam. aut. - (Demerara). - Lacordaire, 1842:430. - Crotch, 1876:528. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:89; 1909:36; 1911:23. - Blackwelder, 1945:460. - Delkeskamp, 1957:97. Distr.: Guiana. Bolívia.
- hexagrammus* Lacordaire, 1842:430. Tp.: MNHN exam. aut. - (Bolívia). - Blanchard, 1843, pl. 25, fig. 7. - Crotch, 1876:528. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:76, 81; 1909:34; 1911:23. - Deelder, 1942:64. - Blackwelder, 1945:460. - Delkeskamp, 1957:97. Distr.: Bolívia.
- hieroglyphicus*; Crotch, 1876, nec Duponchel 1825. - Crotch, 1876:532. Tp.: MCZC exam. aut. - (Venezuela). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:91; 1909:36; 1911:23. - Blackwelder, 1945:460. - Alvarenga, 1976:511 (nom.praeoc.).
- var. *columbiae* Kuhnt, 1908a:91. Tp. ? - (Colômbia); 1909:36; 1911:23. - Blackwelder, 1945:460. Distr.: Colômbia.
- histrion* Fabricius, 1787:91. Tp.: HCGU - (Caiena); 1792:36; 1801:4. - Gmelin, 1790:1727. - Olivier, 1792:432; 1807:468, pl. 2, fig. 12. - Herbst, 1799:376. - Schönherr, 1808:325. - Duponchel, 1825:36, pl. 1, fig. 3. - Sturm, 1826:139; 1843:304. - Lacordaire, 1842:419. - Gistel, 1848:123. - Crotch, 1876:525. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:69, 73; 1909:34; 1911:23. - Staig, 1931:104. - Deelder, 1942:64. - Blackwelder, 1945:460. - Guérin, 1948:15. - Zimsen, 1964:114. Distr.: Guiana Francesa. Brasil.
- var. *minor* Deelder, 1942:64. Tp.: RNHL - [Localidade não citada].
- histrionicus* Duponchel, 1825:37, pl. 1, fig. 4. Tp.: MNHN exam. aut. - (Brasil). - Lacordaire, 1842:422. - Crotch, 1876:525. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:71, 73; 1909:34; 1911:23. - Blackwelder, 1945:460. Distr.: Brasil.
- imitans* Kirsch, 1876:105. Tp.: SMTD exam. aut. - (Peru, Sarayacu). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:75, 81; 1909:34; 1911:23. - Mader, 1942d:162; 1944:113. - Blackwelder, 1945:460. Distr.: Peru. Brasil, região amazônica.
- incertus* Lacordaire, 1842:435. Tp.: MCZC exam. aut. - (Caiena). - Erichson, 1848:578. - Crotch, 1876:529. - Gemminger & Harold, 1876:3714. - Dohrn, 1878:449. - Kuhnt, 1908a:79, 82; 1909:35; 1911:23. - Mader, 1942d:162; 1944:113. - Blackwelder, 1945:460. Distr.: Peru. Guiana Francesa.

- incomparabilis* Perty, 1832:110, pl. 22, fig. 8. Tp. ? - (Brasil, rio Amazonas). - Lacordaire 1842:467; 1876, pl. 132, fig. 4. - Crotch, 1876:528. - Gemminger & Harold, 1876:3714. - Dohrn, 1878:451; 1880:291. - Kuhnt, 1908a:87; 1909:36; 1911:23. - Mader, 1942d:163; 1944:114. - Blackwelder, 1945:460. Distr.: Peru. Brasil, região amazônica.
- involutus* Kuhnt, 1908a:91. Tp.: ZMHU exam. aut. - (Honduras, rio Manes); 1909:36; 1911:24. - Blackwelder, 1945:460. Distr.: Honduras.
- isequeboensis* Voet, 1778:44, pl. 33, fig. 5 (*Pseudochrysomela*). Tp. ? [Localidade não citada]. - Alvarenga, 1977:105 (*Erotylina*). **comb.n.** Distr.: Guiana. Suriname. Guiana Francesa. Brasil, região amazônica.
- variegatus* Fabricius, 1781:157 (*Erotylus*). Tp.: ZMCD - (Suriname). - 1787:92; 1792:37; 1801:5. - Olivier, 1792:434; 1807:470, pl. 1, fig. 7. - Herbst, 1799:365, pl. 137, fig. 4. - Illiger, 1806:231. - Schönnerr, 1808:326; 1843:411. - Duponchel, 1825:38, pl. 1, fig. 6. - Lacordaire, 1842:439. - Sturm, 1843:304. - Crotch, 1876:529. - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:82, 85; 1909:35; 1911:26. - Curran, 1941:283. - Deelder, 1942:66. - Blackwelder, 1945:461. - Zimsen, 1964:114. - Alvarenga, 1977:105 (**syn.**).
- varius* Gmelin, 1790:1727. - Lacordaire, 1842:439 (**syn.**).
- pustulatus* Herbst, 1799:364, pl. 137, fig. 3. - Lacordaire, 1842:439 (**syn.**).
- jucundus* Mader, 1942d:163, 187. Tp. ? - (Peru); 1944:115. Distr.: Peru.
- kuhnti* Deelder, 1942:64, fig. 1d. Tp.: RNHL - (Peru). Distr.: Peru.
- laetus* Deelder, 1942:65, fig. 1e. Tp.: RNHL - (Peru). Distr.: Peru.
- var. *nigrofasciatus* Deelder, 1942:65. Tp.: RNHL - (Brasil, Amazonas). Distr.: Brasil, região amazônica.
- latreillei latreillei* Lacordaire, 1842:461. Tp. ? - (Bolívia, Chiquitos). - Crotch, 1876:536. - Gemminger & Harold, 1876:3713 (*Cypherotylus*). - Kuhnt, 1908a:100 (*Erotylus*); 1909:38; 1911:24. - Mader, 1942c:566. - Blackwelder, 1945:461. Distr.: Bolívia.
- latreillei normalis* Mader, 1942c:566. Tp. ? - (Brasil, Est. S. Paulo, Indiana). Distr.: Brasil, região sudeste.
- longulus* Guérin, 1956:60, fig. 22. Tp. CDSP exam. aut. - (Bolívia, Yungas del Palmar). Distr.: Bolívia.
- loratus* Erichson, 1847:176. Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:528. - Gemminger & Harold, 1876:3714. - Dohrn, 1883:104. - Kuhnt, 1908a:76, 81; 1909:34; 1911:24. - Deelder, 1942:65. - Mader, 1942d:161; 1944:112. Distr.: Peru.
- var. *tenuecinctus* Kuhnt, 1908a:76, 81. Tp.: ZMHU exam. aut. - (Peru); 1909:34; 1911:24. - Mader, 1942d:161; 1944:112. Distr.: Peru.
- luteotaeniatu*s Kuhnt, 1908a:76, 82. Tp. ? (São Paulo ?); 1909:34; 1911:24. - Blackwelder, 1945:461. Distr.: Brasil.

- margineguttatus* Crotch, 1876:526. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:82, 83; 1909:35; 1911:24. - Deelder, 1942:65. - Mader, 1942d:162; 1944:113. - Blackwelder, 1945:461. - Guérin, 1948:15. Distr.: Peru. Bolívia. Brasil, região amazônica.
- var. *integer* Kuhnt, 1908a:83. Tp. ? - (Peru, Marcapata); 1909:35; 1911:24. - Mader, 1942d:162; 1944:114. - Blackwelder, 1945:461. Distr.: Peru. Bolívia.
- marginemaculatus* Crotch, 1876:527. Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:83; 1909:35; 1911:24. - Blackwelder, 1945:461. Distr.: Equador.
- melanostictus* Crotch, 1876:533. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:99; 1909:38; 1911:24. - Mader, 1942d:164; 1944:116. - Blackwelder, 1945:461. Distr.: Panamá. Peru. Brasil, região amazônica.
- mirabilis* Kuhnt, 1908a:72, 73. Tp.: ZMHU exam. aut. - (Brasil); 1909:34, pl. 2, fig. 9; 1911:24. - Blackwelder, 1945:461. - Guérin, 1948:15. Distr.: Brasil, região amazônica.
- mutatus* Mader, 1942c:566. Tp. ? - (Brasil, Amazonas, S. Paulo de Olivença). Distr.: Brasil, região amazônica.
- nautae* Crotch, 1876:528. Tp.: MCZC exam. aut. - (Nauta). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:88; 1909:36; 1911:24. - Blackwelder, 1945:461. Distr.: Peru.
- neglectus* Mader, 1942d:162, 186. Tp. ? - (Peru); 1944:112, 114. Distr.: Peru. Bolívia.
- nemo* Guérin, 1956:58. Distr.: Brasil, região amazônica.
- tripartitus*; Guérin, 1949, nec Kuhnt, 1908. - Guérin, 1949a:232, fig. 4. Tp.: CDSP exam. aut. - (Brasil, Amazonas, Maués); 1956:58 (**nom. praeoc.**).
- nigrocinctus* Kuhnt, 1908a:87. Tp.: ZMHU exam. aut. - (Peru); 1909:35, pl. 2, fig. 11; 1911:24. - Mader, 1942d:163; 1944:114. - Blackwelder, 1945:461. Distr.: Equador. Peru. Brasil, região amazônica.
- nigromarmoratus* Mader, 1942c:564. Tp.: MGFM exam. aut. - (Equador, Rio-bamba). Distr.: Equador.
- nigronotatus* Gorham, 1888:102, pl. 6, fig. 1. Tp.: NHML exam. aut. - (Panamá, Bugaba, volcán de Chiriquí). - Kuhnt, 1908a:98; 1909:37; 1911:24. - Deelder, 1942:65. - Blackwelder, 1945:461. Distr.: Panamá.
- oblitus* Guérin, 1956:59, fig. 21. Tp.: CDSP exam. aut. - (Brasil, Amazonas, João Pessoa, rio Juruá). Distr.: Brasil, região amazônica.
- ochraceus* Guérin, 1946b:367, fig. 3. Tp.: CDSP exam. aut. - (Brasil, Est. de São Paulo, Indiana); 1948:15. Distr.: Brasil, região sudeste.

- olivieri* Lacordaire, 1842:463. Tp. ? - (Bolívia, Guarayos). - Erichson, 1847:176; 1848:578. - Kirsch, 1876:108. - Crotch, 1876:530. - Gemminger & Harold, 1876:3713 (*Cypherotylus*). - Kuhnt, 1908a:99 (*Erotylus*); 1909:38, pl. 1, fig. 1; 1911:24. - Deelder, 1942:65. - Mader, 1942d:164; 1944:115. - Blackwelder, 1945:461. - Guérin, 1948:15. Distr.: Peru. Bolívia. Guiana. Brasil, região amazônica.
- onagga* Lacordaire, 1842:427. Tp. ? - (Colômbia). - Crotch, 1876:532. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:90; 1909:36, pl. 2, fig. 10; 1911:24. - Blackwelder, 1945:461. Distr.: Costa Rica. Colômbia.
- var. *quinquefasciata* Kuhnt, 1908a:91. Tp. ? - [Localidade não citada]; 1909:36; 1911:24. - Blackwelder, 1945:461. Distr.: ?
- papulosus* Lacordaire, 1842:436. Tp. ? - (Caiena). - Crotch, 1876:530. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:79, 82; 1909:35; 1911:24. - Blackwelder, 1945:461. Distr.: Guiana Francesa.
- paraensis* Alvarenga, 1976:511. Distr.: Brasil, região amazônica.
- bicinctus*; Guérin, 1948, *nec* Olivier, 1807. - Guérin, 1948:13, fig. 3. Tp.: MNRJ exam. aut. - (Pará, Santarém). - Alvarenga, 1976:511 (**nom. praeoc.**).
- parcepunctatus* Crotch, 1876:535. Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:100; 1909:38; 1911:25. - Mader, 1942d:165; 1944:117. - Blackwelder, 1945:461. Distr.: Equador. Peru.
- pardalis* Erichson, 1848:578. Tp.: ZMHU exam. aut. - (Guiana). - Crotch, 1876:536. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:80, 82; 1909:35; 1911:25. - Blackwelder, 1945:461. Distr.: Guiana.
- parvus* Kuhnt, 1908a:74, 81. Tp. ? - (Peru, Marcapata); 1909:34; 1911:25. - Mader, 1942d:162; 1944:113. - Blackwelder, 1945:461. Distr.: Peru.
- peregrinus* Mader, 1942d:164, 187. Tp.: DEIB - (Peru, Callanga); 1944:116. Distr.: Peru.
- permutatus* Kuhnt, 1908a:70, 74. Tp. ? - (Brasil); 1909:34; 1911:25. - Bruch, 1914:383. - Deelder, 1942:66. - Blackwelder, 1945:461. - Guérin, 1948:15. Distr.: Brasil. Argentina.
- peruvianus* Crotch, 1876:527. Tp.: MCZC exam. aut. - (Peru). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:74, 81, 83; 1909:34; 1911:25. - Brèthes, 1920:48. - Deelder, 1942:66. - Mader, 1942d:162; 1944:113. - Blackwelder, 1945:461. - Guérin, 1948:15. Distr.: Equador. Peru. Bolívia. Brasil, região amzônica.
- picturatus* Crotch, 1876:529. Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:83, 85; 1909:35; 1911:25. - Blackwelder, 1945:461. Distr.: Equador.
- pretiosus* Perty, 1832:111, pl. 22, fig. 9. Tp. ? - (Brasil, rio Negro). - Lacordaire, 1842:440. - Crotch, 1876:529. - Gemminger & Harold, 1876:3715. -

- Kuhnt, 1908a:90; 1909:36; 1909:25. - Bruch, 1914:383. - Deelder, 1942:66. - Blackwelder, 1945:461. - Guérin, 1948:15. Distr.: Venezuela. Guiana Francesa. Brasil, região amazônica. Argentina.
- var. *geometricus* Guérin, 1956:58. Tp.: CDSP exam. aut. - (Brasil, Amazonas, Borba). Distr.: Brasil, região amazônica.
- var. *impunctatus* Kuhnt, 1908a:90. Tp.: ZMHU exam. aut. - (Brasil); 1909:36, 1911:25. - Bruch, 1914:383. - Blackwelder, 1945:461. - Guérin, 1948:15. Distr.: Brasil, região amazônica.
- var. *infasciatus* Kuhnt, 1910:268. Tp. ? - (Argentina, Misiones); 1911:25. - Bruch, 1914:383. - Blackwelder, 1945:461. Distr.: Argentina.
- propinquus* Kuhnt, 1908a:77, 82. Tp.: ZMHU exam. aut. - [Localidade não citada]; 1908b:633; 1909:34; 1911:25. - Blackwelder, 1945:461. - Guérin, 1948:15. Distr.: Brasil, região amazônica.
- pseudomelanostictus* Guérin, 1946b:368, fig. 4. Tp.: CDSP exam. aut. - (Brasil, Amazonas, Benjamin Constant). Distr.: Brasil, região amazônica.
- pulcher* Mader, 1942c:563. Tp.: MGFM exam. aut. - (Colômbia, Umbria, rio Guines). Distr.: Colômbia.
- quadricruentatus* Alvarenga, 1976:511. Distr.: Brasil, região amazônica.
- quadrimaculatus* Guérin, 1948 *nec* Duponchel, 1825. - Guérin, 1948:15, fig. 4. Tp.: MNRJ exam. aut. - (Brasil, Amazonas, Manicoré). - Alvarenga, 1976:511 (**nom. praeoc.**).
- reichei* Guérin-Ménéville, 1841a:117. Tp.: MCZC exam. aut. - (Brasil). - Lacordaire, 1842:431. - Crotch, 1876:534. - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:94; 1909:36; 1911:25. - Blackwelder, 1945:461. Distr.: Bolívia. Brasil, região central.
- rudepunctatus* Crotch, 1876:527. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:82, 84; 1909:35; 1911:25. - Mader, 1942d:162; 1944:113, 115. - Blackwelder, 1945:461. Distr.: Colômbia. Peru. Brasil, região amazônica.
- sanguinans* Kuhnt, 1908a:88. Tp. ? - (Brasil, Amazonas); 1909:36; 1911:25. - Blackwelder, 1945:461. - Guérin, 1948:16. Distr.: Brasil, região amazônica.
- scaphidomorphoides* Crotch, 1876:532. Tp.:MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:92; 1909:36; 1911:25. - Blackwelder, 1945:461. Distr.: Brasil, região amazônica.
- scenicus* Erichson, 1847:176. Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:529. - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:89; 1909:36; 1911:25. - Brèthes, 1920:48. - Deelder, 1942:66. - Mader, 1942d:162; 1944:114. - Blackwelder, 1945:461. Distr.: Peru.
- schenklingi* Kuhnt, 1908a:82, 84. Tp.: ZMHU exam. aut. - (Amazonas); 1909:35; 1911:25. - Blackwelder, 1945:461. Distr.: Brasil, região amazônica.
- sericeus* Delkeskamp, 1957:97, 100, 101, figs 1, 2. Tp.: ZSBS exam. aut. -

- (Bolívia, Sarampiuni, San Carlos). Distr.: Bolívia.
- singularis* Kirsch, 1876:107. Tp.: SMTD exam. aut. - (Peru, Sarayacu). - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:89; 1909:36; 1911:25. - Mader, 1942d:163; 1944:115. - Blackwelder, 1945:461. Distr.: Peru.
- spectrum* Thomson, 1856:476, pl. 23, fig. 7. Tp.: MNHN (Amazonas). - Crotch, 1876:572. - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:80, 82; 1909:35; 1911:25. - Deelder, 1942:66. - Mader, 1942d:163; 1944:115. - Blackwelder, 1945:461. - Guérin, 1948:16. - Delkeskamp, 1957:97. Distr.: Peru. Bolívia. Brasil, região amazônica.
- aterrimus* Kirsch, 1876:107. - Kuhnt, 1908a:80 (**syn.**).
- staudingeri* Mader, 1935:241. Tp.: MGFM exam. aut. - (Peru, Oxapampa, Perene); 1942d:161; 1944:112. - Blackwelder, 1945:461. Distr.: Peru.
- subreticulatus* Guérin-Ménéville, 1841a:115. Tp.: MNHN exam. aut. - (Brasil). - Lacordaire, 1842:443. - Erichson, 1847:176. - Crotch, 1876:533. - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:97; 1909:37; 1911:25. - Deelder, 1942:66. - Mader, 1942d:164; 1944:115. - Blackwelder, 1945:461. - Guérin, 1948:16. - Delkeskamp, 1957:97. Distr.: Equador. Peru. Bolívia. Brasil, região amazônica.
- superbus* Guérin, 1956:58, fig. 20. Tp.: CDSP exam. aut. - (Peru, Tingo Maria). Distr.: Peru.
- taeniatus* Latreille, 1813:9, pl. 1, fig. 1. Tp. ? - (Peru). - Duponchel, 1825:39, pl. 1, fig. 9. - Lacordaire, 1842:428. - Guérin-Ménéville, 1855:611. - Crotch, 1876:526. - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:75, 81; 1909:34; 1911:25. - Deelder, 1942:66. - Blackwelder, 1945:461. Distr.: Colômbia. Peru.
- fulgurator* Lacordaire, 1842:427. - Crotch, 1876:526 (**syn.**).
- sanguiniceps* Kuhnt, 1908a:75, 81. - Delkeskamp, 1939:30 (**syn.**).
- terminalis* Kuhnt, 1908a:99. Tp. ? - (Brasil, rio Juruá); 1909:38; 1911:25. - Blackwelder, 1945:461. Distr.: Brasil, região amazônica.
- theodori* Crotch, 1876:535. Distr.: Colômbia. Brasil, região amazônica.
- unifasciatus*; Lacordaire, 1842, **nec** Fabricius, 1798. - Lacordaire, 1842:433. Tp. ? - (Colômbia). - Erichson, 1848:357. - Crotch, 1876:535 (**nom. praeoc.**).
- trichromaticus* Alvarenga, 1976:511. Distr.: Peru.
- tricolor*; Kuhnt, 1908, **nec** Fabricius, 1801. - Kuhnt, 1908a:237, 238 (*Microtylus*). Tp. ZMHU exam. aut. - (Peru); 1909:41; 1911:29. - Mader, 1942d:164, 188 (*Erotylus*); 1944:116. - Alvarenga, 1976:511 (**nom. praeoc.**).
- tripartitus* Kuhnt, 1908a:90. Tp.: ZMHU exam. aut. - (Brasil, Pará, Cametá); 1909:36; 1911:26. - Blackwelder, 1945:461. Distr.: Brasil, região amazônica.

- ustulatus* Erichson, 1847:176. Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:536. - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:100; 1909:38; 1911:26. - Mader, 1942d:165; 1944:117. - Blackwelder, 1945:461. Distr.: Peru. Bolívia.
- varians* Crotch, 1876:530. Tp.: MCZC exam. aut. - (Amazonas). - Fleutiaux, 1886:224. - Kuhnt, 1908a:86; 1909:35; 1911:26. - Deelder, 1942:66. - Mader, 1942d:163; 1944:114. - Blackwelder, 1945:461. Distr.: Equador. Peru. Bolívia. Brasil, região amazônica.
- variomaculatus* Kuhnt, 1908a:77, 83. Tp.: ZMHU exam. aut. - (Bolívia, Yungas de La Paz); 1909:34; 1911:26. - Deelder, 1942:66. - Mader, 1942d:163; 1944:115. - Blackwelder, 1945:461. - Guérin, 1948:16. Distr.: Equador. Peru. Bolívia. Brasil, região amazônica.
- var. *completus* Kuhnt, 1908a:78, 82. Tp. ? - [Localidade não citada]; 1909:35; 1911:26. - Mader, 1942d:163; 1944:113. - Blackwelder, 1945:461. - Delkeskamp, 1957:97. Distr.: Bolívia.
- var. *niger* Kuhnt, 1908a:77, 82. Tp.: ZMHU exam. aut. - [Localidade não citada]; 1909:34; 1911:26. - Deelder, 1942:66. - Mader, 1942d:163; 1944:115. - Blackwelder, 1945:461. Distr.: Equador. Peru.
- var. *paucipunctatus* Kuhnt, 1908a:77. Tp. ? - [Localidade não citada]; 1909:34; 1911:26. - Deelder, 1942:67. - Mader, 1942d:163. - Blackwelder, 1945:461. - Guérin, 1948:16. Distr.: Bolívia. Brasil, região amazônica.
- var. *vittiger* Kuhnt, 1908a:78. Tp. ? - [Localidade não citada]; 1909:35; 1911:26. - Deelder, 1942:67. - Mader, 1942d:163. - Blackwelder, 1945:461. Distr.: Bolívia.
- vinculatus* Lacordaire, 1842:426. Tp. ? (Colômbia). - Guérin-Ménéville, 1855:611. - Crotch, 1876:526. - Fleutiaux, 1886:224. - Kuhnt, 1908a:75, 81; 1909:34; 1911:26. - Deelder, 1942:67. - Blackwelder, 1945:461. Distr.: Colômbia.
- voeti* Lacordaire, 1842:429. Tp.: MCZC exam. aut. - (Bolívia, Mojos). - Kirsch, 1876:105. - Crotch, 1876:528. - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:74, 81; 1909:34; 1911:26. - Brèthes, 1920:48. - Deelder, 1942:67. - Mader, 1942d:162; 1944:112. - Blackwelder, 1945:461. - Delkeskamp, 1957:97. Distr.: Peru. Bolívia.
- ziczac* Taschenberg, 1870:196. Tp. ? - (Colômbia). - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:80, 81; 1909:35; 1911:26. - Mader, 1942d:162; 1944:113. - Blackwelder, 1945:461. Distr.: Colômbia. Peru.

Erotylina Curran, 1944

Erotylina Curran, 1944:5 (Tgen. *Erotylus leopardus* Lacordaire, 1842:442, desig. orig.). - Alvarenga, 1965:84.

atrotibialis Alvarenga, 1976:512. Distr.: Peru. Bolívia., Brasil, região amazônica.
nigrotibialis; Crotch, 1876, nec Demay 1838. - Crotch, 1876:535 (*Erotylus*).

Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:98; 1909:37; 1911:24. - Deelder, 1942:65. - Mader, 1942d:164; 1944:116. - Blackwelder, 1945:461. - Guérin, 1948:15. - Curran, 1944:6, 8 (*Erotylina*). - Alvarenga, 1976:512 (nom. praec.).

bardia Curran, 1944:6, 7, fig. 10. Tp.: AMNH - (Peru, rio Abujas). Distr.: Peru.

bassleri Curran, 1944:6, 12, fig. 16. Tp.: AMNH - (Peru, médio rio Ucayali). Distr.: Peru.

buqueti Lacordaire, 1842:445 (*Erotylus*). Tp. ? - (Brasil). - Crotch, 1876:526. - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:92; 1909:36; 1911:22. - Bruch, 1914:382. - Deelder, 1942:63. - Blackwelder, 1945:460. - Guérin, 1948:15. - Curran, 1944:6, 14, fig. 19 (*Erotylina*). Distr.: Brasil, regiões sudeste e sul. Argentina.

connectens Crotch, 1876:531 (*Erotylus*). Tp.: MCZC exam. aut. - (Brasil). - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:95; 1909:37; 1911:22. - Bruch, 1914:382. - Blackwelder, 1945:460. - Curran, 1944:6, 9, fig. 13 (*Erotylina*). Distr.: Brasil, regiões sudeste e sul. Argentina.

dichromostigma Guérin-Méneville, 1841a:115 (*Erotylus*). Tp.: MNHN exam. aut. - (Brasil central). - Lacordaire, 1842:441. - Crotch, 1876:531. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:95; 1909:37; 1911:22. - Bruch, 1914:383. - Blackwelder, 1945:460. - Delkeskamp, 1957:97 (*Erotylina*). Distr.: Brasil, região central. Bolívia. Argentina.

dura Curran, 1944:6, 8, fig. 11. Tp.: AMNH - (Brasil, Amazonas, Tefé). Distr.: Brasil, região amazônica.

ecuadorica Crotch, 1876:530 (*Erotylus*). Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:89; 1909:36; 1911:22. - Mader, 1942d:163; 1944:114. - Blackwelder, 1945:460. - Alvarenga, 1977:104 (*Erotylina*). Distr.: Equador. Peru.

flavangula Crotch, 1876:535 (*Erotylus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:98; 1909:37; 1911:22. - Blackwelder, 1945:460. - Alvarenga, 1977:104 (*Erotylina*). Distr.: Brasil, região amazônica.

foveata Kuhnt, 1908a:95 (*Erotylus*). Tp.: ZMHU exam. aut. - [Localidade não citada]; 1909:37; 1911:22. - Blackwelder, 1945:460. - Curran, 1944:6, 10, fig. 14 (*Erotylina*). Distr.: Suriname.

- geminata* Crotch, 1876:534 (*Erotylus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:99; 1909:37; 1911:22. - Blackwelder, 1945:460. - Guérin, 1948:15. - Alvarenga, 1977:104 (*Erotylina*). Distr.: Brasil, região amazônica.
- gemmata* Fabricius, 1792:38 (*Erotylus*). Tp.: ZMCD - (Caïena); 1801:5. - Herbst, 1799:361, pl. 137, fig. 1. - Illiger, 1806:231. - Olivier, 1807:471, pl. 2, fig. 14. - Schöenherr, 1808:327. - Duponchel, 1825:39, pl. 1, fig. 7. - Lacordaire, 1842:437. - Crotch, 1876:533. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:99; 1909:37; 1911:22. - Deelder, 1942:64. - Blackwelder, 1945:460. - Zimsen, 1964:114. - Alvarenga, 1977:104 (*Erotylina*). Distr.: Guiana Francesa. Brasil, região amazônica.
- ghiliani* Guérin-Méneville, 1855:611 (*Erotylus*). Tp.: MNHN exam. aut. - (Equador, Napo). - Crotch, 1876:537. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:79, 82; 1909:35; 1911:22. - Blackwelder, 1945:460. - Alvarenga, 1977:104 (*Erotylina*). Distr.: Equador.
- helopioides* Duponchel, 1825:40, pl. 1, fig. 11 (*Erotylus*). Tp.: MNHN exam. aut. - (Brasil, Minas Gerais). - Lacordaire, 1842:447. - Crotch, 1876:534. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:92; 1909:36; 1911:23. - Blackwelder, 1945:460. - Guérin, 1948:15. - Curran, 1944:6, 13 (*Erotylina*). Distr.: Brasil, regiões sudeste e central.
- conjugens* Kuhnt, 1908a:93 (*Erotylus*). - Curran, 1944:13 (**syn.**).
- herpestes* Lacordaire, 1842:445 (*Erotylus*). Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:532. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:97; 1909:37; 1911:23. - Blackwelder, 1945:460. - Alvarenga, 1977:104 (*Erotylina*). Distr.: Colômbia.
- imperfecta* Crotch, 1876:533 (*Erotylus*). Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:97; 1909:37; 1911:23. - Blackwelder, 1945:460. - Alvarenga, 1977:104 (*Erotylina*). Distr.: Equador.
- intermedia* Crotch, 1876:531 (*Erotylus*). Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:95; 1909:37; 1911:24. - Blackwelder, 1945:460. - Curran, 1944:6, 10 (*Erotylina*). Distr.: Colômbia. Brasil, região amazônica.
- jaspidea* Erichson, 1847:176 (*Erotylus*). Tp. ? - (Peru). - Crotch, 1876:531. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:95; 1909:37, pl. 2, fig. 12; 1911:24. - Bruch, 1914:383. - Deelder, 1942:64. - Mader, 1942d:163; 1944:115. - Blackwelder, 1945:460. - Curran, 1944:10 (*Erotylina*). - Alvarenga, 1977:105. Distr.: Peru. Bolívia. Paraguai. Brasil. Argentina.
- var. *minor* Kuhnt, 1908a:95. - Curran, 1944:10 (**syn.**).
- var. *basilianus* Kuhnt, 1908a:96. - Curran, 1944:10 (**syn.**).
- pustulatus*; Duponchel, 1825, **nec** Fabricius, 1781. - Duponchel, 1825:39, pl. 1, fig. 8 (*Erotylus*). Tp.: MNHN exam. aut. - (Brasil). - Lacordaire, 1842:437. - Crotch, 1876:530. - Gemminger & Harold, 1876:3715. -

- Kuhnt, 1908a:94; 1909:37; 1911:25. - Bruch, 1914:383. - Blackwelder, 1945:461. - Curran, 1944:10 (*Erotylina*). - Delkeskamp, 1957:97. - Alvarenga, 1977:105 (**nom.praeoc.**).
- lacordairei* Lacordaire, 1842:446 (*Erotylus*). Tp.: MCZC exam. aut. - (Rio de Janeiro). - Guérin-Méneville, 1855:611. - Crotch, 1876:534. - Kuhnt, 1908a:93; 1909:36; 1911:23. - Blackwelder, 1945:460. - Guérin, 1948:15. - Curran, 1944:6, 13, fig. 18 (*Erotylina*). Distr.: Brasil, região sudeste.
- leoparda* Lacordaire, 1842:442 (*Erotylus*). Tp. ? - (México, Yucatán). - Crotch, 1876:531. - Gemminger & Harold, 1876:3714. - Gorham, 1888:102, pl. 5, fig. 17-20. - Kuhnt, 1908a:96; 1909:37; 1911:24. - Deelder, 1942:65. - Blackwelder, 1945:461. - Curran, 1944:6, 9, fig. 12 (*Erotylina*). Distr.: México e América Central.
- confluens* Crotch, 1876:531 (*Erotylus*). - Gorham, 1888:102 (**syn.**).
- maculiventris* Lacordaire, 1842:444 (*Erotylus*). Tp. ? - (Colômbia). - Erichson, 1847:176. - Guérin-Méneville, 1855:611. - Crotch, 1876:535. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:98; 1909:37; 1911:24. - Bréthes, 1920:48. - Deelder, 1942:65. - Mader, 1942d:164; 1944:116. - Blackwelder, 1945:461. - Guérin, 1948:15. - Curran, 1944:6, 7, fig. 9 (*Erotylina*). - Delkeskamp, 1957:97. Distr.: Panamá. Colômbia. Equador. Peru. Bolívia. Brasil, região amazônica.
- marshami* Lacordaire, 1842:425 (*Erotylus*). Tp.: MCZC exam. aut. - (Caiena). - Crotch, 1876:526. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:92; 1909:36; 1911:24. - Blackwelder, 1945:461. - Alvarenga, 1977:104 (*Erotylina*). Distr.: Guiana Francesa.
- microguttata* Kuhnt, 1908a:96 (*Erotylus*). Tp.: ZMHU exam. aut. - (Brasil, Mato Grosso); 1909:37; 1911:24. - Blackwelder, 1945:461. - Guérin, 1948:15. - _ Alvarenga, 1977:104 (*Erotylina*).
- multiguttata* Lacordaire, 1842:441 (*Erotylus*). Tp.: MNHN exam. aut. - (Bolívia). - Blanchard, 1843, pl. 25, fig. 8. - Crotch, 1876:531. - Gemminger & Harold, 1876:3714. - Kuhnt, 1908a:98; 1909:37; 1911:24. - Blackwelder, 1945:461. - Curran, 1944:6, 8 (*Erotylina*). Distr.: Peru. Bolívia. Paraguai.
- nicaraguae* Crotch, 1873b:148 (*Erotylus*). Tp.: MCZC exam. aut. (Nicarágua, Chontales, S. Domingo); 1876:532. - Gemminger & Harold, 1876:3714. - Gorham, 1888:102, pl. 5, fig. 21. - Kuhnt, 1908a:96; 1909:37; 1911:24. - Blackwelder, 1945:461. - Curran, 1944:9 (*Erotylina*). Distr.: Nicarágua.
- scita* Curran, 1944:6, 12, fig. 17. Tp.: AMNH - (Equador, Zamora). Distr.: Equador.
- scutellata* Kuhnt, 1908a:97 (*Erotylus*). Tp. ? - (Colômbia); 1909:37; 1911:25. - Blackwelder, 1945:461. - Curran, 1944:6, 11, fig. 15 (*Erotylina*). Distr.: Colômbia.
- teresae* Alvarenga, 1976:512. Distr.: Colômbia.
- rufipes*; Crotch, 1876, **nec** Fabricius, 1781. - Crotch, 1876:535 (*Erotylus*).

- Tp. ? - (Colômbia, Bogotá). - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:98; 1909:37; 1911:25. - Blackwelder, 1945:461. - Curran, 1944:6, 7 (*Erotylina*). - Alvarenga, 1976:512 (**nom.praeoc.**)
- toxophora* Lacordaire, 1842:432 (*Erotylus*). Tp.: MNHN exam. aut. - (Bolívia). - Crotch, 1876:534. - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:94; 1909:36; 1911:25. - Deelder, 1942:66. - Mader, 1942d:164; 1944:116. - Blackwelder, 1945:461. - Delkeskamp, 1957:97. - Alvarenga, 1977:104 (*Erotylina*). Distr.: Peru. Bolívia. Brasil, região amazônica.
- toxographus* Erichson, 1847:176. - Crotch, 1876:534. - Kuhnt, 1908a:94 (**syn.**).
- vixen* Curran, 1944:6, 11. Tp.: AMNH - (Brasil, Amazonas, Tefé). Distr.: Brasil, região amazônica.

Gibbifer Voet, 1778

- Voet, 1778:62 (Tgen. *Gibbifer tigrinus* Voet, 1778:62, monotipia). - Alvarenga, 1970:45.
- Hypselonotus* Hope, 1841. - Hope, 1841a:110 (Tgen. *Erotylus sphacelatus* Fabricius, 1801, desig. orig.). - Curran, 1941:283. - Alvarenga, 1965:85 (**nom.praeoc.**, Hahn, 1826).
- Cypherotylus* Crotch, 1873a:358 (Tgen. *Chrysomela gibbosa* Linnaeus, 1763, desig. orig.); 1873b:148; 1876:537. - Gorham, 1888:103. - Kuhnt, 1908a:225; 1909:10, 38. - Deelder, 1942:52. - Boyle, 1956:93. - Alvarenga, 1970:45 (**syn.**).
- adrianae* Alvarenga, 1976:512. Distr.: Brasil, região sudeste.
- apiatus*; Lacordaire, 1842, **nec** Chevrolat, 1835. - Lacordaire, 1842:462 (*Erotylus*). Tp.: MCZC exam. aut. - (Rio de Janeiro). - Crotch, 1876:539 (*Cypherotylus*). - Gemminger & Harold, 1876:3712. - Kuhnt, 1908a:230, 235; 1909:39; 1911:27. - Bruch, 1914:383. - Mader, 1935:244. - Deelder, 1942:67. Blackwelder, 1945:461. - Guérin, 1948:17. - Alvarenga, 1976:512 (**nom.praeoc.**).
- var. *foraminosus* Lacordaire, 1842:463 (*Erotylus*). Tp. ? - (Brasil). Crotch, 1876:539 (*Cypherotylus*). - Gemminger & Harold, 1876:3712. - Kuhnt, 1908a:230, 236; 1909:39; 1911:27. - Bruch, 1914:383. - Blackwelder, 1945:461. - Guérin, 1948:17. Distr.: Brasil, região sul. Argentina.
- aeneoniger* Crotch, 1876:539 (*Cypherotylus*). Tp.: MCZC exam. aut. - (Equador). - Fleutiaux, 1886:224. - Kuhnt, 1908a:231, 235; 1909:39; 1911:26. - Blackwelder, 1945:461. Distr.: Equador.
- alutaceus* Gorham, 1888:107, pl. 6, fig. 10 (*Cypherotylus*). Tp.: NHML exam. aut. - (México, Sonora); 1898:256. - Kuhnt, 1908a:232, 236; 1909:40; 1911:26. - Blackwelder, 1945:461. Distr.: México.
- annulipes* Guérin-Méneville, 1841a:115 (*Hypselonotus*). Tp.: MNHN exam. aut.

- (Oeste Brasil). - Lacordaire, 1842:461 (*Erotylus*). - Crotch, 1876:539 (*Cypherotylus*). - Gemminger & Harold, 1876:3712. - Kuhnt, 1908a:227, 234; 1909:39; 1911:26. - Bruch, 1914:383. - Blackwelder, 1945:461. Distr.: Bolívia. Brasil, região central. Argentina.
- var. *nigricollis* Kuhnt, 1908a:228, 234. Tp. ? - (Bolívia); 1909:39; 1911:26. - Blackwelder, 1945:461. Distr.: Bolívia.
- anthracinus* Gorham, 1888:104 (*Cypherotylus*). Tp.: NHML exam. aut. - (Peru, Chanchamayo). - Kuhnt, 1908a:230, 234; 1909:39; 1911:27. - Deelder, 1942:67. - Mader, 1942d:166; 1951:198. - Blackwelder, 1945:461. Distr.: Peru. Bolívia.
- apicalis* Crotch, 1876:540 (*Cypherotylus*). Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3712. - Kuhnt, 1908a:231, 236; 1909:39; 1911:27. - Blackwelder, 1945:461. Distr.: Colômbia.
- armillatus* Erichson, 1847:176 (*Erotylus*). Tp. ? - (Peru). - Crotch, 1876:538 (*Cypherotylus*). - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:227, 234; 1909:39; 1911:27. - Deelder, 1942:67. - Mader, 1942d:165; 1951:198. - Blackwelder, 1945:461. Distr.: Peru. Bolívia.
- ater* Kirsch, 1876:109 (*Erotylus*). Tp.: SMTD exam. aut. - (Peru, Pozuzu). - Gemminger & Harold, 1987:3713. - Kuhnt, 1908a:230, 234 (*Cypherotylus*); 1909:39; 1911:27. - Mader, 1942d:166; 1951:198. - Blackwelder, 1945:461. - Guérin, 1948:17. Distr.: Peru. Bolívia. Brasil, região amazônica.
- badeni* Dohrn, 1883:103 (*Cypherotylus*). Tp. ? - (Amazônas). - Fleutiaux, 1886:224. - Kuhnt, 1908a:226, 233; 1909:38; 1911:27. - Mader, 1942d:165; 1951:197. - Blackwelder, 1945:461. Distr.: Peru. Brasil, região amazônica.
- banghaasi* Mader, 1935:242, 270 (*Cypherotylus*). Tp.: MGFM exam. aut. [Equívoco na etiqueta de localidade, cita Brasil]. - Blackwelder, 1945:461. Distr.: Guatemala.
- boisduvali* Chevrolat, 1834, fasc. 4 (*Erotylus*). Tp. ? - (México). - Lacordaire, 1842:466. - LeConte, 1854:163. - Crotch, 1873a:358 (*Cypherotylus*); 1873b:148; 1876:540. - Gemminger & Harold, 1876:3712. - Gorham, 1888:106, pl. 5, fig. 23. - Kuhnt, 1908a:232, 236; 1909:40; 1911:27. - Deelder, 1942:67. - Blackwelder, 1945:461. - Peterson, 1951:190, figs C53, B. - Boyle, 1956:93. Distr.: México. Guatemala.
- bolivianus* Mader, 1942c:568 (*Cypherotylus*). Tp.: MGFM exam. aut. - (Bolívia, Santa Cruz). Distr.: Bolívia.
- borgmeieri* Alvarenga, 1976:512. Distr.: Brasil, regiões sudeste e sul.
- annulatus*; Lacordaire, 1842, nec Germar, 1824. - Lacordaire, 1842:456 (*Erotylus*). Tp.: MCZC exam. aut. - (Brasil, Bahia). - Crotch, 1876:538 (*Cypherotylus*). - Gemminger & Harold, 1876:3712. - Kuhnt, 1908a:227, 234; 1909:39; 1911:26. - Deelder, 1942:67. - Blackwelder,

- 1945:461. - Guérin, 1948:17. - Alvarenga, 1976:512 (**nom.praeoc.**).
var. *neglectus* Kuhnt, 1908a:227, 234; 1909:39; 1911:26. - Blackwelder, 1945:461. Distr.: Venezuela.
- californicus* Lacordaire, 1842:467 (*Erotylus*). Tp. ? - (U.S.A., Califórnia). - LeConte, 1854:163. - Boyle, 1956:93, figs 61-67 (*Cypherotylus*). Distr.: U.S.A. e México.
- aspersus* Gorham, 1888:108, pl. 6, fig. 9 (*Cypherotylus*). Tp.: NHML - (México, Chihuahua, Pinos Altos). - Kuhnt, 1908a:232, 236; 1909:40, pl. 1, fig. 3; 1911:27. - Böving & Craighead, 1930:39, pl. 41, figs A-C, E, G. (*Biol.*). - Pallister, 1955a:3. - Boyle, 1956:93 (**syn.**).
- camelus* Guérin-Méneville, 1841a:116 (*Hypselonotus*). Tp.: MCZC exam. aut. - (Bolívia). - Lacordaire, 1842:452 (*Erotylus*). - Crotch, 1876:537 (*Cypherotylus*). - Gemminger & Harold, 1876:3712. - Kuhnt, 1908a:228, 234; 1909:39; 1911:27. - Blackwelder, 1945:461. - Guérin, 1948:17. Distr.: Bolívia. Brasil, região amazônica.
- costaricensis* Gorham, 1888:105, pl. 6, fig. 7 (*Cypherotylus*). Tp.: NHML (Costa Rica). - Kuhnt, 1908a:232, 236; 1909:40; 1911:27. - Deelder, 1942:67. - Blackwelder, 1945:461. Distr.: Costa Rica. Panamá.
- debauvei* Demay, 1838:23 (*Erotylus*). Tp. ? - (Guiana Francesa). - Lacordaire, 1842:457. - Crotch, 1876:538 (*Cypherotylus*). - Gemminger & Harold, 1876:3712. - Gorham, 1888:103, pl. 6, figs 2, 2a. - Kuhnt, 1908a:227, 234; 1909:39; 1911:27. - Deelder, 1942:67. - Blackwelder, 1945:461. - Guérin, 1948:17. Distr.: Panamá. Colômbia. Venezuela. Guiana Francesa. Bolívia. Brasil, região amazônica.
- dromedarius* Lacordaire, 1842:455 (*Erotylus*). Tp. ? - (Caiena). - Crotch, 1873b:148 (*Cypherotylus*); 1876:538. - Gemminger & Harold, 1876:3712. - Gorham, 1888:103. - Kuhnt, 1908a:226, 233; 1909:38; 1911:27. - Deelder, 1942:67. - Mader, 1942d:201; 1951:198. - Blackwelder, 1945:461. Distr.: Da América Central até ao Brasil, região amazônica.
- elevatus* Fabricius, 1801:4 (*Erotylus*). Tp.: ZMCD - [Localidade não citada]. - Illiger, 1806:230. - Schönherr, 1808:326. - Duponchel, 1825:167. - Lacordaire, 1842:459. - Sturm, 1843:304. - Zimsen, 1964:114. - Crotch, 1876:538 (*Cypherotylus*). - Gemminger & Harold, 1876:3712. Gorham, 1888:104, pl. 6, figs 4, 4a. - Kuhnt, 1908a:229, 235; 1909:39; 1911:27. Bruch, 1914:383 - Deelder, 1942:67. - Blackwelder, 1945:462. - Guérin, 1948:17. Distr.: Panamá. Colômbia. Guiana Francesa. Brasil. Argentina.
- fenestratus* Gorham, 1888:107, pl. 5, fig. 22 (*Cypherotylus*). Tp.: NHML exam. aut. - (México, Refugio). - Kuhnt, 1908a:233, 237; 1909:40; 1911:27. - Mader, 1935:244. - Deelder, 1942:67. - Blackwelder, 1945:462. - Pallister, 1955a:3. Distr.: México.
- gaumeri* Gorham, 1888:106, pl. 6, fig. 8 (*Cypherotylus*). Tp.: NHML exam. aut. - (México, Yucatán, Temax). - Kuhnt, 1908a:231, 236; 1909:40; 1911:27. - Blackwelder, 1945:462. Distr.: México.

- gibbosus* Linnaeus, 1763:10 (*Chrysomela*). Tp. ? - (Suriname). - Gronovius, 1763:606, pl. 14, fig. 5. - Hottuyn, 1766, pl. 74, fig. 5. - Herbst, 1783:51, pl. 23, fig. 3. - Fabricius, 1781 (*Erotylus*); 1787:91; 1792:36; 1801:4. - Gmelin, 1790:1727. - Olivier, 1792:432; 1807:469, pl. 1, figs 4, a, b. - Herbst, 1799:366, pl. 137, fig. 5. - Latreille, 1804:37. - Illiger, 1806:230. - Schönherr, 1808:326. - Duméril, 1823, pl. 21, fig. 13. - Duponchel, 1825:36, pl. 1, fig. 2. - Lacordaire, 1842:453. - Sturm, 1843:304. - Kirsch, 1876:108. - Crotch, 1876:538 (*Cypherotylus*). - Gemminger & Harold, 1876:3713. - Gorham, 1888:103, pl. 6, figs 3, 3a. - Kuhnt, 1908a:228, 235; 1909:39; 1911:27. - Curran, 1941:283 (*Hypselonotus*). - Deelder, 1942:67 (*Cypherotylus*). - Mader, 1942d:166; 1951:199. - Blackwelder, 1945:462. - Guérin, 1948:17. Distr.: Nicaragua. Panamá. Suriname. Guiana Francesa. Equador. Peru. Brasil, região amazônica.
- goryi* Guérin-Ménéville, 1841a:116 (*Hypselonotus*). Tp.: MNHN exam. aut. - (Colômbia). - Lacordaire, 1842:464 (*Erotylus*). - Crotch, 1876:539 (*Cypherotylus*). - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:232, 236; 1909:40; 1911:28. - Mader, 1935:270. - Deelder, 1942:67. - Blackwelder, 1945:462. Distr.: Colômbia.
- gracilis* Kuhnt, 1908a:226 (*Cypherotylus*). Tp.: ZMHU exam. aut. - (Peru, Chanchamayo); 1909:39, pl. 1, figs 4, 4a; 1911:28. - Mader, 1942d:165; 1951:198. - Blackwelder, 1945:462. Distr.: Peru.
- guatemalae* Crotch, 1876:540 (*Cypherotylus*). Tp.: MCZC exam. aut. - (Guatemala). - Gemminger & Harold, 1876:3713. - Gorham, 1888:105, pl. 6, fig. 6. - Kuhnt, 1908a:232, 237; 1909:40; 1911:28. - Mader, 1935:270. - Deelder, 1942:67. - Blackwelder, 1945:462. Distr.: Guatemala.
- hopfneri* Mader, 1935:243, 271 (*Cypherotylus*). Tp.: MGFM exam. aut. - (Guatemala, La Conquista). - Blackwelder, 1945:462. Distr.: Guatemala.
- impressopunctatus* Crotch, 1873b:148 (*Cypherotylus*). Tp.: MCZC exam. aut. - (Nicaraguá, Chontales, Santo Domingo); 1876:540. - Gemminger & Harold, 1876:3713. - Gorham, 1888:104, pl. 6, fig. 5. - Kuhnt, 1908a:231, 236; 1909:40; 1911:28. - Blackwelder, 1945:462. Distr.: Nicaraguá. Panamá.
- impuctatus* Crotch, 1876:537 (*Cypherotylus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:226, 233; 1909:38; 1911:28. - Blackwelder, 1945:462. - Guérin, 1948:17. Distr.: Brasil, região amazônica.
- intercedens* Kuhnt, 1908a:228, 235 (*Cypherotylus*). Tp. ? - (Veragua); 1909:39; 1911:28. - Blackwelder, 1945:462. Distr.: Panamá. Colômbia.
- irroratus* Kuhnt, 1908a:229, 234 (*Cypherotylus*). Tp. ? - (Peru); 1909:39; 1911:28. - Mader, 1942d:166; 1951:199. - Blackwelder, 1945:462. Distr.: Peru.
- jacquieri* Lacordaire, 1842:451 (*Erotylus*). Tp. ? - (Caiena). - Crotch, 1876:537 (*Cypherotylus*). - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:225, 223; 1909:38; 1911:28. - Deelder, 1942:68. - Blackwelder, 1945:462.

Distr.: Suriname. Guiana Francesa.

maximus Crotch, 1876:537 (*Cypherotylus*). Tp.: MCZC exam. aut. - (Alto Amazonas). - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:226, 233; 1909:38; 1911:28. - Mader, 1942d:165; 1951:197. - Blackwelder, 1945:462. Distr.: Equador. Peru. Brasil, região amazônica.

miliaris Lacordaire, 1842:458 (*Erotylus*). Tp.: MCZC exam. aut. - (Bolívia). - Crotch, 1876:538 (*Cypherotylus*). - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:229, 235; 1909:39; 1911:28. - Mader, 1942c:569; 1942d:166; 1951:199. - Blackwelder, 1945:462. - Guérin, 1948:17. - Delkeskamp, 1957:97. Distr.: Colômbia. Peru. Bolívia. Brasil, região amazônica.

obstinatus Mader, 1942c:567 (*Cypherotylus*). Tp.: MGFM exam. aut. - (Bolívia, Santa Cruz). Distr.: Bolívia.

ovalis Mader, 1942c:570 (*Cypherotylus*). Tp.: MGFM exam. aut. - (Guatemala, Panzos). Distr.: Guatemala.

patellatus Gorham, 1888:104 (*Cypherotylus*). Tp.: NHML exam. aut. - (Peru). - Kuhnt, 1908a:230, 234; 1909:39; 1911:28. - Deelder, 1942:68. - Mader, 1942d:166; 1951:199. - Blackwelder, 1945:462. Distr.: Panamá. Equador. Peru.

seriatus Kuhnt, 1908a:229, 235 (*Cypherotylus*). Tp. ? - (Bolívia); 1909:39; 1911:28. - Eruch, 1914:383. - Mader, 1942c:569. - Blackwelder, 1945:462. Distr.: Bolívia. Argentina.

var. *nigroterminalis* Kuhnt, 1908a:229, 235. Tp. ? - (Bolívia); 1909:39; 1911:28. - Blackwelder, 1945:462. Bolívia.

sticticus Erichson, 1847:176 (*Erotylus*). Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:540 (*Cypherotylus*). - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:231; 1909:39; 1911:28. - Mader, 1942d:166; 1951:200. - Blackwelder, 1945:462. Distr.: Equador. Peru.

stillatus Kirsch, 1865:100 (*Erotylus*). Tp.: SMTD exam. aut. - (Colômbia, Bogotá). - Crotch, 1876:540 (*Cypherotylus*). - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:231, 236; 1909:40; 1911:28. - Deelder, 1942:68. - Mader, 1942d:166; 1951:200. - Blackwelder, 1945:462. Distr.: Colômbia. Peru.

tectiformis Kuhnt, 1910:268 (*Erotylus*). Tp.: MHNU exam. aut. - (Brasil, Mato Grosso); 1911:25. - Blackwelder, 1945:461. - Guérin, 1948:16. - Mader, 1938:17 (*Cypherotylus*). Distr.: Brasil, região amazônica.

tigrinus Voet, 1778:62, pl. 44, figs 1, 2. Tp. ? - [Localidade não citada]. - Alvarenga, 1977:106. Distr.: Peru. Brasil. Argentina.

duponcheli Arrow, 1937:106 (*Cypherotylus*). Alvarenga, 1977:106 (**syn.**). *sphacelatus*; auctorum, **nec** Fabricius, 1801 (*Tenebrionidae*).

triangularis Guérin, 1949a:233, fig. 5 (*Cypherotylus*). Tp.: CDSP exam. aut. - (Brasil, Pará, Santarém). Distr.: Brasil, região amazônica.

- variolosus* Crotch, 1876:540 (*Cypherotylus*). Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3713. - Kuhnt, 1908a:231, 236; 1909:39; 1911:28. - Blackwelder, 1945:462. Distr.: Equador.
- vicinus* Guérin-Ménéville, 1841a:116 (*Hypselonotus*). Tp.: MNHN exam. aut. - (México). - Lacordaire, 1842:465 (*Erotylus*). - Crotch, 1876:539 (*Cypherotylus*). - Gemminger & Harold, 1876:3713. - Gorham, 1888:105, pl. 5, fig. 24. - Kuhnt, 1908a:232, 236; 1909:40; 1911:28. - Mader, 1935:244. - Deelder, 1942:68. - Blackwelder, 1945:462. Distr.: México. Guatemala. Nicarágua.
- var. *jansoni* Crotch, 1873b:149. Tp.: ? - (Nicaraguá, Chontales, Santo Domingo); 1876:539. - Gemminger & Harold, 1876:3713. - Gorham, 1888:105. - Kuhnt, 1909:40; 1911:28. - Mader, 1935:244. - Deelder, 1942:68. - Blackwelder, 1945:462. Distr.: Nicarágua.
- melanostigma* Lacordaire, 1842:466 (*Erotylus*). - Crotch, 1876:539 (syn.).
- zebu* Kirsch, 1876:108 (*Erotylus*). Tp. ? - (Peru, Pozuzo). - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:226, 233 (*Cypherotylus*); 1909:39; 1911:28. - Mader, 1942d:165; 1951:198. - Blackwelder, 1945:462. - Guérin, 1948:17. Distr.: Peru. Brasil, região amazônica.

Barytopus Chevrolat, 1837

- Barytopus* Chevrolat, 1837:425 (Tgen. *Chrysomela gronovii* Herbst, 1783:52, seg. Duponchel & Chevrolat, 1844:505). - Duponchel & Chevrolat, 1844:505. - Alvarenga, 1965:86.
- Micrerotylus* Crotch, 1876:541 (Tgen. *Chrysomela gronovii* Herbst, 1783:52, desig. orig.). - Gorham, 1888:108. - Kuhnt, 1908a:237; 1909:9, 40. - Deelder, 1942:51. - Alvarenga, 1965:82 (syn.).
- dubitabilis* Crotch, 1876:541 (*Micrerotylus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:238; 1909:40, pl. 1, fig. 6; 1911:29. - Bruch, 1914:383. - Deelder, 1942:68. - Mader, 1942d:161; 1944:111. - Blackwelder, 1945:462. - Guérin, 1948:17. Distr.: Peru. Brasil. Argentina.
- var. *quinquepunctatus* Kuhnt, 1908a:238. Tp. ? - (Peru, Chanchamayo); 1909:40; 1911:29. - Mader, 1942d:161. - Blackwelder, 1945:462. Distr.: Peru.
- funerellus* Crotch, 1876:541 (*Micrerotylus*). Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:238; 1909:41; 1911:29. - Blackwelder, 1945:462. Distr.: Colômbia.
- hesitans* Crotch, 1876:541 (*Micrerotylus*). Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3716. - Kuhnt, 1908a:238; 1909:41; 1911:29. - Deelder, 1942:68. - Mader, 1942d:161; 1944:111. - Blackwelder, 1945:462. Distr.: Equador. Peru. Brasil, região amazônica.

- heterogrammus* Lacordaire, 1842:382 (*Brachysphoenus*). Tp.: MNHN exam. aut. - (Bolívia, Santa Cruz de la Sierra). - Crotch, 1876:541 (*Micrerotylus*). Gemminger & Harold, 1876:3716. - Kuhnt, 1908a:238; 1909:41; 1911:29. - Blackwelder, 1945:462. - Delkeskamp, 1957:97. Distr.: Bolívia.
- laevigatus* Deelder, 1942:68, fig. 1f (*Micrerotylus*). Tp.: RNHL - (Costa Rica). Distr.: Costa Rica.
- lunulatus* Olivier, 1792:435 (*Erotylus*). Tp. ? - (Suriname). - Crotch, 1876:541 (*Micrerotylus*). - Gemminger & Harold, 1876:3716. - Gorham, 1888:108, pl. 6, fig. 13. - Kuhnt, 1908a:238; 1908b:633; 1909:41, pl. 1, fig. 5; 1911:29. - Mader, 1942d:161; 1944:111. - Blackwelder, 1945:462. Distr.: Nicarágua. Panamá. Colômbia. Suriname. Guiana Francesa. Peru.
- lugubris* Lacordaire, 1842:383 (*Brachysphoenus*). - Crotch, 1876:541 (**syn.**).
- surinamensis* Voet, 1778:43, pl. 33, fig. 1 (*Pseudochrysomela*). Tp. ? - (Suriname). - Alvarenga, 1977:105 (*Barytopus*). Distr.: Suriname. Guiana Francesa.
- gronovii* Herbst, 1783:52, pl. 23, fig. 4 (*Chrysomela*). Tp.: MNHN exam. aut. - [Localidade não citada]. - Gmelin, 1790:1685. - Crotch, 1876:541 (*Micrerotylus*). - Gemminger & Harold, 1876:3715. - Kuhnt, 1908a:238; 1909:41; 1911:29. - Deelder, 1942:68. - Blackwelder, 1945:462. - Alvarenga, 1977:105 (**syn.**).
- alternans* Olivier, 1792:434 (*Erotylus*); 1807:472, pl. 1, figs 10a, b. Fabricius, 1792:39; 1801:7. - Herbst, 1799:369, pl. 137, fig. 8. - Illiger, 1806:232. - Schönherr, 1808:238. - Duponchel, 1825:42, pl. 1, fig. 15. - Lacordaire, 1842:379 (*Brachysphoenus*). - Guérin-Méneville, 1855:611. - Crotch, 1876:541 (= *Micrerotylus gronovii* (Herbst, 1783)).

Oligocorynus Chevrolat, 1837

- Oligocorynus* Chevrolat, 1837:426 (Tgen. *Erotylus cinctus* Herbst, 1799:372, seg. Alvarenga, 1965:87) - Alvarenga, 1965:87.
- Alloietelus* Hope, 1841:112 (Tgen. *Erotylus discoideus* Olivier, 1807, desig. orig.). - Curran, 1944:5. - Alvarenga, 1965:81 (**syn.**).
- Zonarius* Hope, 1841:111 (Tgen. *Erotylus fasciatus* Fabricius, 1801, desig. orig.). - Lacordaire, 1842:32, 468. - Chapuis, 1876:49, 64. - Crotch, 1876:542. - Gorham, 1888:109. - Kuhnt, 1909:10, 41; 1910:251. - Deelder, 1942:52. - Curran, 1944:5 - Alvarenga, 1965:90 (Tenebrionidae).
- buckleyi* Crotch, 1876:545 (*Zonarius*). Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3716. - Kuhnt, 1909:42. - 1910:254; 1911:29. - Curran, 1941:284. - Blackwelder, 1945:462. Distr.: Equador.
- cacicus* Lacordaire, 1842:474 (*Zonarius*). Tp. ? (México, Orizaba). - Crotch, 1876:542. - Gemminger & Harold, 1876:3716. - Gorham, 1888:109, pl. 6, fig. 14. - Kuhnt, 1909:41, pl. 1, fig. 7; 1910:252; 1911:29. - Curran,

- 1941:284. - Blackwelder, 1945:462. Distr.: México, Guatemala.
- cinctus* Herbst, 1799:372, pl. 137, fig. 11 (*Erotylus*). Tp. ? - (Suriname). - Duponchel, 1825:171. - Crotch, 1876:544 (*Zonarius*). - Gemminger & Harold, 1876:3716. - Kuhnt, 1909:42; 1910:253; 1911:29. - Curran, 1941:284. - Deelder, 1942:69. - Blackwelder, 1945:462. Distr.: Suriname. Guiana Francesa. Brasil, região amazônica.
- discoideus* Olivier, 1807:482, pl. 3, fig. 33 (*Erotylus*). - Duponchel, 1825:162, pl. 7, fig. 75. - Lacordaire, 1842:473 (syn.).
- convexusculus* Crotch, 1876:544 (*Zonarius*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3716. Kuhnt, 1909:42; 1910:253; 1911:30. - Curran, 1941:284. - Mader, 1942d:166; 1951:200. - Blackwelder, 1945:462. Distr.: Brasil, região amazônica.
- var. *sanguinicollis* Kuhnt, 1910:251, 253. Tp. ? - (Brasil, Bahia). - Blackwelder, 1945:462. - Mader, 1951:200. Distr.: Brasil, região sudeste.
- convexus* Crotch, 1876:544 (*Zonarius*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3716. - Kuhnt, 1909:42; 1910:253; 1911:30. - Curran, 1941:284. - Blackwelder, 1945:462. Distr.: Brasil, região amazônica.
- duodecimmaculatus* Kuhnt, 1910:251, 252 (*Zonarius*). Tp.: ZMHU exam. aut. - (Brasil); 1911:30. - Blackwelder, 1945:462. - Guérin, 1948:17. Distr.: Brasil, regiões sudeste e sul.
- erythrogonus* Crotch, 1876:543 (*Zonarius*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3716. - Kuhnt, 1909:42; 1910:252; 1911:30. - Curran, 1941:284. - Blackwelder, 1945:462. Distr.: Brasil, região amazônica.
- fractus* Crotch, 1876:544 (*Zonarius*). Tp.: MCZC exam. aut. - (Colômbia, Bogotá). - Gemminger & Harold, 1876:3716. - Kuhnt, 1909:42; 1910:251, 253; 1911:30. - Curran, 1941:284. - Deelder, 1942:69. - Blackwelder, 1945:462. Distr.: Colômbia.
- hybridus* Erichson, 1847:177 (*Erotylus*). Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:543 (*Zonarius*). - Gemminger & Harold, 1876:3716. - Kuhnt, 1909:42; 1910:252; 1911:30. - Curran, 1941:284. - Mader, 1942d:166; 1951:200. - Blackwelder, 1945:462. Distr.: Equador. Peru.
- indicus* Herbst, 1783:52, pl. 23, fig. 5 (*Chrysomela*). Tp.: ZMHU exam. aut. - (Índia). - Gmelin, 1790:1685. - Olivier, 1792:435 (*Erotylus*); 1807:474, pl. 2, fig. 17. - Duponchel, 1825:175. - Lacordaire, 1842:470 (*Zonarius*). - Crotch, 1876:542. - Gemminger & Harold, 1876:3716. - Kuhnt, 1909:41; 1910:251; 1911:30. - Curran, 1941:284. - Deelder, 1942:69. - Blackwelder, 1945:462. Distr.: Suriname. Guiana Francesa.
- bifasciatus* Herbst, 1799:370, pl. 137, fig. 9 (*Erotylus*). - Lacordaire, 1842:471 (syn.).
- xanthomelas* Lacordaire, 1842:469. - Crotch, 1876:542 (syn.).

- jansoni* Crotch, 1873b:149 (*Zonarius*). Tp.: NHML exam. aut. - (Nicarágua, Chontales, Santo Domingo); 1876:543. - Gemminger & Harold, 1876:3716. - Gorham, 1888:109, pl. 6, figs 15, 16. - Kuhnt, 1909:42; 1910:253; 1911:30. - Deelder, 1942:69. - Blackwelder, 1945:462. Distr.: Nicarágua. Costa Rica. Panamá.
- limbatus* Kuhnt, 1910:249, 253, fig. 14 (*Zonarius*). Tp.: ZMHU exam. aut. - (Colômbia); 1911:30. - Blackwelder, 1945:462. Distr.: Colômbia. Venezuela.
- melanoderes* Kuhnt, 1910:250, 252 (*Zonarius*). Tp.: ZMHU exam. aut. - (Juntas); 1911:30. - Schenkling, 1919:83. - Blackwelder, 1945:462. Distr.: Colômbia.
- militarioides* Mader, 1942d:166, 188 (*Zonarius*). Tp. ? - (Peru, Cuzco, Valle Assunción, Santa Isabel); 1951:200. Distr.: Peru.
- militaris* Germar, 1824:611 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:475 (*Zonarius*). - Crotch, 1876:542. - Gemminger & Harold, 1876:3716. - Kuhnt, 1909:42; 1910:252; 1911:30. - Bruch, 1914:384. - Curran, 1941:284. - Deelder, 1942:69. - Blackwelder, 1945:462. - Guérin, 1948:17. Distr.: Brasil, regiões sudeste e sul. Argentina.
- decemmaculatus* Duponchel, 1825:46, pl. 1, fig. 23. - Lacordaire, 1842:475 (*syn.*).
- nigrotaeniatus* Lacordaire, 1842:477 (*Zonarius*). Tp.: MCZC exam. aut. (Colômbia). - Crotch, 1876:543. - Gemminger & Harold, 1876:3716. - Kuhnt, 1909:42; 1910:252; 1911:30. - Curran, 1941:284. - Blackwelder, 1945:462. Distr.: Colômbia.
- nigrotibialis* Demay, 1838:24 (*Erotylus*). - Tp. ? - (Guiana Francesa) - Lacordaire, 1842:472 (*Zonarius*). - Crotch, 1876:542. - Gemminger & Harold, 1876:3716. - Kuhnt, 1909:41; 1910:251; 1911:30. - Curran, 1941:284. - Blackwelder, 1945:462. Distr.: Bolívia. Guiana Francesa.
- peregrinus* Lacordaire, 1842:476 (*Zonarius*). Tp.: MNHN exam. aut. - (Brasil). - Crotch, 1876:542. - Gemminger & Harold, 1876:3716. - Kuhnt, 1909:42; 1910:252; 1911:30. - Curran, 1941:284. - Deelder, 1942:69. - Blackwelder, 1945:462. - Guérin, 1948:18. Distr.: Brasil, região sudeste.
- peruvianus* Mader, 1942d:167, 189 (*Zonarius*). Tp.: MGFM exam. aut. - (Peru, Chanchamayo); 1951:200. Distr.: Peru.
- rugipunctatus* Crotch, 1876:544 (*Zonarius*). Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3716. - Kuhnt, 1909:42; 1910:253; 1911:30. - Curran, 1941:284. - Blackwelder, 1945:462. Distr.: Equador.
- thoracicus* Gistel, 1848:123. Tp. ? - [Localidade não citada]. Distr.: ?
- trizonatus* Germar, 1824:611 (*Erotylus*). Tp. ? - (Brasil). - Lacordaire, 1842:479 (*Zonarius*). - Crotch, 1876:542. - Gemminger & Harold, 1876:3717. - Kuhnt, 1909:42; 1910:252; 1911:30. - Curran, 1941:284. - Blackwelder, 1945:462. Distr.: Brasil.

- zebra* Fabricius, 1787:92 (*Erotylus*). Tp.: ZMCD - (Caiena); 1792:38; 1801:6. - Olivier, 1792:434. - Gmelin, 1790:1728. - Herbst, 1799:378. - Schönherr, 1808:327. - Latreille, 1811:167, pl. 16, fig. 10. - Duponchel, 1825:45, pl. 1, fig. 21. - Lacordaire, 1842:478 (*Zonarius*). - Crotch, 1876:543. - Gemminger & Harold, 1876:3717. - Gorham, 1888:109. - Kuhnt, 1909:42; 1910:253; 1911:30. - Curran, 1941:284. - Deelder, 1942:69. - Blackwelder, 1945:462. - Pallister, 1955b:6 (*Alloiotes*). Distr.: México. Belize. Guatemala. Trinidad. Colômbia. Equador. Peru. Guiana Francesa.
- var. *guatemalae* Crotch, 1876:543. Tp.: MCZC exam. aut. - (Guatemala). - Gemminger & Harold, 1876:3716. - Kuhnt, 1909:42; 1910:253; 1911:31. - Blackwelder, 1945:462. Distr.: Guatemala.
- var. *quadrifasciata* Crotch, 1876:543. Tp.: MCZC exam. aut. - (México). - Gemminger & Harold, 1876:3716. - Gorham, 1909:42; 1910:253; 1911:31. - Blackwelder, 1945:462. Distr.: México.

Scaphidomorphus Hope, 1841

- Scaphidomorphus* Hope, 1841:111 (tgen. *Chrysomela quinquepunctata* Linnaeus, 1767:586, desig. orig.). - Lacordaire, 1842:32, 481. - Crotch, 1873b:149; 1876:545. - Chapuis, 1876:50, 66. - Gorham, 1888:110. - Kuhnt, 1909:10, 42. - Deelder, 1942:52. - Alvarenga, 1965:89.
- bosci* Guérin-Méneville, 1841a:117. Tp.: MCZC exam. aut. - (Colômbia). - Lacordaire, 1842:482. - Crotch, 1876:545. - Gemminger & Harold, 1876:3717. - Gorham, 1888:110, pl. 6, fig. 11. - Kuhnt, 1909:43; 1911:31. - Deelder, 1942:69. - Mader, 1942d:167; 1951:201. - Blackwelder, 1945:462. - Guérin, 1948:18. Distr.: Do Panamá até o Brasil, região amazônica.
- quinquepunctatus* Linnaeus, 1767:586 (*Chrysomela*). Tp. ? - (América). - Fabricius, 1775:123 (*Erotylus*); 1781:157; 1787:91; 1792:37; 1801:5. - Gmelin, 1790:1727. - Olivier, 1792:433; 1807:470, pl. 1, fig. 5. - Illiger, 1806:231. - Herbst, 1799:357, pl. 136, fig. 7. - Schönherr, 1808:326. - Duponchel, 1825:41, pl. 1, fig. 12. - Sturm, 1826:139. - Lacordaire, 1842:483 (*Scaphidomorphus*). - Fauvel, 1860:326. - Crotch, 1876:545. - Kuhnt, 1909:43; 1911:31. - Bruch, 1914:381. - Curran, 1941:283. - Deelder, 1942:69. - Blackwelder, 1945:462. - Guérin, 1948:18. Distr.: Da Colômbia até a Argentina.
- pentastictus* Harold, 1875:185. - Kuhnt, 1909:43 (**syn.**).
- tripunctatus* Guérin, 1946a:274, fig. 1. Tp.: CDSP exam. aut. - (Brasil, Pará, Santarém); 1948:18. Distr.: Brasil, região amazônica.

Prepopharus Erichson, 1847

Prepopharus Erichson, 1847:177 (Tgen. *Erotylus notatus* Olivier, 1792:435, seg. Curran, 1941:283). - Chapuis, 1876:49, 67. - Gorham, 1888:110. - Kuhnt, 1909:10, 43. - Curran, 1941:283. - Deelder, 1942:52. - Mader, 1942a:221. - Alvarenga, 1965:88.

americanus Voet, 1778:44, pl. 33, fig. 6 (*Pseudochrysomela*). Tp. ? - [Localidade não citada]. - Alvarenga, 1977:105. Distr.: Guiana. Suriname. Guiana Francesa. Peru. Bolívia. Brasil, região amazônica.

notatus Olivier, 1792:435 (*Erotylus*). Tp. ? - (Caiena); 1807:471, pl. 1, fig. 11. - Fabricius, 1792:37; 1801:4. - Herbst, 1799:371, pl. 137, fig. 10. - Illiger, 1806:230. - Schönherr, 1808:326. - Duponchel, 1825:40, pl. 1, fig. 10. - Lacordaire, 1842:484 (*Scaphidomorphus*). - Crotch, 1876:545. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kuhnt, 1909:43, pl. 1, fig. 9; 1911:32. - Curran, 1941:283. - Deelder, 1942:69. - Mader, 1942d:167; 1951:201. - Blackwelder, 1945:463. - Guérin, 1948:18. - Alvarenga, 1977:105 (syn.).

amoenus Mader, 1942a:220, 221. Tp.: MGFM exam. aut. - (Brasil, Santa Catarina, Mafra). Distr.: Brasil, região sul.

barytopoides Crotch, 1876:549 (*Scaphidomorphus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3717 (*Prepopharus*). - Kuhnt, 1909:43; 1911:31. - Blackwelder, 1945:462. Distr.: Brasil, região amazônica.

bitaeniatus Lacordaire, 1842:486 (*Scaphidomorphus*). Tp.: MCZC exam. aut. - (Brasil). - Kirsch, 1876:109. - Crotch, 1876:546. - Gemminger & Harold, 1876:3717 (*Prepopharus*). - Kuhnt, 1909:43; 1911:31. - Mader, 1942d:167; 1951:201. - Blackwelder, 1945:462. - Delkeskamp, 1957:97. Distr.: Peru. Bolívia. Brasil, região central.

spectabilis Deelder, 1942:66, fig. 1g (*Erotylus*). - Delkeskamp, 1957:103 (= *Prepopharus bitaeniatus*).

chamoeleo Lacordaire, 1842:489 (*Scaphidomorphus*). Tp.: MNHN exam. aut. - (Colômbia). - Crotch, 1876:548. - Gemminger & Harold, 1876:3717 (*Prepopharus*). - Kunht, 1909:44; 1911:31. - Blackwelder, 1945:462. Distr.: Colômbia. Bolívia.

diffinis Erichson, 1847:178. Tp. ? - (Peru). - Crotch, 1867:549 (*Scaphidomorphus*). - Gemminger & Harold, 1876:3717 (*Prepopharus*). - Kunht, 1909:44; 1911:31. - Mader, 1942a:221; 1942d:167; 1951:202. - Blackwelder, 1945:462. Distr.: Peru.

disputabilis Crotch, 1876:548 (*Scaphidomorphus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kuhnt, 1909:43; 1911:31. - Mader, 1942a:221. - Blackwelder, 1945:462. Distr.: Brasil, região amazônica.

- duplicatus* Crotch, 1876:549 (*Scaphidomorphus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kunht, 1909:44; 1911:31. - Mader, 1942a:221. - Blackwelder, 1945:462. Distr.: Brasil, região amazônica.
- duponcheli* Chevrolat, 1834, fasc.4 (*Erotylus*). Tp.: MNHN exam. aut. - (México, Orizaba, Alvarado). - Lacordaire, 1842:48 (*Scaphidomorphus*). - Crotch, 1876:546. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Gorham, 1888:111, pl. 6, figs 17, 18. - Kuhnt, 1909:44; 1911:31. - Blackwelder, 1945:462. Distr.: México. América Central.
- eduardoi* Alvarenga, 1976:512. Distr.: Colômbia. Venezuela. Guiana. Guiana Francesa. Peru. Brasil, região amazônica.
- undatus* Fabricius, 1801 **nec** Olivier, 1792. - Fabricius, 1801:8 (*Erotylus*). Tp.: ZMCD - (América meridional). - Olivier, 1807:475, pl. 2, fig. 21. - Schönherr, 1808:328. - Duponchel, 1825:171. - Zimsen, 1964:115. - Lacordaire, 1842:491 (*Scaphidomorphus*). - Crotch, 1876:546. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kunht, 1909:44; 1911:32. - Mader, 1942d:167; 1951:202. - Blackwelder, 1945:463. - Guérin, 1948:18. - Alvarenga, 1976:512 (**nom.praeoc.**).
- var. *praestus* Duponchel, 1825:55, pl. 2, fig. 45 (*Erotylus*). Tp. ? (Cayenne). - Lacordaire, 1842:490 (*Scaphidomorphus*). - Crotch, 1876:547. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kuhnt, 1909:44; 1911:32. - Blackwelder, 1945:463. Distr.: Guiana Francesa.
- var. *zigaena* Lacordaire, 1842:492 (*Scaphidomorphus*). Tp. ? - (Colômbia). - Crotch, 1876:547. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kunht, 1909:44; 1911:32. - Blackwelder, 1945:463. Distr.: Colômbia.
- var. *atroflavus* Crotch, 1876:547 (*Scaphidomorphus*). Tp.: MCZC exam. aut. - [Localidade não citada]. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kunht, 1909:44; 1911:32. - Mader, 1942d:167; 1951:202. - Blackwelder, 1945:463. Distr.: Guiana Francesa. Peru.
- var. *interruptus* Crotch, 1876:547 (*Scaphidomorphus*). Tp.: MCZC exam. aut. - [Localidade não citada]. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kunht, 1909:44; 1911:32. - Blackwelder, 1945:463. Distr.: Guiana Francesa.
- var. *deficiens* Crotch, 1876:547 (*Scaphidomorphus*). Tp.: MCZC exam. aut. - [Localidade não citada]. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kunht, 1909:44; 1911:32. - Blackwelder, 1945:463. Distr.: Guiana Francesa.
- var. *thoracicus* Crotch, 1876:547 (*Scaphidomorphus*). Tp. MCZC exam. aut. - [Localidade não citada]. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kunht, 1909:44; 1911:32. - Blackwelder, 1945:463. Distr.: Guiana Francesa.
- var. *inchoatus* Crotch, 1876:547 (*Scaphidomorphus*). Tp.: MZCZ exam. aut.

- [Localidade não citada]. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kunht, 1909:44; 1911:32. - Blackwelder, 1945:463. Distr.: Guiana Francesa.
- var. *basisignatus* Crotch, 1876:547 (*Scaphidomorphus*). Tp.: MCZC exam. aut. - [Localidade não citada]. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kunht, 1909:44; 1911:32. - Blackwelder, 1945:463. Distr.: Venezuela.
- var. *polyscriptus* Kuhnt, 1910:270, fig. 26. Tp. ? - (Caiena); 1911:32. - Blackwelder, 1945:463. Distr.: Guiana Francesa.
- herbsti* Lacordaire, 1842:486 (*Scaphidomorphus*). Tp. ? - (Bolívia, Chiquitos). - Crotch, 1876:546. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kuhnt, 1909:43; 1911:32. - Bruch, 1914:381. - Deelder, 1942: 69. - Mader, 1942d:167; 1951:201. - Blackwelder, 1945:462. - Guérin, 1948: 18. Distr.: Peru. Bolívia. Brasil. Argentina.
- var. *crabronoides* Lacordaire, 1842:487 (*Scaphidomorphus*). Tp.: MCZC exam. aut. - (Pará). - Crotch, 1876:546. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kuhnt, 1909:43; 1911:32. - Mader, 1942d: 167; 1951:201. - Blackwelder, 1945:462. - Guérin, 1948:18. Distr.: Brasil, região amazônica.
- impluviatus* Lacordaire, 1842:485 (*Scaphidomorphus*). Tp. ? - (Colômbia). - Kirsch, 1876:109. - Crotch, 1876:545. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kuhnt, 1909:43; 1911:32. - Deelder, 1942:69. - Mader, 1942d:167; 1951:201. - Blackwelder, 1945:462. Distr.: Panamá. Colômbia. Equador. Peru.
- maculiflorus* Crotch, 1876:548 (*Scaphidomorphus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kunht, 1909:44; 1911:32. - Mader, 1942a:221. - Blackwelder, 1945:462. Distr.: Brasil, região amazônica.
- obliteratus* Erichson, 1847:178. Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:549 (*Scaphidomorphus*). - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kunht, 1909:44; 1911:32. - Mader, 1942d:167; 1951:202. - Blackwelder, 1945:463. Distr.: Peru.
- obscurior* Curran, 1941:283, pl. 1, fig. 4. Tp.: DTNY - (Guiana, Kartabo). Distr.: Guiana.
- opalizans* Lacordaire, 1842:493 (*Scaphidomorphus*). Tp. ? - (Caiena). - Crotch, 1876:548. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kunht, 1909:44; 1911:32. - Curran, 1941:283. - Mader, 1942a:221. - Blackwelder, 1945:463. Distr.: Guiana Francesa.
- partitus* Crotch, 1876:548 (*Scaphidomorphus*). Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kuhnt, 1909:44; 1911:32. - Mader, 1942d:167; 1951:202. - Blackwelder, 1945:463. Distr.: Colômbia. Equador. Peru.

- pustuliformis* Crotch, 1876:548 (*Scaphidomorphus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kunht, 1909:44; 1911:32. - Mader, 1942a:221. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.
- tricolor* Mader, 1942d:167, 190. Tp.: DEIB - (Peru, Chanchamayo); 1951:202. Distr.: Peru.
- varicollis* Crotch, 1876:549 (*Scaphidomorphus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Kunht, 1909:44; 1911:32. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.
- xanthomelas apicenigrum* Mader, 1942c:570. Tp.: MGFM exam. aut. - (Colômbia, rio Dágua). Distr.: Colômbia.
- xanthomelas xanthomelas* Crotch, 1873b:150 (*Scaphidomorphus*). Tp.: MCZC exam. aut. - (Nicarágua, Chontales, Santo Domingo); 1876:546. - Gemminger & Harold, 1876:3718 (*Prepopharus*). - Gorham, 1888:111, pl. 6, fig. 12. - Kunht, 1909:44; 1911:32. - Blackwelder, 1945:463. Distr.: Nicarágua. Costa Rica.

Perithonius Crotch, 1876.

- Perithonius* Crotch, 1876:549 (Tgen. *Euphanistes misolampoides* Lacordaire, 1842:257, desig. orig.). - Kunht, 1909:9, 44. - Deelder, 1942:51. - Alvarenga, 1965:88.
- misolampoides* Lacordaire, 1842:257 (*Euphanistes*). Tp. ? - (Colômbia). - Crotch, 1876:549 (*Perithonius*). - Gemminger & Harold, 1876:3703. - Kunht, 1909:44; 1911:32. - Blackwelder, 1945:463. Distr.: Colômbia.

Rhynchothonius Crotch, 1876.

- Rhynchothonius* Crotch, 1876:550 (Tgen. *Rhynchothonius albidoguttatus* Crotch, 1876:550, monotipia). - Kunht, 1909:8, 45. - Deelder, 1942:51. - Alvarenga, 1965:89.
- albidoguttatus* Crotch, 1876:550. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3718. - Kunht, 1909:45; 1911:33. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.

Neopriotelus Alvarenga, 1965.

- Neopriotelus* Alvarenga, 1965:87 (Tgen. *Erotylus octomaculatus* Olivier, 1792: 436, desig. orig.).
- Priotelus* Hope, 1841. - Hope, 1841:112 (Tgen. *Erotylus serripennis* Guérin-Méneville, 1841:119, desig. orig.). - Lacordaire, 1842:32, 493. - Chapuis, 1876:50, 70. - Crotch, 1876: 550. - Gorham, 1888:111. - Kuhnt, 1909:10, 45. - Deelder, 1942:52. - Alvarenga, 1965:88 (**nom. praeoc.**, Gray, 1840).
- apiatus* Chevrolat, 1835, fasc. 5 (*Erotylus*). Tp.: MCZC exam. aut. - (México, Vera Cruz, Orizaba). - Lacordaire, 1842:498 (*Priotelus*). - Crotch, 1876: 552. - Gemminger & Harold, 1876:3718. - Gorham, 1888:112, pl. 6, fig. 20. - Kuhnt, 1909:46; 1911:33. - Deelder, 1942:69. - Blackwelder, 1945:463. - Guérin, 1948:18. Distr.: Do México até a Colômbia.
- bimaculatus* Mader, 1942d:168, 192 (*Priotelus*). Tp.: MGFM exam. aut. - (Peru, Oxapampa); 1951:203. Distr.: Peru.
- calceatus* Lacordaire, 1842:496 (*Priotelus*). Tp. ? - (Caiena). - Crotch, 1876:553. - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Guiana Francesa.
- debilis* Crotch, 1876:552 (*Priotelus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.
- dejeani* Lacordaire, 1842:501 (*Priotelus*). Tp. ? - (Caiena). - Crotch, 1876:550. - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Guiana Francesa.
- detrahens* Crotch, 1876:551 (*Priotelus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. - Delkeskamp, 1957:105. Distr.: Equador. Brasil, região amazônica.
- difficilis* Crotch, 1876:553 (*Priotelus*). Tp.: MCZC exam. aut. - (Colômbia). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Colômbia.
- elegans* Mader, 1942d:167, 191 (*Priotelus*). Tp.: MGFM exam. aut. - (Peru, Oxapampa); 1951:203. Distr.: Peru.
- equestris* Lacordaire, 1842:495 (*Priotelus*). Tp. ? - (Caiena). - Crotch, 1876:553. - Gemminger & Harold, 1876: 3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Guiana Francesa. Brasil, região amazônica.
- var. *amazonicus* Crotch, 1876:553. Tp.: MCZC exam. aut. - (Amazonas). - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.

- femoralis* Kirsch, 1865:102 (Bacis). Tp.: SMTD exam. aut. - (Colombia, Bogotá). - Crotch, 1876:553 (*Priotelus*). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Colômbia. Venezuela.
- habrodactyloides* Crotch, 1876:554 (*Priotelus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.
- hori* Delkeskamp, 1957:103, fig. 5 (*Priotelus*). Tp.: ZMHU ex aut. - (Bolívia, Chapare, 400 m). Distr.: Bolívia.
- ignobilis* Kirsch, 1865:102 (*Priotelus*). Tp.: SMTD exam. aut. - (Colômbia, Bogotá). - Crotch, 1876:552. - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Colômbia.
- irroratus* Lacordaire, 1842:331 (*Brachysphoenus*). Tp. ? - (Caiena). - Crotch, 1876:554 (*Priotelus*). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Guiana Francesa.
- limbatus* Crotch, 1876:553 (*Priotelus*). Tp.: MCZC exam. aut. - (Equador, Guayaquil). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Equador.
- lineatulus* Crotch, 1876:555 (*Priotelus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.
- lividus* Lacordaire, 1842:496 (*Priotelus*). Tp. ? - (Brasil). - Crotch, 1876:553. - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. - Guérin, 1948:18. Distr.: Brasil, região sudeste.
- macasensis* Crotch, 1876:551 (*Priotelus*). Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. - Delkeskamp, 1957:105. Distr.: Equador.
- minor* Crotch, 1876:554 (*Priotelus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.
- nitidior* Crotch, 1876:554 (*Priotelus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.
- obsoletus* Crotch, 1876:552 (*Priotelus*). Tp.: MCZC exam. aut. - (Brasil). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. - Guérin, 1948:18. Distr.: Brasil, região amazônica.
- octomaculatus* Olivier, 1792:436 (*Erotulus*). Tp. ? - (Suriname); 1807:476, pl. 2, fig. 22. - Fabricius, 1801:5. - Schönherr, 1808:327. - Duponchel, 1825:170. - Lacordaire, 1842:500 (*Priotelus*). - Crotch, 1876:550. - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:45; 1911:33. - Deelder, 1942:69. - Blackwelder, 1945:463. Distr.: Guiana Francesa. Suriname.
- serripennis* Guérin-Ménéville, 1841a:119. - Lacordaire, 1842:500 (**syn.**).

- orphanus* Crotch, 1876:551 (*Priotelus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.
- ovatus* Crotch, 1876:554 (*Priotelus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.
- peruvianus* Mader, 1942d:168, 192 (*Priotelus*). Tp. ? - (Peru, Sivia, 520 m); 1951:203. - Delkskamp, 1957:97, 104, 105. Distr.: Peru. Bolívia.
- quadrimaculatus* Guérin, 1956:60, fig. 23 (*Priotelus*). Tp.: CARJ exam. aut. - (Brasil, Pará, Mocajuba, Mangabeira). Distr.: Brasil, região amazônica.
- rugithorax* Crotch, 1876:555 (*Priotelus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.
- sexmaculatus* Crotch, 1876:551 (*Priotelus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.
- spinolae* Guérin-Ménéville, 1844:312 (*Omoitelus*). Tp.: MNHN exam. aut. - (Colômbia). - Crotch, 1876:553 (*Priotelus*). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. Distr.: Colômbia.
- stellio* Erichson, 1847:177 (*Priotelus*). Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:552. - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Mader, 1942d:168; 1951:203. - Blackwelder, 1945:463. Distr.: Peru.
- tigrinipennis* Lacordaire, 1842:499 (*Priotelus*). Tp. ? - (Colômbia). - Crotch, 1876:551. - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Deelder, 1942:70. - Blackwelder, 1945:463. - Delkskamp, 1957:104. Distr.: Colômbia. Venezuela.
- transversofasciatus* Crotch, 1876:551 (*Priotelus*). Tp.: MCZC exam. aut. - (Colômbia). - Kuhnt, 1909:46; 1911:34. - Blackwelder, 1945:463. - Gemminger & Harold, 1876:3719 (*Bacis*). Distr.: Colômbia.
- tricolor* Fabricius, 1801:8 (*Erotylus*). Tp.: ZMCD - (América meridional). - Schönherr, 1808:328. - Dupochel, 1825:172. - Lacordaire, 1842:517. - Gemminger & Harold, 1876:3715. - Zimsen, 1964:115. - Chevrolat, 1843:80 (*Priotelus*). Distr.: Guiana Francesa.
- jucundus* Lacordaire, 1842:497 (*Priotelus*). Tp. ? - (Caiena). - Crotch, 1876:553. - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:33. - Blackwelder, 1945:463. - Chevrolat, 1843:80 (*syn.*).
- truncatus* Lacordaire, 1842:499 (*Priotelus*). Tp.: MCZC exam. aut. - (Caiena). - Crotch, 1876:552. - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:46; 1911:34. - Blackwelder, 1945:463. Distr.: Guiana Francesa.
- zebra* Kuhnt, 1910:269, fig. 24 (*Priotelus*). Tp.: ZMHU exam. aut. - (Peru, rio Manes); 1911:34. - Mader, 1942d:167; 1951:202. - Blackwelder, 1945:

463. Distr.: Peru.

Tapinotarsus Kirsch, 1865

Tapinotarsus Kirsch, 1865:100 (Tgen. *Tapinotarsus maculatus* Kirsch, 1865:101, monotypia). - Chapuis, 1876:50, 69. - Crotch, 1876:555. - Kuhnt, 1909:10, 46. - Deelder, 1942:52. - Alvarenga, 1965:90.

brachymeroides Crotch, 1876:556. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3717. - Kuhnt, 1909:47; 1911:34. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.

kirschi Crotch, 1876:556. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3717. - Kuhnt, 1909:47; 1911:34. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.

maculatooides Mader, 1943:114. Tp.: SMTD exam. aut. - (Equador, Sabanilla). Distr.: Equador.

maculatus Kirsch, 1865:101. Tp.: SMTD exam. aut. - (Colômbia, Bogotá). - Crotch, 1876:555. - Gemminger & Harold, 1876:3717. - Kuhnt, 1909:47; 1911:34. - Blackwelder, 1945:463. Distr.: Colômbia. Brasil, região amazônica.

var. *octomaculatus* Kuhnt, 1910:270. Tp. ? - (Colômbia, Bogotá); 1911:34. - Blackwelder, 1945:463. Distr.: Colômbia.

multinotatus Lacordaire, 1842:330 (*Brachysphoenus*). Tp. ? - (Caiena). - Crotch, 1876:555 (*Tapinotarsus*). - Gemminger & Harold, 1876:3717. - Kuhnt, 1909:47; 1911:34. - Blackwelder, 1945:463. Distr.: Guiana Francesa. Brasil, região amazônica.

Bacis Dejean, 1837

Bacis Dejean, 1837:427 (Tgen. *Erotylus tripunctatus* Duponchel, 1825:160, seg. Crotch, 1876:556). - Hope, 1841:113. - Lacordaire, 1842:32, 502. - Chapuis, 1876:50, 68. - Crotch, 1876:556. - Kuhnt, 1909:10, 47. - Deelder, 1942:52. - Alvarenga, 1965:82.

immaculicollis Crotch, 1876:556. Tp.: MCZC exam. aut. - (Amazonas). - Fleutiaux, 1886:224. - Kuhnt, 1909:48; 1911:34. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.

nigropictus Crotch, 1876:557. Tp.: MCZC exam. aut. - (Venezuela). - Fleutiaux, 1886:224. - Kuhnt, 1909:48; 1911:34. - Blackwelder, 1945:463. Distr.: Venezuela.

scutellaris Lacordaire, 1842:504. Tp. ? - (Caiena). - Crotch, 1876:556. - Gemminger & Harold, 1876:3717. - Kuhnt, 1909:48; 1911:34. - Blackwelder,

1945:463. Distr.: Guiana Francesa.

var. *ambiguus* Lacordaire, 1842:505. Tp. ? - (Caïena). - Crotch, 1876:556. - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:48; 1911:34. - Blackwelder, 1945:463. Distr.: Guiana Francesa.

tripunctatus Duponchel, 1825:160, pl. 7, fig. 71 (*Erotylus*). Tp. ? - (Caïena). - Lacordaire, 1842:503 (*Bacis*). - Crotch, 1876:556. - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:48; 1911:34. - Blackwelder, 1945:463. Distr.: Guiana Francesa.

Phricobacis Crotch, 1876.

Crotch, 1876:557 (Tgen. *Phricobacis batesi* Crotch, 1876:558, desig. orig.). - Kuhnt, 1909:10, 48. - Deelder, 1942:52. - Alvarenga, 1965:88.

arduus Erichson, 1847:177 (*Bacis*). Tp.: ZMHU exam. aut. - (Peru). - Crotch, 1876:557 (*Phricobacis*). - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:48; 1911:34. - Curran, 1941:286. - Mader, 1942d:168; 1951:204. - Blackwelder, 1945: 463. - Delkeskamp, 1957:97. Distr.: Peru. Bolívia. Brasil, região amazônica.

var. *hepaticus* Kirsch, 1876:110. Tp.: SMTD exam. aut. - (Peru, Pozuzo). - Crotch, 1876:557. - Gemminger & Harold, 1876:3719. - Kuhnt, 1909:48; 1911:34. - Curran, 1941:286. - Mader, 1942d:168; 1951:204. - Blackwelder, 1945:463. Distr.: Peru.

batesi Crotch, 1876:558. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:48; 1911:34. - Curran, 1941:286. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.

beebei Curran, 1941:286, pl. 1, fig. 8. Tp.: DTNY (Guiana, Kartabo). Distr.: Guiana.

flavomaculatus Mader, 1943:114. Tp.: MGFM exam. aut. - (Peru, Chanchamayo); 1951:203. Distr.: Peru.

hopei Guérin-Ménéville, 1841a:115 (*Erotylus*). Tp.: MNHN exam. aut. - (Bolívia). - Lacordaire, 1842:448. - Crotch, 1876:557 (*Phricobacis*). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:48; 1911:34. - Curran, 1941:286. - Blackwelder, 1945:463. Distr.: Bolívia.

marginatus Guérin-Ménéville, 1841a:119 (*Omoiotelus*). Tp.: MNHN exam. aut. - (Brasil). - Lacordaire, 1842:505 (*Bacis*). - Erichson, 1847:177. - Crotch, 1876:558 (*Phricobacis*). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:48; 1911:34. - Curran, 1941:286. - Mader, 1942d:168; 1951:203. - Blackwelder, 1945:463. Distr.: Peru. Bolívia. Brasil, região amazônica.

navicularis Lacordaire, 1842:512 (*Omoiotelus*). Tp.: MNHN exam. aut. - (Caïena). - Crotch, 1876:559 (*Phricobacis*). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:48; 1911:34. - Curran, 1941:286. - Blackwelder, 1945:463.

Distr.: Guiana Francesa. Brasil, região amazônica.

pulcher Crotch, 1876:558. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:48; 1911:34. - Curran, 1941:286. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.

ratzeburgi Lacordaire, 1842:449 (*Erotylus*). Tp. ? - (Brasil). - Crotch, 1876:558 (*Phricobacis*). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:48; 1911:35. - Curran, 1941:286. - Blackwelder, 1945:463. Distr.: Brasil.

rufolimbatus Crotch, 1876:558. Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:48; 1911:35. - Curran, 1941:286. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.

Ellipticus Chevrolat, 1837.

Ellipticus Chevrolat, 1837:426 (Tgen. *Erotylus testaceus* Fabricius, 1775:822, seg. Alvarenga, 1965:83). - Alvarenga, 1965:83.

Omoiotelus Hope, 1841a:112 (Tgen. *Erotylus testaceus* Fabricius, 1775:822, desig. orig.). - Lacordaire, 1842:32, 506. - Chapuis, 1876:50, 71. - Curran, 1941:281. - Alvarenga, 1965:87 (syn.).

Homoeotelus Erichson, 1847:177. - Crotch, 1873b:150; 1876:559. - Gemminger & Harold, 1876:3720. - Gorham, 1888:112. - Kuhnt, 1909:9, 49; 1911:35. - Deelder, 1942:51. - Mader, 1942d:168. - Blackwelder, 1945:463. - Alvarenga, 1965:85 (syn.).

Ellipticus (Ellipticus) Chevrolat, 1837.

Ellipticus Chevrolat, 1837:426 (Tsubgen. *Erotylus testaceus* Fabricius, 1775:822, seg. Alvarenga, 1965:83). - Alvarenga, 1965:83.

Homoeotelus Mader, 1942d:168. - Alvarenga, 1965:85 (syn.).

albidipennis Crotch, 1876:562 (*Homoeotelus*). Tp.: MCZC exam. aut. - (Equador). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:50; 1911:35. - Blackwelder, 1945:463. Distr.: Equador.

apicicornis Guérin-Méneville, 1844:312 (*Omoiotelus*). Tp.: MNHN exam. aut. - (Colômbia). - Crotch, 1876:560 (*Homoeotelus*). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:50; 1911:35. - Blackwelder, 1945:463. Distr.: Colômbia. Brasil, região amazônica.

emarginatus Kirsch, 1865:103 (*Omoiotelus*). - Crotch, 1876:560 (syn.).

atratus Fabricius, 1801:8 (*Erotylus*). Tp.: ZMCD - (América meridional). Schönherr, 1808:328. - Duponchel, 1825:174. - Lacordaire, 1842:516. - Zimsen, 1964:115. - Chevrolat, 1843:80 (*Omoiotelus*). - Gemminger & Harold, 1876:3720 (*Homoeotelus*). Distr.: ?

atripennis Mader, 1942d:169, 193 (*Homoeotelus*). Tp.: MGFM exam. aut. -

- (Peru, Pachitea); 1951:204. Distr.: Peru.
- confusus* Crotch, 1873b:150 (*Homoeotelus*). Tp.: MCZC exam. aut. - (Nicarágua, Chontales, Santo Domingo); 1876:559. - Gemminger & Harold, 1876:3720. - Gorham, 1889:113, pl. 6, fig. 21. - Kuhnt, 1909:50; 1911:35. - Deelder, 1942:70. - Blackwelder, 1945:463. Distr.: América Central.
- d'orbigny* Guérin-Méneville, 1841:119 (*Omoiotelus*). Tp.: MCZC exam. aut. - (Bolívia); 1844:311. - Crotch, 1876:559 (*Homoeotelus*). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:50, pl. 1, figs 10, 10a; 1911:35. - Bruch, 1914:381. - Deelder, 1942:70. - Mader, 1942d:169; 1951:205. - Blackwelder, 1945:463. - Delkeskamp, 1957:98. Distr.: Colômbia. Peru. Bolívia. Brasil, região amazônica. Argentina.
- distinguendus* Crotch, 1876:560 (*Homoeotelus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:50; 1911:35. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.
- duponcheli* Lacordaire, 1842:507 (*Omoiotelus*). Tp. ? - (Brasil). - Crotch, 1876:559 (*Homoeotelus*). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:50; 1911:35. - Blackwelder, 1945:463. Distr.: Brasil, região sudeste.
- hepaticus* Crotch, 1876:560 (*Homoeotelus*). Tp. ? - (Equador). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:50; 1911:35. - Mader, 1942d:169; 1951:204. - Blackwelder, 1945:463. Distr.: Equador. Peru. Bolívia.
- niger* Deelder, 1942:70, fig. 1h (*Homoeotelus*). Tp.: RNHL - (Peru, Chanchamayo). Distr.: Peru.
- octomaculatus* Crotch, 1876:560 (*Homoeotelus*). Tp. ? - (Peru, Pozuzu). - Kirsch, 1876:111 (*Omoiotelus*). - Gemminger & Harold, 1876:3720 (*Homoeotelus*). - Kuhnt, 1909:49; 1911:35. - Mader, 1942d:168; 1951:204. - Blackwelder, 1945:463. Distr.: Peru.
- orbigny* Lacordaire, 1842:510 (*Omoiotelus*). Tp. ? - (Bolívia, Santa Cruz de la Sierra). - Crotch, 1876:559 (*Homoeotelus*). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:50; 1911:35. - Deelder, 1942:70. - Mader, 1942d:169; 1951:205. - Blackwelder, 1945:463. - Guérin, 1948:18. - Delkeskamp, 1957:98. Distr.: Peru. Bolívia. Brasil, região amazônica.
- pallidus* Olivier, 1792:436 (*Erotylus*). Tp. ? - (Suriname); 1807:478, pl. 2, fig. 26. - Duponchel, 1825:171. - Lacordaire, 1842:511 (*Omoiotelus*). - Curran, 1941:282. - Crotch, 1876:560 (*Homoeotelus*). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:49; 1911:35. - Deelder, 1942:70. - Blackwelder, 1945:463. Distr.: Colômbia. Guiana. Suriname. Guiana Francesa. Brasil, região amazônica.
- brunneus* Fabricius, 1801:7 (*Erotylus*). Tp.: ZMCD - (América meridional). - Duponchel, 1825:174. - Lacordaire, 1842:516. - Zimsen, 1964:115. - Gemminger & Harold, 1876:3720 (*Homoeotelus*). - Chevrolat, 1843:80 (**syn.**).
- lineaticollis* Duponchel, 1825:167 (*Erotylus*). - Lacordaire, 1842:511 (**syn.**).

- peruvianus* Kirsh, 1876:110 (*Omoiotelus*). Tp.: SMTD exam. aut. - (Peru, Pozuzu). - Gemminger & Harold, 1876:3720 (*Homoeotelus*). - Kuhnt, 1909:49; 1911:35. - Deelder, 1942:71. - Mader, 1942d:169; 1951:204. - Blackwelder, 1945:463. Distr.: Peru. Bolívia.
- prioteloides* Crotch, 1876:561 (*Homoeotelus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:50; 1911:36. - Blackwelder, 1945:463. Distr.: Brasil, região amazônica.
- rugosus* Crotch, 1876:561 (*Homoeotelus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:50; 1911:36. - Blackwelder, 1945:463. - Guérin, 1948:18. Distr.: Brasil, região amazônica.
- spinifer* Thomson, 1857:410 (*Omoiotelus*). Tp.: MNHN exam. aut. - (Amazonas). - Crotch, 1876:561 (*Homoeotelus*). Gemminger & Harold, 1876:3720. - Kuhnt, 1909:50, pl. 1, figs 11, 11a; 1911:36. - Deelder, 1942:71. - Blackwelder, 1945:464. - Guérin, 1948:18. Distr.: Peru. Brasil, região amazônica.
- terminalis* Erichson, 1847:177 (*Homoeotelus*). Tp.: ? - (Peru). - Crotch, 1876:560. - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:49; 1911:36. - Deelder, 1942:71. - Mader, 1942d:169; 1951:204. - Blackwelder, 1945:464. Distr.: Peru. Bolívia.
- testaceus* Fabricius, 1775:822 (*Erotylus*). Tp.: ZMCD - (América); 1781:157; 1787:91; 1792:36; 1801:4. - Olivier, 1792:432. - Herbst, 1799:377. - Schönherr, 1808:325. - Duponchel, 1825:60, pl. 7, fig. 58. - Sturm, 1826:139. - Zimsen, 1964:114. - Lacordaire, 1842:508 (*Omoiotelus*). - Guérin-Ménéville, 1855:612. - Kirsch, 1876:110. - Crotch, 1876:559 (*Homoeotelus*). - Gemminger & Harold, 1876:3721. - Kuhnt, 1909:50; 1911:36. - Deelder, 1942:71. - Blackwelder, 1945:464. - Guérin, 1948:18. Distr.: Colômbia. Peru. Brasil.
- lugubris* Gmelin, 1790:1727 (*Erotylus*). - Lacordaire, 1842:508 (**syn.**).
- immaculatus* Olivier, 1807:478, pl. 2, fig. 27 (*Erotylus*). - Lacordaire, 1842:508 (**syn.**).
- umbonatus* Lacordaire, 1842:510 (*Omoiotelus*). Tp.: MCZC exam. aut. - (Colômbia). - Crotch, 1876:559 (*Homoeotelus*). - Gemminger & Harold, 1876:3721. - Dohrn, 1878:452. - Kuhnt, 1909:50; 1911:36. - Deelder, 1942:71. - Blackwelder, 1945:464. - Delkeskamp, 1957:98. Distr.: Colômbia. Bolívia.
- trimaculatus* Kirsh, 1865:102 (*Omoiotelus*). - Crotch, 1876:559 (**syn.**).
- vitiosus* Crotch, 1876:560 (*Homoeotelus*). Tp.: MCZC exam. aut. - (Amazonas). - Gemminger & Harold, 1876:3721. - Kuhnt, 1909:50; 1911:36. - Blackwelder, 1945:464. - Guérin, 1948:18. Distr.: Brasil, região amazônica.

Ellipticus (Gemellatotelus) Mader, 1942.

Gemellatotelus Mader, 1942d:168 (Tsubgen. *Omoiotelus gemellatus* Lacordaire, 1842:513, desig. orig.). - Alvarenga, 1965:84.

acuminatus Gorham, 1891:56 (*Homoeotelus*). Tp.: NHML exam. aut. - (Equador, Nanegal). - Kuhnt, 1909:50 (*Homoeotelus*); 1911:35. - Deelder, 1942:70. - Blackwelder, 1945:463. Distr.: Equador.

crocicollis Lacordaire, 1842:514 (*Omoiotelus*). Tp. ? - (Colômbia). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:50; 1911:35. - Deelder, 1942:70. - Blackwelder, 1945:463. Distr.: Colômbia.

gemellatus Lacordaire, 1842:513 (*Omoiotelus*). Tp. ? - (México). - Crotch, 1876:561 (*Homoeotelus*). - Gemminger & Harold, 1876:3720. - Gorham, 1889:113, pl. 6, fig. 22. - Kuhnt, 1909:50; 1911:35. - Deelder, 1942:70. - Blackwelder, 1945:463. Distr.: México. América Central. Colômbia.

jansoni Crotch, 1873b:150 (*Homoeotelus*). Tp.: NHML exam. aut. - (Nicarágua, Chontales, Santo Domingo); 1876:561. - Gemminger & Harold, 1876:3720. - Gorham, 1889:114, pl. 6, fig. 25. - Kuhnt, 1909:50; 1911:35. - Blackwelder, 1945:463. Distr.: Nicarágua. Panamá.

mexicanus Crotch, 1876:561 (*Homoeotelus*). Tp.: MCZC exam. aut. - (México). - Gemminger & Harold, 1876:3720. - Gorham, 1889:114, pl. 6, figs 23, 24. - Kuhnt, 1909:50; 1911:35. - Blackwelder, 1945:463. Distr.: México. Guatemala. Panamá.

Ellipticus (Calenus) Dejean, 1837.

Calenus Dejean, 1837:427 (Tsubgen. *Erotylus signaticollis* Duponchel, 1825:159, seg. Duponchel, 1844:105). - Duponchel, 1844:105. - Alvarenga, 1965:82.

Glabratotelus Mader, 1942d:168. - Alvarenga, 1965:84 (**syn.**).

nigrolimbatus Mader, 1942b:80 (*Homoeotelus*). Tp.: MGFm exam. aut. - (Brasil, Rio de Janeiro). Distr.: Brasil, região sudeste.

signaticollis Duponchel, 1825:159, pl. 7, fig. 66 (*Erotylus*). Tp.: MNHN exam. aut. - (Brasil). - Lacordaire, 1842:514 (*Omoiotelus*). - Crotch, 1876:562 (*Homoeotelus*). - Gemminger & Harold, 1876:3720. - Kuhnt, 1909:50; 1911:36. - Blackwelder, 1945:463. - Guérin, 1948:18. Distr.: Brasil, regiões sudeste e central.

Ellipticus (Inflatotelus) Mader, 1942.

Inflatotelus Mader, 1942d:168 (Tsubgen. *Homoeotelus inflatus* Mader, 1942:193, desig. orig.). - Alvarenga, 1965:85.

bolivianus Mader, 1942d:194 (*Homoeotelus*). Tp.: MGFM exam. aut. - (Bolívia, Coroico); 1951:205. Distr.: Bolívia.

inflatus Mader, 1942d:169, 193 (*Homoeotelus*). Tp.: MGFM exam. aut. - (Peru, Oxapampa). Distr.: Peru.

laevis Delkeskamp, 1957:106 (*Homoeotelus*). Tp.: ZMHU exam. aut. - (Peru, Huancabamba). Distr.: Peru.

marmoratus Delkeskamp, 1957:98, 105, fig. 6 (*Homoeotelus*). Tp.: ZSBS - (Bolívia, Chapare). Distr.: Bolívia.

Brachylon Gorham, 1898.

Brachylon Gorham, 1898:256 (Tgen. *Brachylon breve* Gorham, 1899:257, monotypia). - Kuhnt, 1909:9, 51. - Deelder, 1942:51. - Alvarenga, 1965:82.

breve Gorham, 1899:257. Tp.: NHML - (México, Guerrero, Omilteme). - Kuhnt, 1909:51; 1911:36. - Blackwelder, 1945:464. Distr.: México. Nicaragua.

REFERÊNCIAS BIBLIOGRÁFICAS

- ACHARD, J. 1926. Fragments entomologiques (10). Nouveaux erotylides américains. **Ann. Bull. Soc. ent. Belg.**, Bruxelles, **65** (suppl.): 143-145.
- ALVARENGA, M. 1962. Sobre uma espécie nova do gênero *Coccimorphus* Hope, 1841 (Coleoptera, Erotylidae). **Atas Soc. Biol. Rio de Janeiro** **6** (1-2): 11-12.
- . 1965. Espécies tipos dos gêneros e subgêneros neotropicais da família Erotylidae (Coleoptera). **Bol. Univ. Fed. Paraná, Curitiba**, **2** (6): 75-92.
- . 1970. Adendas e corrigendas ao trabalho "Espécies tipos dos gêneros e subgêneros neotropicais da família Erotylidae (Coleoptera)". **Atas Soc. Biol. Rio de Janeiro** **12** (supl.): 45-46.
- . 1971a. Descrição de uma espécie nova do gênero *Eurycardius* Lacordaire, 1842 (Coleoptera, Erotylidae). **Atas Soc. Biol. Rio de Janeiro** **14** (5-6): 117-118.
- . 1971b. Descrição de uma espécie nova do gênero *Erotylus* Fabricius, 1775 (Coleoptera, Erotylidae). **Atas Soc. Biol. Rio de Janeiro** **14** (5-6): 149-150.
- . 1971c. *Kakoia travassosi* gênero e espécie nova de Erotylidae (Coleoptera). **Atas Soc. Biol.**, Rio de Janeiro, **15** (1): 35-36.
- . 1976. Notas sobre algumas espécies neotropicais com nomes preocupados da família Erotylidae (Coleoptera). **Studia ent.**, Rio de Janeiro, **19** (1-4): 511-513.
- . 1977. Notas taxonômicas sobre a família Erotylidae (Coleoptera). **Dusenía, Curitiba**, **10** (2): 103-107.
- . 1983. Seis espécies novas do gênero *Mycotretus* Chevrolat, 1837, da região amazônica. (Coleoptera, Erotylidae). **Acta Amazônica, Manaus**, **13** (3-4): 583-589.
- . 1989. Uma espécie nova de *Mycotretus* Chevrolat, 1837, da região amazônica (Coleoptera, Erotylidae). **Mem.Inst. Oswaldo Cruz, Rio de Janeiro**, **84** (Supl. IV): 35-36.
- ARROW, G.J. 1909. Systematic notes on Coleoptera of clavicorn families. **Ann. Mag. nat. Hist.**, London, ser. 8, **4**: 190-196.
- . 1937. Notes on some clavicorn Coleoptera and descriptions of few species and genera. **Ann. Mag. nat. Hist.**, London, ser 10, **20** (10): 101-113.
- BEDÉL, L. 1919. Le *Silpha indica* Linné, considéré comme énigme, est un *Megalodacne* (Col. Erotylidae) de l'Amérique du Sud. **Bull. Soc. ent. France, Paris**, p.114-116.
- BERG, F.G.C. 1881. In: ROCA. Informes oficial de la Comision Cientifica agregada al Estado Mayor General de la expedicion al Rio Negro (Patagonia). Zoologia. Buenos Aires, 77-115p.
- BLACKWELDER, R.E. 1945. Checklist of the Coleopterous insects of Mexico, Central America, the West Indies and South America. **Bull. U.S. nat. Mus.**, Washington, **185** (3): 443-550.
- BLANCHARD, C.E. 1843. In: BRULLÉ. Insectes de l'Amérique méridionale

recueillis par Alcides d'Orbigny. Paris, **2** (2).

- BLATCHLEY, W.S. 1917. On some new or noteworthy Coleoptera from the west coast of Florida. **Canadian ent.**, Ontario, **49**: 137-143.
- BOYLE, W.W. 1954a. Five news species of *Triplax* from western North America. **Proc. ent. Soc.**, Washington, **56** (5): 251-264.
- . 1954b. Concerning the status of *Ischyrys graphicus* Lacordaire, with description of four new Erotylid species from western North America. **J. New York ent. Soc.** **62**: 39-53.
- . 1956. A revision of Erotylidae of America north of Mexico (Coleoptera). **Bull. Am. Mus. nat. Hist.**, Washington, **110**: 61-172.
- BÖVING, A.G. & F.C. CRAIGHEAD. 1930-1931. An illustrated synopsis of the principal larval forms of the order Coleoptera. **Ent. Am.**, Brooklyn, new ser., **11**: 1-351.
- BRÉTHES, J. 1920. Insectes du Perou. **An. Soc. cient. argentina**, Buenos Aires, **89**: 27-54.
- BRUCH, C. 1914. Catálogo sistemático de los coleópteros de la Republica Argentina. 9. **Rev. Mus. La Plata** **19**: 346-441.
- BUQUET, J.B.L. 1840. Coléoptères nouveaux. **Rev. Zool.**, Paris, p.172-173.
- CANDEZE, E.C.A. 1861. Histoire des métamorphoses de quelques coléoptères exotiques. **Mém. Soc. R. sc.**, Liège, **16**: 235-410.
- CASEY, T.L. 1916. Some random studies among the Clavicornia. **Mem. Coleoptera**, Lancaster, **7**: 35-292.
- . 1924. Additions to North American Coleoptera. **Mem. Coleoptera**, Lancaster, **11**: 177-180.
- CHAGNON, G. 1933-1940. Contribution á l'étude des coléoptères de province de Québec. **Naturaliste Canadien**, Montréal, (1-5): 1-385.
- CHAPUIS, F. 1876. In: LACORDAIRE. **Histoire naturelle des Insectes. Généra de Coléoptères.** Paris, **12**: 1-424.
- CHEVROLAT, L.A.A. 1834. **Coléoptères du Mexique.** Strasbourg, fasc. 1-8.
- . 1837. In: DEJEAN. **Catalogue des coléoptères de la collection de M. le comte Dejean.** 2e. éd., Paris, **5**: 361-443.
- . 1843. Observations sur des espèces de genre *Erotylus*. **Rev. Zool.**, Paris, p.79-81.
- CHŪJŌ, M. & M. CHŪJŌ. 1988. A Catalog of the Erotylidae (Insecta, Coleoptera) from the old word (Excl. the Ethiopian region). **Esakia**, Hikosan, (26): 139-185.
- CROTCH, G.R. 1873a. Synopsis of the Erotylidae of Boreal America. **Trans. Am. ent. Soc.**, Philadelphia, **4**: 349-358.
- . 1873b. A list of Erotylidae collected by Edward M. Janson, in vicinity of Santo Domingo, Chontales, Nicaragua, with descriptions of new genera and species. **Cist. ent.**, London, **1**: 141-150.
- . 1876. A revision of the coleopterous family Erotylidae. **Cist. ent.**, London, **1**: 377-572.

- CURRAN, C.H. 1941. Erotylidae of Kartabo, Baretica, British Guiana. Coleoptera. **Zoologica: New York zool. Soc.** **26** (3): 281-288.
- . 1944. Notes and descriptions of some American Erotylidae. **Am. Mus. Nov.**, New York, (1255): 1-14.
- CURTIS, J. 1838. **British entomology**. London, **15**: 674-721.
- DEGEER, K. 1752-1778. **Mémoires pour servir à l'histoire des insectes**. Stockholm, **5**: 1-448.
- . 1776-1783. **Abhandlugen zur Geschichte der Insekten**. Nürnberg, **4-5**: 1-490.
- DEELDER, C.L. 1942. Revision of Erotylidae (Col.) of the Leiden Museum. **Zool. Meded.** **24** (1-2): 49-115.
- DEJEAN, P.F.M.A. 1837. **Catalogue des coléoptères de la collection de M. le comte Dejean**. 2e. éd., Paris, **5**: 361-443.
- DELKESKAMP, K., 1952 - Revision von 2 Untergattungen und Verzeichnis der Erotyliden-Arten von Angola (Col. Erotyl.). **Publ. cult. comp. diam. Angola**, Lisboa, **14**: 55-90.
- . 1957. Beiträge zur Kenntnis der Insektenfauna Boliviens. Teil 3, Col. 2, Erotylidae. **Veröff. Zool. Staatssamml.**, München, **5**: 93-116.
- . 1981. **Coleopterorum Catalogus Supplementa; Erotylidae von Afrika und Madagascar**. Junk, Hague. Pars **34**: 3-65.
- DEMAY, 1838. Coléoptères nouveaux de la Guyane Française. **Rev. Zool**, Paris, p.22-24.
- DOHRN, C.A. 1878. Exotisches. **Stett. ent. Zgt.**, Stettin, **39**: 444-462.
- . 1880. Exotisches. **Stett. ent. Zgt.**, Stettin, **41** (1-3): 149-157.
- . 1883. Exotisches. **Sttet. ent. Zgt.**, Stettin, **44** (1-3): 103-104.
- DUMÉRIL, A.M.C. 1823. **Considerations générales sur la classe des insectes**. Paris, 1-343p.
- DUPONCHEL, P.A.J. 1825. Monographie du genre Erotyle. **Mém. Mus. d'Hist. nat.**, Paris, **12**: 30-61, 156: 176.
- . 1844. *In*: D'ORBIGNY. **Dictionnaire Universel d'Histoire Naturelle**. Paris, **3**: 1-744.
- DUPONCHEL, P.A.J. & L.A.A. CHEVROLAT. 1844. *In*: D'ORBIGNY. **Dictionnaire Universel d'Histoire Naturelle**. Paris, **3**: 1-744.
- ERICHSON, W.F. 1847. Conspectus insectorum coleopterorum quae in Republica Peruana observata sunt. **Arch. Naturg.**, Berlin, **13**: 67-185.
- . 1848. *In*: Schomburg's Reisen. **Reisen in Britisch Guiana**. Leipzig, **3**: 533-617.
- FABRICIUS, J.C. 1775. **Systema entomologiae**. Flensburg & Leipzig, 1-832p.
- . 1776. **Genera insectorum**. Cologne, 1-310p.
- . 1781. **Species insectorum**. Hamburgui, **1**: 1-552.
- . 1787. **Mantissa insectorum**. Hafniae, **1**: 1-348.
- . 1792. **Entomologia systematica**. Hafniae, **1** (2): 330-538.
- . 1798. **Supplementum entomologiae systematica**. Hafniae, 1-572p.

- . 1801. *Systema eleutheratorum*. Kiel, 1: 1-505, 2: 1-687.
- FAUVEL, C.A.A. 1860. Catalogue des insectes recueillis à la Guyane Française. **Bull. Soc. linn. Normandie**, Caen, 5: 299-327.
- FLEUTIAUX, E. 1886. Supplement au catalogue des coléoptères de MM. Gemminger et Harold (langurides et érotylides). **Ann Soc. ent. Belg.**, Bruxelles, 30: 216-224.
- FROESCHNER, R.C. & E.P. MEINERS. 1953. The Languridae and Erotylidae (Coleoptera) of Missouri with notes and keys. **J. Kansas ent. Soc.**, Kansas City, 26: 18-25.
- GEMMINGER, M. & E. HAROLD. 1876. *Catalogus coleopterorum*. Monachii, 12: 3479-3822.
- GERMAR, E.F. 1824. *Coleopterorum species novae*. Halae, 1-624p.
- GISTEL, J.N.F.X. 1848. *Naturgeschichte des Thierreichs für höhere Schulen*, Stuttgart, 1-216p.
- . 1857. *Achthundert und zwanzig neue oder unbeschriebene wirbellose Thiere*. Straubing, 1-94p.
- GMELIN, J.F. 1788. *Linné's systema naturae*. Ed. 13, 1 (4): 1517-2224.
- GORHAM, H.S. 1883. Descriptions of new species of beetles belonging to the family Erotylidae. **Proc. zool. Soc.**, London, 1: 75-87.
- . 1887-1889. In: *Biologia Centrali-Americana, Insecta. Coleoptera. Erotylidae*. Endomychidae and Coccinelidae. 7: 33-114.
- . 1889. Descriptions of new species of the coleopterous, family Erotylidae. **Proc. zool. Soc.**, London, p.613-620.
- . 1891. In: WHYMPER. *Coleoptera. Supplementary appendix to travels amongst the Great Andes of the Equator*. London, 22-147p.
- . 1898-1899. In: *Biologia Centrali Americana Coleoptera*. Supplement. 7: 253-257.
- GUÉRIN, J. 1946a. Dois novos Erotylidae da América do Sul. **Rev. Ent.**, Rio de Janeiro, 17 (1-2): 274-276.
- . 1946b. Notas informativas e descrição de novas espécies de Erotylidae. **Rev. bras. Biol.**, Rio de Janeiro, 6 (3): 365-372.
- . 1948. Catálogo dos Erotylidae das coleções do Instituto de Ecologia e Experimentação Agrícolas do Ministério da Agricultura, com a descrição de algumas espécies novas. **Bol. Inst. Ecol. Exp. Agr.**, Rio de Janeiro, 8: 1-26.
- . 1949a. Descrição de novas espécies neotropicais das famílias Clytridae, Megalopodidae e Erotylidae. (Col.). **Rev. Ent.**, Rio de Janeiro, 20 (1-3): 229-236.
- . 1949b. "Erotylidae" argentinas. Description de una especie nueva del genero *Mycotretus*. **Acta zool. lilloana**, Tucumán, 7: 589-591.
- . 1952. Essay monographique des erotyliens chiliens (Coleoptera). **Rev. chil. Ent.**, Santiago, 2: 179-183.
- . 1956. Descrição de novas espécies e variedades de Erotylidae (Col.) neotropicais. **Dusenía**, Curitiba, 7 (1): 45-66.

- GUÉRIN-MÉNEVILLE, F.E. 1841a. Description de quelques belles espèces d'érotyles. **Rev. Zool.**, Paris, p.115-120.
- . 1841b. Description de quelques espèces d'érotylides, extraite du manuscrit du texte explicatif de l'iconographie du règne animal. **Rev. zool.**, Paris, p.153-161.
- . 1844. In: G. CUVIER. **Iconographie du règne animal**. Paris, **2**: 1-576p.
- . 1855. Catalogue des insectes coléopterès recueillis par Gaetano Osculati, pendant son exploration de la région équatoriale, sur les bords du Napo e l'Amazone. **Verh. zool- bot. Ges.**, Wien, **5**: 573-612.
- HAROLD, E. 1876. **Geänderte Namen**. Col. **Hefte**, **15**, 174p.
- HELLER, K M. 1918a. Zur klassifikation einiger afrikanischer Erotyliden. **Ent. Bl.**, Berlin, **14** (4-6): 136-157.
- . 1918b. Ergänzungen zu meiner "Klassifikation einiger afrikanischer Erotyliden". **Ent. Bl.**, Berlin, **14** (10-12): 274-288.
- . 1920. Beitrag zur Kenntnis der Erotyliden der indo-australischen Region mit besonderer Berücksichtigung der philipinischen Arten. **Arch. Naturg.**, Berlin, **84**: 1-121.
- HERBST, J.F.W. 1783. Kritisches Verzeichniss meiner Insecten-Sammlung. **Arch. Ins.**, Zurich, **4**: 1-68.
- . 1786. Erst Mantissee zum Verzeichniss der ersten Klasse meiner Insecten-Sammlung. **Arch. Ins.**, Zurich, **7-8**: 153-182.
- . 1793. **Natursyst. Käfer.**, Berlin, **5**: 1-392.
- . 1799. **Natursyst. Käfer.**, Berlin, **8**: 1-420.
- HOPE, F.W. 1841. Observations sur les érotyles, avec description de plusieurs nouveaux genres et quelques espèces inédites. **Rev. Zool.**, Paris, p.109-115.
- HOULTUYN, M. 1766. **Natuurkundige beschrijving der Insekten**. deel 7, Amsterdam.
- ILLIGER, J. 1804. Bemerkungen zum zweiten Theile von Fabricius systema eleutheratorum. **Mag. Ins.**, Braunschweig, **3**: 160-180.
- . 1806. Nachtrag zu den Zusätzen, Bemerkungen und Berichtigungen zu Fabricii systema eleutheratorum. **Mag. Ins.**, Braunschweig, **5**: 221-246.
- JACQUELIN DU VAL, P.N.C. 1857. In: SAGRA. **Histoire Physique, Politique et Naturelle de l'île de Cuba**. Insectes. Ordre des coléoptères. Paris, **7**: 137-328.
- JOHNSON, D.H. 1967. Neotropical species of genus *Triplax* Herbst and revision of genus *Haematochiton* Gorham (Coleoptera, Erotylidae). **Proc. U. S. nat. Mus.**, Washington, **123** (3601): 1-25.
- KIRSCH, T.F.W. 1865. Beiträge zur Fauna von Bogota. **Berl. ent. Z.**, Berlin, **9**: 40-104.
- . 1876. Beiträge zur Kenntnis der peruanischen Käferfauna. **Deut. ent. Z.**, Berlin, **20**: 81-133.
- . 1883. Neue südamerikanischen Käfer. **Berl. ent. Z.**, Berlin, **28** (2): 187-213.

- KOLBE, H.J. 1907. *In: Ergebnisse der Hamburger Magalhaensische Sammelreise. Coleopteren.* Hamburg, **8** (4): 1-125.
- KUHNT, P. 1908a. Synopsis der Gattungen *Erotylus*, *Cypherotylus*, *Micrerotylus* (Col.). *Deut. ent. Z.*, Berlin, p.67-100, 225-238.
- . 1908b. Neue Erotyliden (Col.). *Deut. ent. Z.*, Berlin, p.626-633.
- . 1909. *In: WYTSMAN. Genera Insectorum.* Erotylidae. Bruxelles. **88**: 1-139.
- . 1910. Neue Erotyliden (Col.). *Deut. ent. Z.*, Berlin, p.219-270.
- . 1911. *In: JUNK & SCHENKLING. Coleopterorum Catalogus.* Erotylidae. Berlin, **34**: 1-103.
- LACORDAIRE, J.T. 1842. *Monographie des Erotyliens.* Paris, p.1-543.
- LAPORTE, F.L.M., comte de CASTELNAU. 1840. *Histoire naturelle des insectes coléoptères.* Paris, **2**: 1-564.
- LATREILLE, P.A. 1796. *Précis des caractères génériques des insectes.* Paris, p.1-201.
- . 1804. *Histoire naturelle, général et particulière, des crustacés et de insectes.* Paris, **12**: 1-415.
- . 1807. *Genera crustaceorum et insectorum.* Paris, **3**: 1-258.
- . 1812-1813. Insectes de l'Amerique équinoxiale, recueillis pendant le voyage de MM. de Humboldt et Bonpland. *In: Voyage de Humboldt et Bonpland.* 10e. partie. Observations de zoologie et anatomie comparée. Paris, **1**: 127-252, **2**: 1-54.
- LECONTE, J.L. 1856. Synopsis of the Erotylidae of the United States. *Proc. Acad. nat. hist.*, Philadelphia, **7**: 158-163.
- LENG, C.W. 1920. *Catalogue of the Coleoptera of America, north of Mexico.* Mt. Vernon, p.1-470.
- LINNAEUS, C. 1758. *Systema naturae.* Ed. 10. Stockholm, **1**: 1-823.
- . 1763. *Centuria insectorum rariorum.* Upsala, 1-32p.
- . 1767. *Systema naturae.* Ed. 12. Holmiae, **1** (2): 533-1327.
- MADER, L. 1934. Coleopterologische Notizen, II. *Ent. Anz.*, Wien, **14**: 39-40.
- . 1935. Neue Coleopteren aus Süd-und Zentralamerika, I, II, III. *Ent. Anz.*, Wien, **15**: 241-244, 270-272, 293-295.
- . 1937. Neue Coleopteren und Notizen. *Ent. Rdsch.*, Stuttgart, **54**: 112-115.
- . 1938. Über neue und bekannte Erotyliden. *Ent. Bl.*, Wien, **34** (1): 14-19.
- . 1940. Eine neue Erotylide aus Südamerika. *Ent. Bl.*, Wien, **36** (1): 12-13.
- . 1942a. Neue exotische Erotyliden. *Mitt. münch. ent. Ges.*, München, **32** (1): 219-222.
- . 1942b. Zwei neue südamerikanische Erotylidae. *Stett. ent. Ztg.*, Stettin, **103** (1): 79-81.
- . 1942c. Zur kenntnis der amerikanischen Erotyliden. *Mitt. münch. ent.*

- Ges.**, München, **32** (2-3): 549-572.
- . 1942d. In: TITSCHACK. **Beiträge zur Fauna Perus**. Hamburg, **2**: 149-201.
- . 1943. Zur kenntnis der amerikanische Erotyliden. **Stett. ent. Zgt.**, Stettin, **104**: 109-116.
- . 1944. Die Erotyliden von Peru (Col.). **Stett. ent. Zgt.**, Stettin, **105**: 94-117.
- . 1951. Die Erotyliden von Peru (Col.). **Ent. Arb. Mus. G. Frey**, München, **2** (1): 197-225.
- . 1955. Zwei neue Coleopteren aus Südamerika. **Mitt. münch. ent. Ges.**, München, **54-55**: 476-478.
- MOTSCHULSKY, V. 1859. Insectes des Indes Orientales, et de contrées analogues. Helsingfors, **Etud. ent. 8**: 25-118.
- OLIVIER, A.G. 1792. **Encyclopédie méthodique. Histoire naturelle. Insectes. 6** (2): 369-704.
- . 1807. **Entomologie, ou histoire naturelle des insectes. 5**: 1-612.
- PALLISTER, J.C. 1955a. The pleasing fungus beetles of north central Mexico, collected on the David Rockefeller Mexican expedition of 1947 (Coleoptera, Erotylidae). **Am. Mus. Nov.**, New York, (1703): 1-6.
- . 1955b. The pleasing fungus beetles collected on the explorers Club-American Musen of Natural History entomological expedition to Yucatan, Mexico, in 1952 (Coleoptera, Erotylidae). **Am. Mus. Nov.**, New York (1745): 1-9.
- PAYKULL, J. 1800. **Fauna Suecica; Insecta (Coleoptera)**. Upsala, **3**: 1-459.
- PERCHERON, A.R. 1835. **Genera des insectes**. Paris, livre 4, no. 6.
- PETERSON, A. 1951. **Larvae of insects: Coleoptera, Diptera, Neuroptera, Siphonaptera, Mecoptera, Trichoptera**. Colombus, **2**: 1-410.
- PERTY, J.A.M. 1832. **Delectus animalium articulorum in Brasilia collectorum**. J. B. Spix et C. F. Martius collegerunt. Monachii, **2**: 61-124.
- PHILIPPI, F. 1887. Catálogo de los Coleópteros de Chile. **An. Univ. Chile**, Santiago, **71**: 619-791.
- PHILIPPI, R.A. & F. PHILIPPI. 1864. Beschreibung einiger neuen chilenischen Käfer. **Stett. ent. Zgt.**, Stettin, **25** (10-12): 313-406.
- SCHAEFFER, C.F.A. 1905. Some additional new genera and species of Coleoptera found within the limit of the United States. **Bull. Mus. Brooklyn**, New York, **1**: 141-179.
- . 1915. New Coleoptera and miscellaneous notes. III. **J. New York ent. Soc.**, **23**: 235-238.
- SCHENKLING, S. 1919. Erotyliden-Studien I. **Arch. Naturg.**, Berlin, **83A** (11): 77-93.
- SCHÖNHERR, C.J. 1808. **Synonymia insectorum**. Stockholm, **1** (2): 1-624.
- STAIG, R.A. 1931. The Fabrician types of insects in the Hunterian collection at Glasgow University. **Glasgow Univ. Publ.** **19** (1): I-XVI+1-110.

- STURM, J. 1826. *Catalog meiner Insecten-Sammlung*. Käfer. Nürnberg, 1: 1-207.
- . 1843. *Catalog der Käfer-Sammlung*. Nürnberg, 1-386p.
- SULZER, J.H. 1761. *Die Kennzeichen der Insekten*. Zurichii, 1-203p.
- . 1776. *Abgekürzte geschichte der Insekten nach dem linneischen System*. Winterhur, 1: 1-274, 2: 1-32.
- TASCHENBERG, E.L. 1870. Neue Käfer aus Columbien und Ecuador. *Z. Ges. Naturw.*, Berlin, 35: 177-199.
- THOMSON, J. 1856. Description de dix-sept coléoptères. *Rev. Mag. Zool.*, sér. 2, Paris, 8: 472-483.
- . 1857. Description de dix coléoptères. *Arch. Ent.*, Paris, 1: 399-411.
- THUNBERG, C.P. 1801. *Dissertatio sistens novae insectorum species*. Gottingen, 3: 124-248.
- VOET, J.E. 1778. *Catalogus systematicus coleopterorus*. Haye, 2: 1-82.
- WATERHOUSE, C.O. 1877. Descriptions of new Coleoptera from Medellin, Colombia. *Cist. ent.*, London, 2: 421-429.
- WICKMAN, H.F. 1894. The Coleoptera of Canada. VI. The Endomychidae and Erotylidae of Ontario and Quebec. *Canadian ent.*, Ontario, 26: 337-342.
- ZIMSEN, E. 1964. *The type material of I. C. Fabricius*. Copenhagen, 1-656p.

ÍNDICE

<i>abdominalis</i> Kuhnt, 1908	57
<i>abdominalis</i> Oliv., 1792	69
<i>abruptus</i> Casey, 1916	51
<i>Acronotus</i> Lac., 1842	67
<i>acuminatus</i> Gorham, 1891	123
<i>adalioides</i> Crotch, 1876	20
<i>adamsi</i> Lac. 1842	73
<i>adrianae</i> Alv., 1976	101
<i>adustus</i> Dup. 1825	79
<i>Aegithomimus</i> Mader, 1942	51
<i>Aegithomorphus</i> Lac., 1842	72
<i>Aegithus</i> F., 1801	51
<i>aegrotus</i> Lac., 1842	88
<i>aegrotus</i> Gorham, 1888	20
<i>aeneomaculatus</i> Crotch, 1876	46
<i>aeneoniger</i> Crotch, 1876	101
<i>aequatoris</i> Kirsch, 1883	88
<i>aestuans</i> Lac. 1842	20
<i>affinis</i> Dup. 1825	16
<i>agathinus</i> Guér.-Mén., 1841	62
<i>agnatus</i> Crotch, 1876	14
<i>albidipennis</i> Crotch, 1876	120
<i>albidoguttatus</i> Crotch, 1876	114
<i>alboniger</i> Guérin, 1956	79
<i>aleator</i> Boyle, 1954	12
<i>alienus</i> Guérin, 1956	80
<i>alienus</i> Crotch, 1876	46
<i>Alloiotelus</i> Hope, 1841	107
<i>alternans</i> Gorham, 1888	20
<i>alternans</i> Oliv., 1792	107
<i>alutaceus</i> Erichson, 1847	48
<i>alutaceus</i> Gorham, 1888	101
<i>alvarengai</i> Johnson, 1967	40
<i>amabilis</i> Guér.-Mén., 1841, (<i>Iph.</i>)	70

<i>amabilis</i> Guér.-Mén., 1841, (<i>Meg.</i>)	61
<i>amazonicus</i> Crotch, 1876, (<i>Neopr.</i>)	115
<i>amazonicus</i> Crotch, 1876, (<i>Psel.</i>)	5
<i>amazonus</i> Crotch, 1876	76
<i>ambiguus</i> Lac., 1842	119
<i>ambulator</i> Lac., 1842	20
<i>americanus</i> Voet, 1778	111
<i>amictus</i> Erichson, 1847	79
<i>amoenus</i> Guér.-Mén., 1841	18
<i>amoenus</i> Mader, 1942	111
<i>anchoralis</i> Guérin, 1956	20
<i>andicola</i> Kirsch, 1876	79
<i>andreae</i> Lac., 1842	51
<i>angularis</i> Lac. 1842	12
<i>angustatus</i> Lac., 1842	8
<i>anisotomoides</i> Gorham, 1888	41
<i>anisozonius</i> Crotch, 1876	84
<i>annularis</i> Lap., 1840	67
<i>annulatus</i> Germ., 1824	62
<i>annulatus</i> Lac., 1842	102
<i>annulipes</i> Guér.-Mén., 1841	101
<i>anteinterrupta</i> Mader, 1942	79
<i>antenalís</i> Lac., 1842	62
<i>antesignatus</i> Mader, 1942	20
<i>anthracinus</i> Gorham, 1888	102
<i>apiatoides</i> Mader, 1942	88
<i>apiatus</i> Lac., 1842	101
<i>apiatus</i> Chevr., 1835	115
<i>apicalis</i> Crotch, 1876	102
<i>apicalis</i> Gorham, 1898	50
<i>apicalis</i> Lac., 1842	20
<i>apicalis</i> Kuhnt, 1908	81
<i>apicatus</i> Kuhnt, 1910	18
<i>apicenigrum</i> Mader, 1942	114
<i>apicicornis</i> Crotch, 1876	46
<i>apicicornis</i> Guér.-Mén., 1844	120

<i>apicinctus</i> Crotch, 1876	85
<i>Apolybas</i> Alv., 1965	41
<i>approximatus</i> Crotch, 1876	5
<i>arcuatus</i> Lac., 1842	20
<i>arculifer</i> Kirsch, 1883	62
<i>ardens</i> Curran, 1941	58
<i>arduus</i> Erichson, 1847	119
<i>argus</i> Kuhnt, 1910	58
<i>argus</i> Lac., 1842	21
<i>armillatus</i> Erichson, 1847	102
<i>armitagei</i> Gorham, 1889	51
<i>aspersus</i> Gorham, 1888	103
<i>assequens</i> Mader, 1942	79
<i>assimilis</i> Crotch, 1876	51
<i>ater</i> Kirsch, 1876	102
<i>aterrimus</i> Kirsch, 1876	96
<i>atratus</i> F., 1801	120
<i>atricaudata</i> Kuhnt, 1910	38
<i>atricaudatus</i> Gorham, 1888	21
<i>atricaudatus</i> Kuhnt, 1910	68
<i>atricinctus</i> Gorham, 1898	50
<i>atricollis</i> Kuhnt, 1910	5
<i>atricollis</i> Mader, 1942	72
<i>atripennis</i> Mader, 1942	120
<i>atripennis</i> Erichson, 1847	42
<i>atrisignatus</i> Alv., 1976	69
<i>atriventris</i> Mader, 1943	76
<i>atroflavus</i> Crotch, 1876	112
<i>atrotibialis</i> Alv., 1976	98
<i>audouini</i> Lac., 1842	4
<i>aulicus</i> Lac., 1842	89
<i>auriculatus</i> Lac., 1842	12
<i>axillaris</i> Lac., 1842	42
<i>azureipennis</i> Guérin, 1952	40
<i>Bacis</i> Dejean, 1837	118
<i>badeni</i> Dohrn, 1883	102

<i>badius</i> Gorham, 1888	21
<i>bahiae</i> Crotch, 1876	12
<i>bajulus</i> Lac., 1842	79
<i>balteatus</i> Dup., 1825	11
<i>balteatus</i> Crotch, 1876	21
<i>banghaasi</i> Mader, 1935	102
<i>bardia</i> Curran, 1944	98
<i>bartletti</i> Gorham, 1889	51
<i>bartletti</i> Gorham, 1883	8
<i>barytopoides</i> Crotch, 1876	111
<i>Barytopus</i> Chevr., 1837	106
<i>Barytopus</i> Lac., 1842	79
<i>basalis</i> Crotch, 1876, (<i>Mycotr.</i>)	21
<i>basalis</i> Crotch, 1876, (<i>Iph.</i>)	69
<i>basicinctus</i> Crotch, 1876	84
<i>basinotatus</i> Crotch, 1876	62
<i>basisignatus</i> Crotch, 1876	113
<i>bassleri</i> Curran, 1944	98
<i>batesi</i> Crotch, 1876, (<i>Meg.</i>)	4
<i>batesi</i> Gorham, 1889	79
<i>batesi</i> Crotch, 1876, (<i>Phric.</i>)	119
<i>beauvoisi</i> Lac., 1842	46
<i>beebei</i> Curran, 1941	119
<i>bellicosus</i> Lac., 1842	8
<i>bellopictus</i> Kuhnt, 1910, (<i>Micr.</i>)	12
<i>bellopictus</i> Kuhnt, 1910, (<i>Erot.</i>)	89
<i>bellulus</i> Lac., 1842	79
<i>bellus</i> Guérin, 1949	12
<i>bibalteatus</i> Alv., 1976	89
<i>bicinctus</i> Oliv., 1807	79
<i>bicinctus</i> Guérin, 1949	21
<i>bicinctus</i> Guérin, 1948	94
<i>bicolor</i> Lac., 1842	76
<i>bicolor</i> Guér.-Mén., 1841	42
<i>bicolor</i> Lap., 1840	87
<i>bicolor</i> Tasch., 1870	21

<i>bicolor</i> Guérin, 1952	40
<i>bicolor</i> Kirsch, 1865	51
<i>bicolor</i> Kirsch, 1876	21
<i>bicoloratus</i> Kuhnt, 1911	21
<i>bifasciatus</i> Guérin, 1952	8
<i>bifasciatus</i> Crotch, 1876	89
<i>bifasciatus</i> Herbst, 1799	108
<i>bihamatus</i> Lac., 1842	46
<i>bilineatus</i> Dup., 1825	73
<i>bimaculatus</i> F., 1775	74
<i>bimaculatus</i> Mader, 1942	115
<i>bimaculicollis</i> Mader, 1942	67
<i>binarius</i> Casey, 1916	51
<i>biplagiatus</i> Guér.-Mén., 1841	72
<i>bipunctatus</i> Gorham, 1888	21
<i>bisbimaculatus</i> Lac., 1842	46
<i>bisculptum</i> Casey, 1916	39
<i>bisigillatus</i> Lac., 1842	74
<i>bisignatus</i> Guér.-Mén., 1841	68
<i>bisquadripunctatus</i> Kuhnt, 1911	62
<i>bisquinquepunctatus</i> Lac., 1842	62
<i>bisquinquesignatus</i> Mader, 1943	62
<i>bisseptemguttatus</i> Crotch, 1876	21
<i>bistrifolius</i> Gorham, 1889	80
<i>bistrigatus</i> Lac. 1842	21
<i>bistrioculatus</i> Alv., 1983	21
<i>bistripunctatus</i> Lac., 1842	62
<i>bitaeniatus</i> Lac. 1842	111
<i>bizonatus</i> Crotch, 1876	80
<i>blandus</i> Erichson, 1847	19
<i>bogotae</i> Crotch, 1876, (<i>Isch.</i>)	8
<i>bogotae</i> Crotch, 1876, (<i>Micr.</i>)	12
<i>boisduvali</i> Chevr., 1834	102
<i>bolivianus</i> Mader, 1942, (<i>Gibb.</i>)	102
<i>bolivianus</i> Mader, 1942, (<i>lph.</i>)	86
<i>bolivianus</i> Schenkl., 1919	49

<i>bolivianus</i> Mader, 1942, (Ell.)	124
<i>boliviensis</i> Delk., 1957	19
<i>bonplandi</i> Lac., 1842	46
<i>borgmeieri</i> Alv., 1976	102
<i>bosci</i> Guér.-Mén., 1841	110
<i>boucardi</i> Crotch, 1876	12
<i>bourcierii</i> Guér.-Mén., 1855	51
<i>boylei</i> Alv., 1971	89
<i>Brachylon</i> Gorham, 1898	124
<i>brachymeroides</i> Crotch, 1876	118
<i>Brachymerus</i> Chevr., 1837	79
<i>Brachysphaenus</i> Khunt, 1909	58
<i>Brachysphenus</i> Gorham, 1888.	58
<i>Brachysphoenus</i> Lac., 1842.	58
<i>brasilianus</i> Kuhnt, 1908	99
<i>brasilianus</i> Crotch, 1876	21
<i>brasiliensis</i> Guérin, 1946	38
<i>brasiliensis</i> Lac., 1842, (Isch.)	9
<i>brasiliensis</i> Deelder, 1942	18
<i>brasiliensis</i> Lac., 1842, (Meg.)	5
<i>bremei</i> Guér.-Mén., 1841	80
<i>breve</i> Gorham, 1899	124
<i>brevicollis</i> Gorham, 1888	62
<i>brevicornis</i> Dup., 1825	50
<i>brevis</i> Gorham, 1888	21
<i>brongiarti</i> Lac., 1842	80
<i>bruchi</i> Kuhnt, 1910	38
<i>brunneostriolatus</i> Kuhnt, 1910	80
<i>brunneus</i> Kuhnt, 1908	57
<i>brunneus</i> F., 1801	121
<i>brunnipennis</i> Lac., 1842	51
<i>brunnipes</i> Kuhnt, 1910	18
<i>buckleyi</i> Crotch, 1876, (Erot.)	89
<i>buckleyi</i> Crotch, 1876, (Thon.)	45
<i>buckleyi</i> Crotch, 1876, (Olig.)	107
<i>bulla</i> Lac., 1842	51

<i>buqueti</i> Lac., 1842	98
<i>burmeisteri</i> Lac., 1842	52
<i>cacicus</i> Lac., 1842	107
<i>caduca</i> Gorham, 1888	38
<i>calceatus</i> Lac., 1842	115
<i>Calenus</i> Dejean, 1837	123
<i>calidus</i> Lac., 1842	42
<i>californica</i> Horn, 1870	3
<i>californicus</i> Lac., 1842	103
<i>Callischyrus</i> Crotch, 1876	18
<i>camelus</i> Guér.-Mén., 1841	103
<i>candezei</i> Crotch, 1876	18
<i>capitatus</i> Lac., 1842	49
<i>carbonarius</i> Gorham, 1888	39
<i>carbunculus</i> Lac., 1842	42
<i>cardinalis</i> Chevr., 1834	52
<i>careus</i> Crotch, 1876	30
<i>carmineus</i> Lac., 1842	49
<i>carmineus</i> Crotch, 1876	85
<i>cassideus</i> Lac., 1842	54
<i>cassidoides</i> Crotch, 1876	89
<i>castaneus</i> Guérin, 1956	72
<i>castaneus</i> Gorham, 1888	44
<i>catenatus</i> Kuhnt, 1908	89
<i>catenatus</i> Crotch, 1876	9
<i>catenulatus</i> Lac., 1842	9
<i>catenulatus</i> Oliv., 1807	7
<i>catillifer</i> Gorham, 1888	58
<i>cayennensis</i> Lap., 1840	6
<i>centralis</i> Arrow, 1909	21
<i>centromaculatus</i> Lac., 1842	63
<i>centumpunctatus</i> Herbst, 1783	56
<i>cerasinus</i> Lac., 1842	80
<i>cercyonoides</i> Gorham, 1888	22
<i>cereus</i> Gorham, 1888	63
<i>chacojae</i> Gorham, 1887	12

<i>chalybeus</i> Dup., 1825	52
<i>chamoeleo</i> Lac., 1842	111
<i>championi</i> Gorham, 1888	40
<i>chaparensis</i> Delk., 1957	35
<i>Charidemus</i> Gistel, 1848	73
<i>chelonarius</i> Lac., 1842	69
<i>chevrolati</i> Lac., 1842	89
<i>chevrolati</i> Crotch, 1876	9
<i>chiasticus</i> Boyle, 1954	13
<i>chilensis</i> Crotch, 1876, (<i>Neox.</i>)	45
<i>chilensis</i> Crotch, 1876, (<i>Mycotr.</i>)	22
<i>chlamydophorus</i> Lac., 1842	42
<i>chontalesi</i> Crotch, 1873	22
<i>chrysomelinus</i> Lac., 1842	47
<i>cinctellus</i> Lac., 1842	58
<i>cinctellus</i> Guér.-Mén., 1841	22
<i>cinctiger</i> Crotch, 1876	22
<i>cinctipennis</i> Dup., 1825	52
<i>cinctus</i> Herbst, 1799	108
<i>cingulatus</i> Lac., 1842	69
<i>cingulatus</i> Crotch, 1876	89
<i>circulus</i> Lac., 1842	58
<i>circumcinctus</i> Delk., 1957	13
<i>circumdatus</i> Guér.-Mén., 1841	67
<i>circumfusus</i> Kuhnt, 1908	52
<i>circumscripatus</i> Dup., 1825	9
<i>claropictus</i> Kuhnt, 1910	69
<i>clarosignatus</i> Kuhnt, 1910	58
<i>clarosignatus</i> Kuhnt, 1908	89
<i>clathraticollis</i> Mader, 1942	52
<i>clathratus</i> Lac., 1842	56
<i>clathratus</i> Schenkl., 1919	56
<i>clavicornis</i> Oliv., 1792	76
<i>clavicornis</i> L., 1758	52
<i>clitelliger</i> Lac., 1842	22
<i>coadunatus</i> Lac., 1842	58

<i>coccidulinus</i> Gorham, 1888	22
<i>Coccimorphus</i> Hope, 1841	48
<i>coccineipennis</i> Motsc., 1858	44
<i>coccinellinus</i> Crotch, 1876	47
<i>coccinelloides</i> Tasch., 1870	22
<i>coccinelloides</i> Dup., 1825	49
<i>coccineus</i> Lac., 1842	22
<i>coelestinus</i> Lac., 1842	22
<i>cognatus</i> Lac., 1842	22
<i>collaris</i> Deelder, 1942	74
<i>collaris</i> Kuhnt, 1908	57
<i>collatinus</i> Crotch, 1876	13
<i>colombi</i> Guér.-Mén., 1844	68
<i>coloradana</i> Casey, 1924	40
<i>columbiae</i> Kuhnt, 1908	91
<i>columbiae</i> Crotch, 1876	77
<i>columbianus</i> Lac., 1842	9
<i>completus</i> Kuhnt, 1908	97
<i>concentratus</i> Crotch, 1876	71
<i>concinus</i> Kuhnt, 1910	5
<i>concolor</i> Lac., 1842	63
<i>concolor</i> Crotch, 1876	88
<i>conductus</i> Kuhnt, 1910, (<i>Mycotr.</i>)	24
<i>conductus</i> Kuhnt, 1910, (<i>Micrisch.</i>)	13
<i>confinis</i> LeConte, 1854	40
<i>confluens</i> Crotch, 1876	100
<i>conformis</i> Lac., 1842	80
<i>confusus</i> Crotch, 1876	5
<i>confusus</i> Crotch, 1873	121
<i>congener</i> Lac., 1842	63
<i>conjugens</i> Kuhnt, 1908	99
<i>conjunctus</i> Crotch, 1876	34
<i>connectens</i> Crotch, 1876	98
<i>connexus</i> Crotch, 1876	9
<i>consanguineus</i> Lac., 1842	10
<i>consanguineus</i> Gorham, 1888	22

<i>consimilis</i> Crotch, 1876	13
<i>consociatus</i> Kunht, 1910	24
<i>conspersus</i> Kirsch, 1883	5
<i>conspersus</i> Gorham, 1887	6
<i>conspersus</i> Dup., 1825	69
<i>conspersus</i> Germ., 1824	37
<i>conspicillatus</i> Gorham, 1888	63
<i>consularis</i> Guér.-Mén., 1855	52
<i>contaminatus</i> Erichson, 1847	5
<i>contractus</i> Kuhnt, 1908	89
<i>convexiusculus</i> Crotch, 1876	108
<i>convexus</i> Crotch, 1876	108
<i>corallinus</i> Lac., 1842	42
<i>corallipennis</i> Crotch, 1876	22
<i>cordatus</i> Crotch, 1876	53
<i>cordiger</i> Crotch, 1876, (<i>lph.</i>)	63
<i>cordiger</i> Crotch, 1876, (<i>Mycotr.</i>)	23
<i>cornaliae</i> Guér.-Mén., 1855	89
<i>coronatus</i> Dup., 1825	23
<i>costaricensis</i> Gorham, 1888	103
<i>costaricensis</i> Mader, 1943	77
<i>crabronoides</i> Lac., 1842	113
<i>cretaceus</i> Guérin, 1956	53
<i>cribratus</i> Gorham, 1888	23
<i>cribripennis</i> Achard, 1926	49
<i>cribrosus</i> Lac., 1842	53
<i>crocicollis</i> Lac., 1842	123
<i>crotchi</i> Deelder, 1942	89
<i>cruciatus</i> Lac., 1842	87
<i>crucifer</i> Kuhnt, 1908	89
<i>cruciger</i> Crotch, 1876	23
<i>crudus</i> Gorham, 1888	23
<i>cruentatus</i> Kirsch, 1865	44
<i>cruentipennis</i> Lac., 1842	39
<i>cruentissimus</i> Casey, 1916	42
<i>cruentus</i> Gorham, 1888	23

<i>cunctabundus</i> Mader, 1942	58
<i>cunctans</i> Mader, 1942	23
<i>curvipes</i> Guér.-Mén., 1841	5
<i>cyaneus</i> Dup. 1825	17
<i>cyanipennis</i> Guér.-Mén., 1841	53
<i>cyanopterus</i> Lac., 1842	23
<i>cyanopterus</i> Erichson, 1847	19
<i>Cyclomorphus</i> Hope, 1841	46
<i>Cypherotylus</i> Crotch, 1873	101
<i>Cyrtomorphus</i> Lac., 1842	20
<i>Cyrtotriplax</i> Crotch, 1873	39
<i>Cytorea</i> Lap., 1840	87
<i>d'orbignyi</i> Guér.-Mén., 1841	121
<i>Dacne</i> Latr., 1796	3
<i>debauvei</i> Demay, 1838	103
<i>debilis</i> Crotch, 1876	115
<i>decemmaculatus</i> Dup., 1825	109
<i>decemnotatus</i> Dup., 1825	69
<i>decemoculatus</i> Mader, 1943	63
<i>decemplagiatus</i> Kuhnt, 1910	63
<i>decempunctatus</i> Dup., 1825	63
<i>decempunctatus</i> Guér.-Mén., 1841	9
<i>decipiens</i> Crotch, 1876	90
<i>decoloratus</i> Kuhnt, 1910	53
<i>decoloratus</i> Crotch, 1876	83
<i>decoratus</i> Dup., 1825	23
<i>decorus</i> Guérin, 1949	13
<i>decorus</i> Crotch, 1876	23
<i>decussatus</i> Lac., 1842	58
<i>deficiens</i> Crotch, 1876, (Prep.)	112
<i>deficiens</i> Crotch, 1876, (Iph.)	63
<i>dejeani</i> Lac., 1842	115
<i>delenitus</i> Alv., 1976	90
<i>deletus</i> Lac., 1842	63
<i>delineatus</i> Lac., 1842	59
<i>dentatus</i> Germ., 1824	6

<i>denticulatus</i> Deelter, 1942	51
<i>derasofasciatus</i> Kuhnt, 1910	23
<i>detrahens</i> Crotch, 1876	115
<i>detritus</i> Lac., 1842	63
<i>deyrollei</i> Crotch, 1876	23
<i>Dichomorpha</i> Kuhnt, 1909	88
<i>dichromostigma</i> Guér.-Mén., 1841	98
<i>dichrous</i> Crotch, 1876	53
<i>dichrous</i> Kirsch, 1876	23
<i>dichrous</i> Lac., 1842	49
<i>difficilis</i> Crotch, 1876	115
<i>difficilis</i> Lac., 1842	24
<i>diffinis</i> Erichson, 1847	111
<i>dilaceratus</i> Kirsch, 1876	90
<i>dilaceratus</i> Lac., 1842	85
<i>dilectus</i> Gorham, 1888	59
<i>dimidiata</i> Gorham, 1888	38
<i>dimidiatus</i> Tasch., 1870	24
<i>dimidiatus</i> Oliv., 1792	87
<i>dimidiatus</i> Crotch, 1876	35
<i>discedens</i> Kuhnt, 1910	71
<i>discipennis</i> Kuhnt, 1910	24
<i>discipennis</i> Lac., 1842	9
<i>discoidalis</i> Tasch., 1870	24
<i>discoideus</i> Gorham, 1888	54
<i>discoideus</i> Oliv., 1807	108
<i>disconigrum</i> Mader, 1942, (<i>Micrisch.</i>)	13
<i>disconigrum</i> Mader, 1942, (<i>Iph.</i>)	77
<i>discrepans</i> Guérin, 1956	64
<i>discretus</i> Crotch, 1876	82
<i>discus</i> Lac., 1842	64
<i>disjunctus</i> Crotch, 1876	85
<i>dispar</i> Tasch., 1870	24
<i>dispilotus</i> Lac., 1842	68
<i>disputabilis</i> Crotch, 1876	111
<i>distigma</i> Lac., 1842	24

<i>distinctus</i> Dup., 1825	80
<i>distinguendus</i> Lac., 1842	13
<i>distinguendus</i> Crotch, 1876	121
<i>distinguendus</i> Arrow, 1909	24
<i>distortus</i> Crotch, 1873	6
<i>divisa</i> Gorham, 1888	40
<i>divisus</i> Guérin, 1956	80
<i>dohrni</i> Mader, 1942	53
<i>dorsalis</i> Gorham, 1888	39
<i>dorsalis</i> Gorham, 1883	42
<i>dorsalis</i> Oliv., 1792	81
<i>dorsofasciatus</i> Lac., 1842	24
<i>dorsomaculatus</i> Lac., 1842	72
<i>dorsonotatus</i> Lac., 1842, (<i>Mycotr.</i>)	24
<i>dorsonotatus</i> Lac., 1842, (<i>Iph.</i>)	77
<i>dromedarius</i> Lac., 1842	103
<i>dryas</i> Lac., 1842	88
<i>dubitabilis</i> Crotch, 1876	106
<i>dubius</i> Gorham, 1888	53
<i>dubius</i> Lac., 1842.	24
<i>ducalis</i> Crotch, 1876	6
<i>dunedinensis</i> Leng, 1920	13
<i>duodecimguttatus</i> Dup., 1825	24
<i>duodecimmaculatus</i> Kuhnt, 1910	108
<i>duodecimpustulatus</i> Lac., 1842	59
<i>duplicatus</i> Crotch, 1876	112
<i>duplicatus</i> Gorham, 1888	53
<i>duplicatus</i> Lac., 1842	59
<i>duponcheli</i> Chevr., 1834	112
<i>duponcheli</i> Lac., 1842	121
<i>duponcheli</i> Arrow, 1937	105
<i>duponti</i> Lac., 1842	13
<i>dura</i> Curran, 1944	98
<i>durius</i> Lac., 1842	25
<i>dytiscoides</i> Lac., 1842	25
<i>eburneus</i> Crotch, 1876	81

<i>ecuadorensis</i> Crotch, 1876	68
<i>ecuadorica</i> Crotch, 1876	98
<i>ecuadoricus</i> Mader, 1942	53
<i>eduardoi</i> Alv., 1976	112
<i>egae</i> Crotch, 1876, (Mycol.)	44
<i>egae</i> Crotch, 1876, (Mycotr.)	25
<i>egensis</i> Gorham, 1889	64
<i>egregius</i> Guérin, 1946	90
<i>elateroides</i> Gorham, 1888	39
<i>elegans</i> Gorham, 1888	25
<i>elegans</i> Guér.-Mén., 1841	19
<i>elegans</i> Mader, 1942, (Neopr.)	115
<i>elegans</i> Kuhnt, 1908	90
<i>elegans</i> Mader, 1942, (Iph.)	81
<i>elegantulus</i> Guérin, 1946	90
<i>elegantulus</i> Lac., 1842	13
<i>elevatus</i> F., 1801	103
<i>ellipticus</i> Kuhnt, 1910	68
<i>Ellipticus</i> Chevr., 1837	120
<i>Ellipticus</i> (s.str.) Chevr., 1837	120
<i>elongatulus</i> Crotch, 1876	90
<i>elongatus</i> Gorham, 1883	9
<i>emarginatus</i> Kirsch, 1865	120
<i>emys</i> Lac., 1842	49
<i>Engis</i> Paykull, 1800	3
<i>ephippiatus</i> Gorham, 1887	13
<i>ephippium</i> Dup., 1825	59
<i>epigraphus</i> Crotch, 1876	59
<i>epipleuralis</i> Crotch, 1876	81
<i>episcaphoides</i> Crotch, 1876	25
<i>episcaphulinus</i> Gorham, 1887	13
<i>episcopalis</i> Lac., 1842.	25
<i>epopterus</i> Gorham, 1888	25
<i>Epytus</i> Dejean, 1837	17
<i>equestris</i> Lac., 1842	115
<i>erichsoni</i> Lac., 1842	81

<i>Erotylina</i> Curran, 1944	98
<i>erotyloides</i> Crotch, 1876	74
<i>Erotylus</i> F., 1775	88
<i>errans</i> Boyle, 1956	40
<i>erraticus</i> Gorham, 1898	25
<i>erythrocephalus</i> Oliv., 1807	74
<i>erythrocerus</i> Crotch, 1876	30
<i>erythrogonus</i> Crotch, 1876	108
<i>erythropterus</i> Lac., 1842	88
<i>Euphanistes</i> Lac., 1842	46
<i>Eurycardius</i> Lac., 1842	88
<i>exiguenotatus</i> Gorham, 1888	64
<i>eximius</i> Lac., 1842	59
<i>exoticus</i> Voet, 1778	81
<i>expressus</i> Kuhnt, 1910	25
<i>extricatus</i> Crotch, 1876	47
<i>faba</i> Lac., 1842	42
<i>fallax</i> Guér.-Mén., 1841	25
<i>fasciatopunctatus</i> Lac., 1842	80
<i>fasciatus</i> Oliv., 1792	86
<i>fasciatus</i> F., 1801	25
<i>fasciellus</i> Crotch, 1876	59
<i>fasciolatus</i> Lac., 1842	25
<i>fascipennis</i> Kuhnt, 1910	25
<i>fasciunculus</i> Crotch, 1876	59
<i>femolaris</i> Kirsch, 1865	116
<i>femoralis</i> Chevr., 1841	13
<i>fenestratus</i> Gorham, 1888	103
<i>ferrugineus</i> Gorham, 1888	38
<i>ferrugineus</i> Oliv., 1807	42
<i>festivus</i> Lac., 1842	64
<i>fidelis</i> Delk., 1939	25
<i>figuratus</i> Lac., 1842	29
<i>flavangula</i> Crotch, 1876	98
<i>flavicollis</i> Lac., 1842	40
<i>flavipennis</i> Guér.-Mén., 1844	45

<i>flavitarsis</i> Lac., 1842	18
<i>flavofasciatus</i> Dup., 1825	81
<i>flavolineatus</i> Mader, 1943	53
<i>flavomaculatus</i> Mader, 1943	119
<i>flavomarginatus</i> Lac., 1842	26
<i>flavopunctatus</i> Kuhnt, 1908	90
<i>flavosignatus</i> Dup., 1825	81
<i>flavotaeniatus</i> Kuhnt, 1908	90
<i>flavovittatoides</i> Mader, 1943	69
<i>flavovittatus</i> Dup., 1825	70
<i>flexuososignatus</i> Crotch, 1876	45
<i>flexuosus</i> Lac., 1842	70
<i>floriger</i> Lac., 1842	26
<i>floripesae</i> Alv., 1962	49
<i>foraminosus</i> Lac., 1842	101
<i>forsteri</i> Delk., 1957	90
<i>foveata</i> Kuhnt, 1908	98
<i>foveicollis</i> Lac., 1842	49
<i>fractus</i> Crotch, 1876	108
<i>fragmentatus</i> Gorham, 1888	81
<i>fragosoi</i> Alv., 1983	26
<i>fraternus</i> Lac., 1842	14
<i>frenatus</i> Guér.-Mén., 1841	49
<i>friedeli</i> Mader, 1938	81
<i>frontalis</i> Lac., 1842	14
<i>fulgurator</i> Lac., 1842	96
<i>fulmineus</i> Delk., 1957	14
<i>fulva</i> Kuhnt, 1909	88
<i>fulviceps</i> Crotch, 1876	26
<i>fulvilabris</i> Crotch, 1876	26
<i>fulvipennis</i> Erichson, 1847	64
<i>fulvitarsis</i> Lac., 1842	18
<i>fulviventris</i> Gorham, 1888	77
<i>fulvofasciatus</i> Kuhnt, 1908	90
<i>funerellus</i> Crotch, 1876	106
<i>fuscipes</i> Dup., 1825	64

<i>fuscitarsis</i> Lac., 1842	26
<i>fuscomaculatus</i> Dup., 1825	64
<i>gaumeri</i> Gorham, 1888	103
<i>Gemellatotelus</i> Mader, 1942	123
<i>gemellatus</i> Lac., 1842	123
<i>geminata</i> Crotch, 1876	99
<i>geminatus</i> Lac., 1842	53
<i>geminus</i> Gorham, 1888	26
<i>gemmata</i> F., 1792	99
<i>gemma</i> Lac., 1842	26
<i>gentilis</i> Lac., 1842	26
<i>geometra</i> Lac., 1842	82
<i>geometricus</i> Guérin, 1956	95
<i>germari</i> Lac., 1842	87
<i>ghiliani</i> Guér.-Mén., 1855	99
<i>Gibbifer</i> Voet, 1778	101
<i>gibbosus</i> L., 1763	104
<i>gibbosus</i> Crotch, 1876	47
<i>giganteus</i> L., 1758	90
<i>giganteus</i> Germ., 1824	6
<i>glaber</i> Kuhnt, 1908	91
<i>glaber</i> Gorham, 1888	41
<i>Glabratotelus</i> Mader, 1942	123
<i>glabratus</i> Waterh., 1879	47
<i>globosus</i> Guér.-Mén., 1841	47
<i>globulus</i> Achard, 1926	53
<i>glyptoderus</i> Lac., 1842	74
<i>godarti</i> Lac., 1842	31
<i>goianus</i> Guérin, 1948	74
<i>gorhami</i> Alv., 1977	54
<i>gorhami</i> Mader, 1942	9
<i>gorhami</i> Kuhnt, 1909	6
<i>goryi</i> Guér.-Mén., 1841	104
<i>gracilipes</i> Lac., 1842	6
<i>gracilis</i> Kuhnt, 1908	104
<i>grammicoides</i> Mader, 1943	64

<i>grammicus</i> Gorham, 1888	54
<i>grammicus</i> Gorham, 1883	14
<i>grammicus</i> Erichson, 1847	64
<i>grammistes</i> Lac., 1842	10
<i>granatus</i> Lac., 1842	42
<i>graniformis</i> Lac., 1842	26
<i>graphicus</i> Lac., 1842	15
<i>graphoderus</i> Lac., 1842	26
<i>gratiosus</i> Guér.-Mén., 1844	14
<i>gronovii</i> Herbst, 1783	107
<i>guadeloupensis</i> F., 1792	73
<i>guatemalae</i> Crotch, 1876, (<i>Isch.</i>)	10
<i>guatemalae</i> Crotch, 1876, (<i>Gibb.</i>)	104
<i>guatemalae</i> Crotch, 1876, (<i>Olig.</i>)	110
<i>guatemalae</i> Crotch, 1876, (<i>Mycotr.</i>)	27
<i>guerini</i> Demay, 1838	91
<i>guianacus</i> Curran, 1941	43
<i>guttatus</i> Dup., 1825	70
<i>guttiger</i> Kuhnt, 1910	70
<i>habrodactyloides</i> Crotch, 1876	116
<i>Habrodactylus</i> Lac., 1842	62
<i>haemapterus</i> Gorham, 1888	27
<i>haematicus</i> Gorham., 1888	27
<i>haematites</i> Lac., 1842	64
<i>haematocephalus</i> Lac., 1842	74
<i>Haematochiton</i> Gorham, 1888	39
<i>haematomelas</i> Lac., 1842	64
<i>haematopterus</i> Lac., 1842	77
<i>haitensis</i> Curran, 1944	18
<i>hamatus</i> Guérin, 1956	64
<i>hebraicus</i> Lac., 1842	82
<i>helopioides</i> Dup., 1825	99
<i>hemisphaericus</i> Lac., 1842	54
<i>hepaticus</i> Lac., 1842	27
<i>hepaticus</i> Crotch, 1876	121
<i>hepaticus</i> Kirsch, 1876	119

<i>herbsti</i> Lac., 1842	113
<i>heros</i> Guér.-Mén., 1841	4
<i>herpestes</i> Lac., 1842	99
<i>hesitans</i> Crotch, 1876	106
<i>heterogrammus</i> Lac., 1842	107
<i>hexagrammus</i> Lac., 1842	91
<i>hexastictus</i> Crotch, 1876	82
<i>hieroglyphicus</i> Dup., 1825	19
<i>hieroglyphicus</i> Crotch, 1876	91
<i>hilaris</i> Lac., 1842	27
<i>hirudo</i> Gorham, 1888	27
<i>histrio</i> F., 1787	91
<i>histrionicus</i> Dup., 1825	91
<i>hoffmanni</i> Lac., 1842	65
<i>hogeï</i> Gorham, 1888, (<i>Aeg.</i>)	54
<i>hogeï</i> Gorham, 1888, (<i>Triplax</i>)	40
<i>Homoeotelus</i> Erichson, 1847	120
<i>Homoeotelus</i> Hader, 1942	120
<i>hopei</i> Guér.-Mén., 1844	7
<i>hopei</i> Guér.-Mén., 1841	119
<i>hopfneri</i> Mader, 1935	104
<i>horioni</i> Delk., 1957	116
<i>humboldti</i> Lac., 1842	47
<i>humeralis</i> Germ., 1824	27
<i>humeralis</i> Kuhnt, 1910	43
<i>humeralis</i> Guérin, 1956	74
<i>humeropictus</i> Mader, 1943	77
<i>humilis</i> Lac., 1842	27
<i>hybridus</i> Lac., 1842	65
<i>hybridus</i> Erichson, 1847	108
<i>hydrophiloides</i> Lac., 1842	46
<i>Hypselonotus</i> , Hope, 1841	101
<i>ictericus</i> Lac., 1842	65
<i>ignobilis</i> Kirsch, 1865	116
<i>illustris</i> Crotch, 1876	27
<i>imarginata</i> Schenkl., 1919	12

<i>imitans</i> Kirsch, 1876	91
<i>immaculatus</i> Lac., 1842	78
<i>immaculatus</i> Oliv., 1807	122
<i>immaculatus</i> Deelder, 1942	68
<i>immaculicollis</i> Crotch, 1876	118
<i>immaculipennis</i> Mader, 1935	76
<i>imperfecta</i> Crotch, 1876	99
<i>imperfectus</i> Crotch, 1876	35
<i>impluviatus</i> Lac., 1842	113
<i>impressopunctatus</i> Crotch, 1873	104
<i>impressopunctatus</i> Crotch, 1876	14
<i>impunctatus</i> Crotch, 1876	104
<i>impunctatus</i> Kuhnt, 1908	95
<i>incarnatus</i> Gorham, 1888	27
<i>incas</i> Gorham, 1889	82
<i>incertus</i> Lac., 1842, (<i>Erot.</i>)	91
<i>incertus</i> Lac., 1842, (<i>Micrisch.</i>)	14
<i>inchoatus</i> Crotch, 1876	112
<i>incomparabilis</i> Perty, 1832	92
<i>indica</i> L., 1758	4
<i>indicus</i> Herbst, 1783	108
<i>infasciatus</i> Kuhnt, 1910	95
<i>infaustus</i> Lac., 1842	47
<i>Inflatotelus</i> Mader, 1942	124
<i>inflatus</i> Lac., 1842	47
<i>inflatus</i> Mader, 1942	124
<i>inflatus</i> Crotch, 1876	54
<i>insignis</i> Lap., 1840	19
<i>insolens</i> Crotch, 1876	14
<i>integer</i> Kuhnt, 1908	93
<i>integer</i> Guérin, 1956	85
<i>intercedens</i> Kuhnt, 1908	104
<i>intercedens</i> Schenkl., 1919	74
<i>intermedia</i> Crotch, 1876	99
<i>intermedius</i> Lac., 1842	27
<i>interpunctatus</i> Crotch, 1876	87

<i>interpunctatus</i> Gorham, 1888	43
<i>interruptus</i> Kuhnt, 1908	74
<i>interruptus</i> Crotch, 1876	112
<i>interruptus</i> Dup., 1825	14
<i>intersectus</i> Dup., 1825	70
<i>interstictus</i> Gorham, 1888	27
<i>interstitialis</i> Kuhnt, 1910	27
<i>inversus</i> Mader, 1942	68
<i>involutus</i> Kuhnt, 1908	92
<i>iphicloides</i> Crotch, 1876	47
<i>Iphiclus</i> (s.str.) Chev., 1837	69
<i>Iphiclus</i> Chev., 1837	58
<i>iris</i> Guérin, 1956	82
<i>irroratus</i> Kuhnt, 1908	104
<i>irroratus</i> Lac., 1842	116
<i>Ischyryus</i> Crotch, 1873	12
<i>Ischyryus</i> Chev., 1837	8
<i>isequeboensis</i> Voet, 1778	92
<i>jacinthoi</i> Alv., 1977	82
<i>jacquieri</i> Lac., 1842	104
<i>jansoni</i> Crotch, 1873, (Aeg.)	54
<i>jansoni</i> Crotch, 1873, (Ell.)	123
<i>jansoni</i> Crotch, 1873, (Olig.)	109
<i>jansoni</i> Crotch, 1873, (Gibb.)	106
<i>jaspidea</i> Erichson, 1847	99
<i>jejunus</i> Gorham, 1888	65
<i>jocosus</i> Lac., 1842	28
<i>jucundus</i> Lac., 1842	117
<i>jucundus</i> Mader, 1942	92
<i>jurinei</i> Lac., 1842	10
<i>Kakoia</i> Alv., 1971	87
<i>kempferi</i> Alv., 1977	14
<i>kirschi</i> Crotch, 1876	118
<i>kirschi</i> Kuhnt, 1911	62
<i>kleinei</i> Mader, 1943	43
<i>klugi</i> Lac., 1842	74

<i>knochii</i> , Lac., 1842	10
<i>kourouensis</i> Lac., 1842	65
<i>krafti</i> Mader, 1935	75
<i>kuhnti</i> Mader, 1938	90
<i>kuhnti</i> Mader, 1942	75
<i>kuhnti</i> Deelder, 1942	92
<i>laccophilinus</i> Gorham, 1888	28
<i>laceratus</i> Mader, 1938	82
<i>lacertosus</i> Lac., 1842	28
<i>lacordairei</i> Crotch, 1876	77
<i>lacordairei</i> Lac., 1842	100
<i>laetus</i> Deelder, 1942	92
<i>laetus</i> Crotch, 1876	59
<i>laetus</i> Schenkl., 1919	10
<i>laetus</i> Lac., 1842	14
<i>laevigatus</i> Deelder, 1942	107
<i>laevipennis</i> Kuhnt, 1910	60
<i>laevis</i> Delk., 1957	124
<i>laeviusculus</i> Crotch, 1876	47
<i>laeviventris</i> Crotch, 1876	28
<i>lateripunctatus</i> Crotch, 1876	77
<i>lateritius</i> Lac., 1842	54
<i>latifasciata</i> Delk., 1952	4
<i>latipalpus</i> Johnson, 1967	40
<i>latreillei</i> Lac., 1842	92
<i>leachi</i> Lac., 1842	54
<i>lebasi</i> Lac., 1842	54
<i>leoparda</i> Lac., 1842	100
<i>leopardus</i> Gorham, 1888	37
<i>lepidus</i> Lac., 1842	28
<i>leprosus</i> Lac., 1842	28
<i>lesueri</i> Chevr., 1835	28
<i>limbatus</i> Kuhnt, 1910	109
<i>limbatus</i> Crotch, 1876	116
<i>limbatus</i> Lac., 1842	28
<i>limbatus</i> Oliv., 1792	75

<i>lineaticollis</i> Dup., 1825	121
<i>lineatulus</i> Crotch, 1876	116
<i>lineatus</i> Guér.-Mén., 1844	54
<i>lineatus</i> Lac., 1842	10
<i>lineatus</i> Kuhnt, 1910	14
<i>lineellus</i> Dup., 1825	70
<i>lineola</i> Lac., 1842	54
<i>lineolatus</i> Crotch, 1876	12
<i>lissomoides</i> Crotch, 1876	28
<i>litigiosus</i> Lac., 1842	65
<i>lividus</i> Lac., 1842	116
<i>longulus</i> Guérin, 1956	92
<i>lopesi</i> Alv., 1989	28
<i>loratus</i> Erichson, 1847	92
<i>lucidus</i> Lac., 1842	44
<i>luctuosus</i> Kuhnt, 1910	60
<i>lugens</i> Lac., 1842	82
<i>lugubris</i> Lac., 1842	107
<i>lugubris</i> Gmelin, 1790	122
<i>luizi</i> Alv., 1983	28
<i>lunaris</i> Guérin, 1956	82
<i>lunulatus</i> Oliv., 1792	107
<i>luridus</i> Kuhnt, 1908	55
<i>luscus</i> Erichson, 1847	68
<i>luteipes</i> Lac., 1842	28
<i>luteobifasciatus</i> Mader, 1942	37
<i>luteolus</i> Gorham, 1888	28
<i>luteoniger</i> Crotch, 1876	60
<i>luteopictus</i> Crotch, 1876	60
<i>luteotaeniatus</i> Kuhnt, 1908	92
<i>luteozonatus</i> Crotch, 1876	82
<i>luteus</i> Erichson, 1847	55
<i>Lybanoides</i> Gorham, 1888	44
<i>Lybas</i> Chevr., 1837	20
<i>m-nigrum</i> Lac., 1842	72
<i>macasensis</i> Crotch, 1876	116

<i>macularis</i> Lac., 1842	14
<i>maculatoides</i> Mader, 1943	118
<i>maculatus</i> Guér.-Mén., 1844	45
<i>maculatus</i> Kirsch, 1865	118
<i>maculatus</i> Vòet, 1778	70
<i>maculatus</i> Oliv., 1792	28
<i>maculatus</i> Guér.-Mén., 1841	6
<i>maculicollis</i> Dup., 1825	55
<i>maculicollis</i> Kuhnt, 1910	75
<i>maculiformis</i> Crotch, 1876	113
<i>maculiventris</i> Lac., 1842, (<i>Micrisch.</i>)	16
<i>maculiventris</i> Lac., 1842, (<i>Erot.</i>)	100
<i>maculosus</i> Dup., 1825	31
<i>maderi</i> Delk., 1957	39
<i>maeander</i> Lac., 1842	47
<i>magus</i> Lac., 1842	29
<i>major</i> Mader, 1955	29
<i>manicatus</i> Lac., 1842	65
<i>marginatus</i> Oliv., 1792	73
<i>marginatus</i> Guér.-Mén., 1841	119
<i>margineguttatus</i> Crotch, 1876	93
<i>marginemaculatus</i> Crotch, 1876	93
<i>marginicollis</i> Lac., 1842	29
<i>marmoratus</i> Delk., 1957	124
<i>marshami</i> Lac., 1842	100
<i>masculus</i> Crotch, 1876	60
<i>maximus</i> Crotch, 1876	105
<i>meandrinus</i> , Lac., 1842	6
<i>mediatus</i> Lac., 1842	59
<i>mediofasciatus</i> Guérin, 1956	69
<i>mediolineatus</i> Mader, 1942	60
<i>Megalodacne</i> Crotch, 1873	4
<i>Megaprotus</i> Lac., 1842	58
<i>Megischyrus</i> Crotch, 1873	8
<i>melanocerus</i> Lac., 1842	41
<i>melanocorynus</i> Lac., 1842	44

<i>melanoderes</i> Kuhnt, 1910, (<i>Olig.</i>)	109
<i>melanoderes</i> Kuhnt, 1910, (<i>Trit.</i>)	38
<i>melanogaster</i> Guér.-Mén., 1844	19
<i>melanophthalmus</i> Dup., 1825	29
<i>melanopterus</i> Lac., 1842	29
<i>melanopus</i> Guér.-Mén., 1841	19
<i>melanopus</i> Lac., 1842	49
<i>melanopus</i> Gorham, 1888	77
<i>melanostictus</i> Crotch, 1876, (<i>Iph.</i>)	65
<i>melanostictus</i> Lac., 1842	31
<i>melanostictus</i> Crotch, 1876, (<i>Erot.</i>)	93
<i>melanostigma</i> Lac., 1842	106
<i>melanotus</i> Gorham, 1888	29
<i>melaspis</i> Gorham, 1888	55
<i>meleagris</i> Lac., 1842	65
<i>mendax</i> Lac., 1842	65
<i>meridionalis</i> Crotch, 1873	55
<i>mesomelas</i> Gorham, 1888	40
<i>mesomelas</i> Crotch, 1876	10
<i>mesosternalis</i> Schaef., 1905	40
<i>mesosternalis</i> Kuhnt, 1908	55
<i>mexicanus</i> Lac., 1842	10
<i>mexicanus</i> Crotch, 1876	123
<i>Micrerotylus</i> Crotch, 1876	106
<i>Micrischyrus</i> Alv., 1965	12
<i>microguttata</i> Kuhnt, 1908	100
<i>miles</i> Mader, 1942	82
<i>miliaris</i> Lac., 1842	105
<i>militarioides</i> Mader, 1942	109
<i>militaris</i> Germ., 1842	109
<i>miniatus</i> Lac., 1842	29
<i>minor</i> Deelder, 1942	91
<i>minor</i> Gorham, 1888	52
<i>minor</i> Kuhnt, 1908	99
<i>minor</i> Crotch, 1876	116
<i>minor</i> Guérin, 1956	80

<i>minutus</i> Dup., 1825	29
<i>mirabilis</i> Kuhnt, 1908	93
<i>mirus</i> Mader, 1942	82
<i>misellus</i> Lac., 1842	29
<i>misolampoides</i> Lac., 1842	114
<i>modestus</i> Oliv., 1807	18
<i>moniliferus</i> Guér.-Mén., 1841	60
<i>monochrous</i> Lac., 1842	55
<i>monostigma</i> Casey, 1916	40
<i>monrosi</i> Guérin, 1949	29
<i>monticola</i> Crotch, 1876	35
<i>Morphoides</i> , Crotch, 1876	76
<i>Morphoides</i> , Gemm. & Har., 1876	58
<i>Morphoides</i> Hope, 1841	73
<i>multifida</i> Lac., 1842	4
<i>multiguttata</i> Lac., 1842	100
<i>multiguttatus</i> Gorham, 1888	65
<i>multimaculatus</i> Tasch., 1870	29
<i>multinotatus</i> Lac., 1842	118
<i>multistriatus</i> Mader, 1942	55
<i>mundus</i> Schenkl., 1919	75
<i>musicalis</i> Lac., 1842	82
<i>mutabilis</i> Crotch, 1876	30
<i>mutabilis</i> Gorham, 1889	75
<i>mutatus</i> Mader, 1942	93
<i>mycetophagoides</i> Crotch, 1876	30
<i>mycetophiloides</i> Crotch, 1876	30
<i>mycetophilus</i> Lac., 1842	43
<i>Mycolybas</i> Crotch, 1876	44
<i>Mycomystes</i> Gorham, 1888	38
<i>Mycophthorus</i> Lac., 1842	41
<i>Mycotretus</i> Chevr., 1837	20
<i>mysticus</i> Gorham, 1883	6
<i>natalensis</i> Guérin, 1956	15
<i>nauteae</i> Crotch, 1876	93
<i>navicularis</i> Lac., 1842	119

<i>Neacronotus</i> Alv., 1965	67
<i>nebrioides</i> Crotch, 1876	45
<i>nebulosus</i> Guér. - Mén., 1841	75
<i>neglectus</i> Guérin, 1956	77
<i>neglectus</i> Mader, 1942	93
<i>neglectus</i> Kuhnt, 1908	103
<i>nemo</i> Guérin, 1956	93
<i>Neobarytopus</i> Alv., 1965	79
<i>Neogaster</i> Alv., 1965	73
<i>Neomorphoides</i> Alv., 1977	76
<i>neophyta</i> Lac., 1842	83
<i>Neopriotelus</i> Alv., 1965	115
<i>Neoxestus</i> Crotch, 1876	45
<i>nicaraguae</i> Crotch, 1873, (<i>Erot.</i>)	100
<i>nicaraguae</i> Crotch, 1873, (<i>Isch.</i>)	10
<i>nicaraguae</i> Crotch, 1873, (<i>Psel.</i>)	6
<i>niger</i> Deelder, 1942	121
<i>niger</i> Guérin, 1956, (<i>Habr.</i>)	65
<i>niger</i> Guérin, 1956, (<i>Neom.</i>)	77
<i>niger</i> Kuhnt, 1908	97
<i>nigricollis</i> Kuhnt, 1908	102
<i>nigricollis</i> Gorham, 1888	30
<i>nigricollis</i> Mader, 1935	75
<i>nigripennis</i> Demay, 1838	83
<i>nigripes</i> Gorham, 1888	30
<i>nigripes</i> Dup., 1825	49
<i>nigripes</i> Mader, 1942	14
<i>nigripes</i> Mader, 1935	75
<i>nigritarsis</i> Mader, 1942	77
<i>nigriventris</i> Crotch, 1876	77
<i>nigrivittis</i> Lac., 1842	30
<i>nigrocinctus</i> Erichson, 1847	55
<i>nigrocinctus</i> Lac., 1842	36
<i>nigrocinctus</i> Kuhnt, 1908	93
<i>nigrofasciatus</i> Deelder, 1942	92
<i>nigrolimbatus</i> Mader, 1942	123

<i>nigrolineatus</i> Crotch, 1876	15
<i>nigromaculatus</i> Kuhnt, 1909	30
<i>nigromaniscatus</i> Boyle, 1954	30
<i>nigromarmoratus</i> Mader, 1942	93
<i>nigronotatus</i> Gorham, 1888	93
<i>nigropectus</i> Mader, 1943	77
<i>nigropictus</i> Crotch, 1876, (<i>Bacis.</i>)	118
<i>nigropictus</i> Lac., 1842	83
<i>nigropictus</i> Crotch, 1876, (<i>Psel.</i>)	6
<i>nigropunctatus</i> Perch., 1835	6
<i>nigropunctatus</i> Dup., 1825	30
<i>nigrotaeniatus</i> Lac., 1842	109
<i>nigroterminalis</i> Kuhnt, 1908	105
<i>nigroterminatus</i> Lac., 1842	30
<i>nigrotibialis</i> Demay, 1838	109
<i>nigrotibialis</i> Mader, 1942	49
<i>nigrotibialis</i> Crotch, 1876	98
<i>nigrotinctus</i> Crotch, 1876	32
<i>nigrotrifasciatus</i> Mader, 1942	83
<i>nitescens</i> Crotch, 1876	30
<i>nitidior</i> Crotch, 1876, (<i>Micrisch.</i>)	15
<i>nitidior</i> Crotch, 1876, (<i>Neopr.</i>)	116
<i>nitidulus</i> Oliv., 1807	83
<i>nitidus</i> Mader, 1942	75
<i>nobilis</i> Crotch, 1876	15
<i>normalis</i> Gorham, 1888	31
<i>normalis</i> Lac . 1842	43
<i>normalis</i> Mader, 1942	92
<i>notatus</i> Oliv., 1792	111
<i>noterinus</i> Gorham, 1888	31
<i>nubifer</i> Casey, 1916	31
<i>nubilus</i> Lac., 1842	60
<i>nuculus</i> Gorham, 1888	60
<i>nugator</i> Lac., 1842	31
<i>obliquatus</i> Kuhnt, 1910	66
<i>obliqueguttatus</i> Crotch, 1876	65

<i>obliteratus</i> Guérin, 1956	60
<i>obliteratus</i> Erichson, 1847	113
<i>oblitus</i> Guérin, 1956	93
<i>oblitus</i> Lac., 1842	65
<i>oblongonotatus</i> Lac., 1842	66
<i>oblongosignatus</i> Guér.- Mén., 1844	68
<i>oblongus</i> Dup., 1825	11
<i>obscurior</i> Curran, 1941	113
<i>obsoletesignatus</i> Crotch, 1876	83
<i>obsoletus</i> Crotch, 1876	116
<i>obstinatus</i> Mader, 1942	105
<i>ocellatus</i> Germ., 1824	24
<i>ocellatus</i> Kuhnt, 1910	70
<i>ochraceus</i> Guérin, 1946	93
<i>octodecimguttatus</i> Lac., 1842	70
<i>octoguttatus</i> Oliv., 1807	83
<i>octolinearis</i> Kuhnt, 1910	60
<i>octomaculatus</i> Oliv., 1792	116
<i>octomaculatus</i> Kuhnt, 1910	118
<i>octomaculatus</i> Crotch, 1876	121
<i>octopunctatus</i> Kirsch, 1876	60
<i>octopunctatus</i> Kuhnt, 1910	62
<i>octopunctatus</i> Erichson, 1847	47
<i>octopustulatus</i> Guérin, 1956	83
<i>octostriatus</i> Kuhnt, 1910	10
<i>oculatus</i> Alv., 1983	31
<i>oculatus</i> Dup., 1825	83
<i>oculatus</i> Guérin, 1956	82
<i>odyneroides</i> Crotch, 1876	83
<i>ohausi</i> Mader, 1943	10
<i>Oligocorynus</i> Chevr., 1837	107
<i>olivaceipennis</i> Mader, 1942	55
<i>olivieri</i> Lac., 1842	94
<i>Omoiotelus</i> Hope, 1841	120
<i>onagga</i> Lac., 1842	94
<i>Oocyaneus</i> Hope, 1841	17

<i>Oogaster</i> Lac., 1842	73
<i>opacus</i> Schaef., 1915	39
<i>opalescens</i> Crotch, 1876	31
<i>opalizans</i> Lac., 1842	113
<i>opalizans</i> Mader, 1942	31
<i>oppositipunctum</i> Gorham, 1888	31
<i>orbignyanus</i> Lac., 1842	121
<i>ornaticollis</i> Lac., 1842	55
<i>ornatus</i> Dup., 1825	31
<i>ornatus</i> Kuhnt, 1909	83
<i>orphanulus</i> Lac., 1842	60
<i>orphanus</i> Crotch, 1876	117
<i>orthozonius</i> Crotch, 1876	84
<i>ovalis</i> Mader, 1942	105
<i>ovatus</i> Crotch, 1876	117
<i>palliatum</i> Lac., 1842	15
<i>pallidior</i> Crotch, 1876	32
<i>pallidipennis</i> Gorham, 1888	66
<i>pallidus</i> Kuhnt, 1908	55
<i>pallidus</i> Oliv., 1792	121
<i>palmarum</i> Lac., 1842	66
<i>palmiphilus</i> Lac., 1842	32
<i>panamae</i> Schenkl., 1919	10
<i>panamanus</i> Gorham, 1888	32
<i>panamanus</i> Mader, 1942	10
<i>pantherinus</i> Kuhnt, 1909	84
<i>papulosus</i> Lac., 1842	94
<i>paraensis</i> Alv., 1976	94
<i>paraensis</i> Guérin, 1956	8
<i>paraguayanus</i> Mader, 1943	75
<i>parallelus</i> Crotch, 1876	32
<i>parallelus</i> Kuhnt, 1909	26
<i>paramariboensis</i> Voet, 1778	91
<i>Paratritoma</i> Gorham, 1888	40
<i>parcepunctatus</i> Crotch, 1876	94
<i>pardalinus</i> Guérin, 1949	15

<i>pardalinus</i> Lac., 1842	71
<i>pardalis</i> Crotch, 1876	37
<i>pardalis</i> Erichson, 1848	94
<i>partitialis</i> Deelder, 1942	32
<i>partitialis</i> Mader, 1940	32
<i>partitus</i> Crotch, 1876	113
<i>partitus</i> Lac., 1842	32
<i>parvus</i> Kuhnt, 1908	94
<i>patellatus</i> Gorham, 1888	105
<i>patruelis</i> Kuhnt, 1910	61
<i>patruelis</i> Lac., 1842	15
<i>paucipunctatus</i> Kuhnt, 1908	97
<i>pauper</i> Guérin, 1956	84
<i>pauperculus</i> Lac., 1842	41
<i>pavoninus</i> Lac., 1842	45
<i>pebasensis</i> Crotch, 1876	32
<i>pecari</i> Lac., 1842	32
<i>pelliciens</i> Kirsch, 1876	32
<i>pentastictus</i> Harold, 1875	110
<i>peraffinis</i> Crotch, 1876	84
<i>peregrinus</i> Lac., 1842	109
<i>peregrinus</i> Mader, 1942	94
<i>Perithonius</i> Crotch, 1876	114
<i>perizonatus</i> Lac., 1842	11
<i>perlepidus</i> Lac., 1842	61
<i>permutatus</i> Kuhnt, 1908	94
<i>perplexus</i> Mader, 1942	84
<i>perspicillatus</i> Lac., 1842	66
<i>pertinax</i> Lac., 1842	47
<i>peruae</i> Crotch, 1876	32
<i>peruae</i> Mader, 1942	15
<i>peruvianu</i> Kirsch, 1876, (<i>Mycoph.</i>)	41
<i>peruvianus</i> Crotch, 1876, (<i>Erot.</i>)	94
<i>peruvianus</i> Crotch, 1876, (<i>Strong.</i>)	50
<i>peruvianus</i> Gorham, 1883	15
<i>peruvianus</i> Kirsch, 1876, (<i>Ell.</i>)	122

<i>peruvianus</i> Kuhnt, 1908	90
<i>peruvianus</i> Mader, 1942, (<i>Iph.</i>)	84
<i>peruvianus</i> Mader, 1942, (<i>Neopr.</i>)	116
<i>peruvianus</i> Mader, 1942, (<i>Olig.</i>)	109
<i>perversus</i> Gorham, 1889	68
<i>Phricobacis</i> Crotch, 1876	119
<i>picipes</i> Gorham, 1888	48
<i>pictipennis</i> Schenkl., 1919	11
<i>pictopiceus</i> Gorham, 1888	33
<i>picturatus</i> Crotch, 1876	94
<i>picturatus</i> Guérin, 1956	79
<i>pictus</i> Gorham, 1887	15
<i>pictus</i> Schenkl., 1919	50
<i>pictus</i> Dup., 1825	71
<i>pithecius</i> Lac., 1842	61
<i>placitus</i> Kirsch, 1876	75
<i>planior</i> Kirsch, 1876	11
<i>planipennis</i> Kuhnt, 1909	84
<i>planus</i> Gorham, 1888	33
<i>Plastococcus</i> Gorham, 1898	50
<i>poecilosomus</i> Lac., 1842	7
<i>politissimus</i> Crotch, 1876	55
<i>politus</i> Gorham, 1888	55
<i>polyophthalmus</i> Lac., 1842	33
<i>polyscriptus</i> Kuhnt, 1910	113
<i>porcellana</i> Lac., 1842	61
<i>posticenigrum</i> Mader, 1942, (<i>Iph.</i>)	78
<i>posticenigrum</i> Mader, 1942, (<i>Mycotr.</i>)	31
<i>posticus</i> Lac., 1842	31
<i>praenobilis</i> Delk., 1957	19
<i>praestus</i> Dup., 1825	112
<i>Prepopharus</i> Erichson, 1847	111
<i>pretiosus</i> Perty, 1832	94
<i>prioteloides</i> Crotch, 1876	122
<i>prioteloides</i> Mader, 1942	33
<i>Priotelus</i> Hope, 1841	115

<i>procerus</i> Erichson, 1847	76
<i>procerus</i> Kuhnt, 1910	7
<i>propinquus</i> Kuhnt, 1908	95
<i>proximus</i> Guér.-Mén., 1844	66
<i>proximus</i> Lac., 1842	15
<i>Pselaphacus</i> Perch., 1835	5
<i>Psephodacne</i> Heller, 1918	4
<i>Pseudochrysomela</i> Voet, 1778	88
<i>Pseudolybas</i> Gorham, 1888	41
<i>pseudomelanostictus</i> Guérin, 1946	95
<i>psittacus</i> Lac., 1842	33
<i>psylloboroides</i> Crotch, 1876	33
<i>pulchellus</i> Lac., 1842	33
<i>pulcher</i> Crotch, 1876	120
<i>pulcher</i> Gorham, 1888	61
<i>pulcher</i> Mader, 1942	95
<i>pulicarius</i> Lac., 1842, (<i>Apol.</i>)	43
<i>pulicarius</i> Lac., 1842, (<i>Mycotr.</i>)	26
<i>punctata</i> Voet, 1778	56
<i>punctatissimus</i> F. 1775	56
<i>punctatostratus</i> Crotch, 1876	7
<i>puncticeps</i> Kirsch, 1865	33
<i>puncticollis</i> Dup., 1825	30
<i>puncticollis</i> Gorham, 1887	15
<i>puncticollis</i> Mader, 1942	43
<i>puncticollis</i> Kirsch, 1876	84
<i>puncticollis</i> Guér.-Mén., 1841	7
<i>punctiger</i> Lac., 1842	66
<i>pusillus</i> Lac., 1842	33
<i>pusillus</i> Kirsch, 1876	20
<i>pustulatus</i> Dup., 1825	99
<i>pustulatus</i> Herbst, 1799	92
<i>pustuliforus</i> Crotch, 1876	114
<i>pygmaeus</i> Lac., 1842	33
<i>pyrrhocephalus</i> Erichson, 1847	78
<i>quadricruentatus</i> Alv., 1976	95

<i>quadrifasciata</i> Crotch, 1876	110
<i>quadrifasciatus</i> Kirsch, 1865	84
<i>quadriguttata</i> Oliv., 1792	4
<i>quadrimaculatus</i> Dup., 1825	66
<i>quadrimaculatus</i> Gistel, 1848	56
<i>quadrimaculatus</i> Guérin, 1956, (<i>Neopr.</i>)	117
<i>quadrimaculatus</i> Guérin, 1956, (<i>Aeg.</i>)	51
<i>quadrimaculatus</i> Guérin, 1948	95
<i>quadrinotatus</i> Chevr., 1834	56
<i>quadrinus</i> Lac., 1842	29
<i>quadrioculatus</i> Alv., 1983	33
<i>quadriplagiatus</i> Lac., 1842	48
<i>quadripunctatus</i> Crotch, 1876	33
<i>quadripunctatus</i> Oliv., 1792	16
<i>quadrisignatus</i> Dup., 1825	76
<i>quadristictus</i> Guérin, 1956, (<i>Habr.</i>)	63
<i>quadristictus</i> Guérin, 1956, (<i>Iph.</i>)	71
<i>quadristriolatus</i> Kuhnt, 1910	33
<i>quattuordecimguttatus</i> Lac., 1842	33
<i>quinquefasciata</i> Kuhnt, 1908	94
<i>quinquefasciatoides</i> Mader, 1942	81
<i>quinquefasciatus</i> Lac., 1842	84
<i>quinenotatus</i> Lac., 1842	7
<i>quinquepunctatus</i> Kuhnt, 1908	106
<i>quinquepunctatus</i> L., 1767	110
<i>quinquepunctatus</i> Gorham, 1887	16
<i>quinquevingitipunctatus</i> Mader, 1943	71
<i>ramosus</i> Oliv., 1807	84
<i>rastratus</i> Crotch, 1876	34
<i>ratzeburgi</i> Lac., 1842	120
<i>rectesignatus</i> Crotch, 1876	86
<i>rediviva</i> Gorham, 1888	40
<i>reductus</i> Guérin, 1956	65
<i>regularis</i> Erichson, 1848	85
<i>reichei</i> Guér.-Mén., 1841	95
<i>reticulatus</i> Crotch, 1876	34

<i>rhodosomus</i> Lac., 1842	34
<i>rhombifer</i> Casey, 1916	56
<i>rhomboidalis</i> Guérin, 1956	85
<i>Rhynchothonius</i> Crotch, 1876	114
<i>Romodacne</i> Delk., 1937	4
<i>rotundatus</i> Lac., 1842	50
<i>rubens</i> Gistel, 1848	16
<i>ruber</i> Guérin, 1956	75
<i>rubidus</i> Dup., 1825	71
<i>rubidus</i> Gorham, 1888	34
<i>rubricatus</i> Herbst, 1799	7
<i>rubripennis</i> Lac., 1842	78
<i>rubriventris</i> Kuhnt, 1908	56
<i>rudepunctatus</i> Crotch, 1876	95
<i>rufescens</i> Lac., 1842	66
<i>ruficeps</i> Guér.-Mén., 1841	76
<i>rufifrons</i> Lac., 1842	66
<i>rufilabris</i> Lac., 1842	34
<i>rufinus</i> Lac., 1842	43
<i>rufipennis</i> F., 1801	78
<i>rufipennis</i> Chevr., 1834	56
<i>rufipennis</i> Guérin, 1956	44
<i>rufipennis</i> Gorham, 1888	34
<i>rufipes</i> Crotch, 1876	100
<i>rufolimbatus</i> Crotch, 1876	120
<i>rufonotatus</i> Crotch, 1876	69
<i>rugipunctatus</i> Crotch, 1876	109
<i>rugithorax</i> Crotch, 1876	117
<i>rugosus</i> Crotch, 1876	122
<i>rugosus</i> Lac., 1842	50
<i>Saccomorphus</i> Chevr., 1837	73
<i>sachi</i> Mader, 1938	44
<i>salamandra</i> Erichson, 1847	85
<i>sallei</i> Crotch, 1876	34
<i>sandicatus</i> Gorham, 1888	34
<i>sanguinans</i> Guérin, 1948	71

<i>sanguinans</i> Dohrn, 1880	56
<i>sanguinans</i> Kunht, 1908	95
<i>sanguineus</i> Dup., 1825	34
<i>sanguiniceps</i> Kuhnt, 1908	96
<i>sanguinicollis</i> Kuhnt, 1910	108
<i>sanguinolentus</i> Lac., 1842	11
<i>sanguinosus</i> Crotch, 1876	34
<i>sanguinosus</i> Motsch., 1858	44
<i>sannio</i> Lac., 1842	34
<i>satellitius</i> Lac., 1842	56
<i>savignyi</i> Lac., 1842	34
<i>Scaeother</i> Gorham, 1888	39
<i>scalaris</i> Lac., 1842	35
<i>Scaphengis</i> Gorham, 1888	48
<i>scaphidomorphoides</i> Crotch, 1876	95
<i>Scaphidomorphus</i> Hope, 1841	110
<i>scaphinotus</i> Lac., 1842	11
<i>scenicus</i> Erichson, 1847	95
<i>schenklingi</i> Kuhnt, 1908	95
<i>schenklingi</i> Mader, 1942	56
<i>scita</i> Curran, 1944	100
<i>scitulus</i> Lac., 1842	35
<i>scriptus</i> Oliv., 1807	16
<i>scurra</i> Lac., 1842	57
<i>scutellaris</i> Gorham, 1888	71
<i>scutellaris</i> Lac., 1842	118
<i>scutellaris</i> Gorham, 1887	16
<i>scutellata</i> Kuhnt, 1908	100
<i>scutulatus</i> Kuhnt, 1910	66
<i>seabrai</i> Alv., 1971	88
<i>sedecimguttatus</i> Guér.-Mén., 1844	35
<i>sedecimguttatus</i> Oliv., 1792	70
<i>sedecimlinearis</i> Mader, 1942	61
<i>sedecimmaculatus</i> Buquet, 1840	71
<i>sedecimpunctatus</i> Lac., 1842	61
<i>sedecimpustulatus</i> Lac., 1842	71

<i>sedecimstrigatus</i> Mader, 1942	61
<i>semiclathratus</i> Lac., 1842	7
<i>seminiger</i> Delk., 1957	43
<i>seminiger</i> Harold, 1876	35
<i>seminulus</i> Lac., 1842	43
<i>semipunctatus</i> Germ., 1824	11
<i>semitinctus</i> Erichson, 1847	11
<i>separandus</i> Crotch, 1876, (<i>Aeg.</i>)	56
<i>separandus</i> Crotch, 1876, (<i>Mycotr.</i>)	35
<i>septemmaculatus</i> Guérin, 1956	66
<i>septemsignatus</i> Gorham, 1887	16
<i>serenus</i> Delk., 1957	38
<i>seriatus</i> Kuhnt, 1908	105
<i>sericeonitens</i> Crotch, 1876	35
<i>sericeus</i> Delk., 1957	95
<i>serripennis</i> Guér.-Mén., 1841	116
<i>sexlineatus</i> Kuhnt, 1910	35
<i>sexmaculatus</i> Crotch, 1876	117
<i>sexmaculatus</i> Kirsch, 1865	51
<i>sexoculatus</i> Lac., 1842	35
<i>sexpunctatus</i> Dup., 1825	71
<i>sexpunctatus</i> Gorham, 1888	35
<i>sexsigillatus</i> Lac., 1842	61
<i>sheppardi</i> Crotch, 1876	16
<i>sicardi</i> Kuhnt, 1910	48
<i>sicarius</i> Lac., 1842	11
<i>signata</i> Lap., 1840	4
<i>signatellus</i> Crotch, 1876	35
<i>signaticollis</i> Dup., 1825	123
<i>signaticollis</i> Kuhnt, 1910	78
<i>signatipennis</i> Lac., 1842	8
<i>signatus</i> Dup., 1825	61
<i>signatus</i> Guér.-Mén., 1841	7
<i>silaceus</i> Lac., 1842	36
<i>similior</i> Crotch, 1876	16
<i>simplex</i> Guérin, 1956	50

<i>simplex</i> Lac., 1842	78
<i>singularis</i> Lac., 1842	35
<i>singularis</i> Kirsch, 1876	96
<i>sobrinus</i> Guér.-Mén., 1841	36
<i>sola</i> Johnson, 1967	40
<i>sordidus</i> Gorham, 1898	48
<i>spadiceus</i> Gorham, 1888	36
<i>spadiceus</i> Lac., 1842	66
<i>sparsus</i> Lac., 1842	8
<i>spectabilis</i> Deelder, 1942	111
<i>spectabilis</i> Lac., 1842	85
<i>spectrum</i> Thomson, 1856	96
<i>sphacelatus</i> auctorum	105
<i>Sphenoxus</i> Lac., 1842	87
<i>spilotus</i> Gorham, 1888	78
<i>spinifer</i> Thomson, 1857	122
<i>spinolae</i> Guér.-Mén., 1844	117
<i>staudingeri</i> Mader, 1935	96
<i>stellio</i> Erichson, 1847	117
<i>Sternolobus</i> Guér.-Mén., 1841	68
<i>sticticollis</i> Lac., 1842	36
<i>sticticus</i> Erichson, 1847	105
<i>stillatus</i> Gorham, 1888	57
<i>stillatus</i> Kirsch, 1865	105
<i>stillatus</i> Kuhnt, 1910	36
<i>stramineus</i> Gorham, 1888	36
<i>stramineus</i> Lac., 1842	85
<i>striatellus</i> Crotch, 1876	57
<i>striatipennis</i> Gorham, 1888	67
<i>strigicollis</i> Gorham, 1888	57
<i>strigipennis</i> Kuhnt, 1910	26
<i>striolatus</i> Guérin, 1956	72
<i>Strongylosomus</i> Chevr., 1837	48
<i>subcylindricus</i> Lac., 1842	16
<i>subocellatus</i> Crotch, 1876	48
<i>subreticulatus</i> Guér.-Mén., 1841	96

<i>subsanguineus</i> Crotch, 1876	85
<i>subsignatus</i> Lac., 1842	67
<i>substriatus</i> Crotch, 1876	45
<i>succinctus</i> Crotch, 1876	36
<i>sulphurifer</i> Lac., 1842	67
<i>superbus</i> Guérin, 1956	96
<i>superbus</i> Mader, 1942	85
<i>surinamensis</i> L., 1763	52
<i>surinamensis</i> Voet, 1778	107
<i>suturalis</i> Kirsch, 1876	36
<i>suturalis</i> Lac., 1842	73
<i>suturella</i> Lac., 1842	57
<i>tabidus</i> Erichson, 1847	67
<i>taeniatus</i> Mader, 1942	83
<i>taeniatus</i> Latr., 1813	96
<i>Tapinotarsus</i> Kirsch, 1865	118
<i>tarsalis</i> Lac., 1842	18
<i>tarsatus</i> Lac., 1842	18
<i>tectiformis</i> Kuhnt, 1910	105
<i>tenuecinctus</i> Lac., 1842	72
<i>tenuecinctus</i> Kuhnt, 1908	92
<i>teresae</i> Alv., 1976	100
<i>terminalis</i> Erichson, 1847	122
<i>terminalis</i> Kuhnt, 1908	96
<i>terminalis</i> Lac., 1842	32
<i>ternotatus</i> Gorham, 1888	36
<i>terrestris</i> Gistel, 1857	76
<i>tesserarius</i> Lac., 1842	36
<i>testaceipennis</i> Mader, 1942	76
<i>testaceus</i> F., 1775	122
<i>tetragrammus</i> Kuhnt, 1910	16
<i>tetraspilotus</i> Guér.-Mén., 1844	17
<i>tetrastictus</i> Crotch, 1876	67
<i>tetrastictus</i> Gorham, 1887	17
<i>theodori</i> Crotch, 1876	96
<i>Thonius</i> Lac., 1842	45

<i>thoracicus</i> Kirsch, 1876	67
<i>thoracicus</i> Crotch, 1876	112
<i>thoracicus</i> Gistel, 1848	109
<i>thoracicus</i> Kuhnt, 1908	54
<i>thoracicus</i> Kuhnt, 1910 (<i>Mycotr.</i>)	36
<i>thoracicus</i> Kuhnt, 1910 (<i>Mycotr. var.</i>)	27
<i>thoracicus</i> Oliv., 1807	46
<i>tibialis</i> Dup., 1825	78
<i>tibialis</i> Gorham, 1888	36
<i>tigratus</i> Lac., 1842	36
<i>tigrinatus</i> Guérin, 1956	85
<i>tigrinipennis</i> Lac., 1842	117
<i>tigrinoides</i> Mader, 1942	37
<i>tigrinus</i> Gorham, 1887	22
<i>tigrinus</i> Voet, 1778	105
<i>tigrinus</i> Oliv., 1792	37
<i>tigripennis</i> Mader, 1942	37
<i>titschacki</i> Mader, 1942	72
<i>torquatus</i> Lac., 1842	57
<i>tortuosa</i> Lac., 1842	5
<i>toxographus</i> Erichson, 1847	101
<i>toxophora</i> Lac., 1842	101
<i>trabeatus</i> Lac., 1842	37
<i>transversalis</i> Lac., 1842	8
<i>transversofasciatus</i> Crotch, 1876	117
<i>travassosi</i> Alv., 1971	87
<i>triangularis</i> Curran, 1941	43
<i>triangularis</i> Guérin, 1949	105
<i>trichromaticus</i> Alv., 1976	96
<i>tricinctus</i> Dup., 1825	86
<i>tricolor</i> F., 1801	117
<i>tricolor</i> Kuhnt, 1908	96
<i>tricolor</i> Mader, 1942	114
<i>tricolor</i> Kuhnt, 1910	87
<i>tricolor</i> Crotch, 1876	37
<i>trifasciatus</i> Guérin, 1956	37

<i>trifasciatus</i> Oliv., 1807	86
<i>trifasciatus</i> Lac., 1842	8
<i>trilineatus</i> Kuhnt, 1908	57
<i>trimaculatus</i> Kirsch, 1865	122
<i>tripartitus</i> Guérin, 1949	93
<i>tripartitus</i> Kuhnt, 1908	96
<i>tripartitus</i> Lac., 1842	86
<i>triplacoides</i> Crotch, 1876	38
<i>Triplax</i> Herbst, 1793	40
<i>tripunctatus</i> Crotch, 1873	17
<i>tripunctatus</i> Blatch., 1917	13
<i>tripunctatus</i> Guérin, 1946	110
<i>tripunctatus</i> Dup., 1825	119
<i>Tritoma</i> F., 1775	39
<i>Tritomapara</i> Alv., 1970	38
<i>trizonatus</i> Germ., 1924	109
<i>truncatus</i> Lac., 1842	117
<i>truncatus</i> Crotch, 1876	57
<i>tucuruiensis</i> Alv., 1983	37
<i>tumidus</i> Lac., 1842	48
<i>Typocephalus</i> Chevr., 1837	87
<i>ucayalensis</i> Gorham, 1889	86
<i>umbonatus</i> Lac., 1842	122
<i>undatus</i> F., 1801	112
<i>undatus</i> Oliv., 1792	11
<i>undulatus</i> Gorham, 1887	17
<i>unicolor</i> Fauvel, 1860	37
<i>unicolor</i> Guér.-Mén., 1844	46
<i>unicolor</i> Oliv., 1807	50
<i>unicoloripennis</i> Mader, 1942	75
<i>unifasciata</i> Schenkl., 1919	4
<i>unifasciatus</i> Lac., 1842	96
<i>ustulatus</i> Erichson, 1847	97
<i>uva</i> Lac., 1842	57
<i>valdiviana</i> Phil., 1864	40
<i>variabilis</i> Dup., 1825	17

<i>varians</i> Crotch, 1876	97
<i>varians</i> Lac., 1842	72
<i>varicollis</i> Lac., 1842	57
<i>varicollis</i> Crotch, 1876	114
<i>variegatus</i> F., 1781	92
<i>variegatus</i> Kirsch, 1865	48
<i>variolosus</i> Crotch, 1876	106
<i>variomaculatus</i> Kuhnt, 1908	97
<i>varius</i> Gmelin, 1790	92
<i>velatus</i> Lac., 1842	17
<i>venezuelae</i> Crotch, 1876	86
<i>ventralis</i> Lac., 1842	72
<i>venustus</i> Lac., 1842	19
<i>vernicaus</i> Gorham, 1888	41
<i>vernix</i> Casey, 1916	41
<i>vespertilio</i> Lac., 1842	17
<i>vespoides</i> Crotch, 1876	87
<i>vetula</i> Lac., 1842	67
<i>vicinus</i> Guér.-Mén., 1841	106
<i>vigintiguttatus</i> Dup., 1825	72
<i>vigintiguttatus</i> Germ., 1824	72
<i>vigintipunctatus</i> Oliv., 1792	72
<i>vilis</i> Lac., 1842	37
<i>vinculatus</i> Lac., 1842	97
<i>violaceus</i> Sturm, 1826	18
<i>virgatus</i> Kuhnt, 1910	37
<i>viridis</i> Brèthes, 1920	53
<i>vitiosus</i> Crotch, 1876	122
<i>vittatus</i> Crotch, 1876	17
<i>vittatus</i> Gorham, 1888	37
<i>vitticollis</i> Crotch, 1873	8
<i>vittiger</i> Kuhnt, 1908	97
<i>vivida</i> Gorham, 1888	38
<i>vixen</i> Curran, 1944	101
<i>voeti</i> Lac., 1842	97
<i>walkenaeri</i> Lac., 1842	57

<i>wehrlei</i> Boyle, 1954	41
<i>westwoodi</i> Guér.-Mén., 1841	86
<i>xanthomelas</i> Lac., 1842	108
<i>xanthomelas</i> Crotch, 1873	114
<i>xanthomelas</i> Crotch, 1876	37
<i>xanthosomus</i> Lac., 1842	29
<i>zebra</i> F., 1787	110
<i>zebra</i> Kuhnt, 1910	117
<i>zebu</i> Kirsch, 1786	106
<i>ziczac</i> Kuhnt, 1910	38
<i>ziczac</i> Tasch., 1870	97
<i>zigaena</i> Lac., 1842	112
<i>zischkai</i> Delk., 1957	38
<i>zonalis</i> Lac., 1842	11
<i>Zonarius</i> Hope, 1841	107
<i>zonulus</i> Crotch, 1873	61

Recebido em 23.XII.1991; aceito em 04.IV.1994.