

New records of *Culicoides* Latreille (Diptera: Ceratopogonidae) from Peruvian Amazonian region

Maria Luiza Felipe-Bauer^{1,6}, Abraham Cáceres², Cristiane Santos da Silva¹, William Valderrama-Bazan³, Antero Gonzales-Perez⁴ & Janira Martins Costa⁵

¹Laboratório de Diptera, Instituto Oswaldo Cruz-Fiocruz,
Av. Brasil, 4365, CEP 21040-900, Rio de Janeiro, RJ, Brazil

²Divisão de Entomologia, Instituto Nacional de Saúde, Ministério da Saúde e
Instituto de Medicina Tropical “Daniel A. Carrión”,
Universidade Nacional Maior de São Marcos, Lima, Peru

³Serviço Nacional de Saúde Agrária, Ministério de Agricultura, Lima, Peru

⁴Centro de Saúde Bagua Grande, Sub-região de Saúde Bagua, Amazonas, Peru

⁵Departamento de Entomologia, Museu Nacional,
Universidade Federal do Rio de Janeiro – UFRJ,
Rio de Janeiro, RJ, Brazil

⁶Corresponding author: Maria Luiza Felipe-Bauer, e-mail: mlfbauer@ioc.fiocruz.br

FELIPPE-BAUER, M.L., CÁCERES, G., SILVA, C.S., VALDERRAMA-BAZAN, W., GONZALES-PEREZ, A. & COSTA, J.M. 2008. New records of *Culicoides* Latreille (Diptera: Ceratopogonidae) from Peruvian Amazonian Region. Biota Neotrop. 8(2): <http://www.biotaneotropica.org.br/v8n2/en/abstract?article+bn00208022008>.

Abstract: Ten species of *Culicoides* Latreille are reported for the first time from Peruvian Departments of Amazonas, Cajamarca, Loreto, Madre de Dios, Piura and San Martin. The synonymy and distribution of the species in the New World are given.

Keywords: Ceratopogonidae, neotropical bloodsucking midges, *Culicoides*, new records, Peru.

FELIPPE-BAUER, M.L., CÁCERES, G., SILVA, C.S., VALDERRAMA-BAZAN, W., GONZALES-PEREZ, A. & COSTA, J.M. 2008. Novas ocorrências de *Culicoides* Latreille (Diptera: Ceratopogonidae) da Região Amazônica Peruana. Biota Neotrop. 8(2): <http://www.biotaneotropica.org.br/v8n2/pt/abstract?article+bn00208022008>.

Resumo: Dez espécies de *Culicoides* Latreille são reportadas pela primeira vez para os departamentos peruanos de Amazonas, Cajamarca, Loreto, Madre de Dios, Piura e San Martin. A sinonímia e a distribuição das espécies para o novo mundo são fornecidas.

Palavras-chave: Ceratopogonidae, maruins neotropicais, Culicoides, novos registros, Peru.

Introduction

The genus *Culicoides* Latreille presently contains 266 Neotropical species (Borkent & Spinelli 2007). It is poorly known in Peru with 5 species originally described and only 16 more subsequently reported. In the Atlas of wing photographs of Neotropical species of *Culicoides* (Wirth et al. 1988) and in the catalog of the New World biting midges south of the United States of America (Borkent & Spinelli 2000), *C. efferus* Fox and *C. hitchcocki* Spinelli & Wirth are cited as originally described from Peru. Wirth & Blanton (1968) reported two species of the *hylas* species group, *C. hylas* Macfie and *C. palpalis* Macfie, from Peruvian Amazon region. Elliot et al. (1993) and Spinelli et al. (1993) recorded, respectively, *C. venezuelensis* Ortiz & Mirsa and *C. pseudodiabolicus* Fox. Spinelli et al. (1996) reported 10 others species, as follows: *C. belemensis* Wirth & Blanton, *C. carpenteri* Wirth & Blanton, *C. daviesi* Wirth & Blanton, *C. eublepharus* Macfie, *C. fieldi* Wirth & Blanton, *C. gabaldoni* Ortiz, *C. insignis* Lutz, *C. insinuatus* Ortiz & Leon, *C. paucifuscatus* Barbosa and *C. quasiparaensis* Clastrier. Mercer et al. (2003) founded *C. fluvialis* (Lutz) in Department of Loreto, Peru. *C. paraensis* (Goeldi) was previously mentioned by Barbosa (1947) and Wirth & Felippe-Bauer (1989) from Iquitos and San Antonio, Department of Loreto. Its distribution in the New World and the description of more two species from Peru, belonging to *Culicoides paraensis* group, *C. diversus* and *C. peruvianus*, are made by Felippe-Bauer et al. (2003). Recently, Felippe-Bauer et al. (2005) described *Culicoides (Diphaomyia) jurbergi* from Departments of Amazonas, Cajamarca and Madre de Dios from Peruvian Amazon.

The purpose of this work is to provide the first records of 10 species of *Culicoides* from Peruvian Amazon Region.

Material and Methods

During an entomological survey in Peruvian Departments of Amazonas, Cajamarca, Loreto, Madre de Dios, Piura and San Martin, specimens of *Culicoides* are collected by CDC light trap or biting human. The specimens were mounted on microscope slides using the technique described by Wirth & Marston (1968). For identification we used the taxonomic literatures cited for each species. The species listed below are included in subgeneric classification and species group according to Borkent & Spinelli (2007). Specimens were deposited in Ceratopogonidae Collection's of Laboratory of Diptera, Instituto Oswaldo Cruz, Rio de Janeiro, as voucher material.

Results and Discussion

1. New records from Peruvian Amazon region

1. Culicoides (Avaritia) pusillus Lutz, 1913

Culicoides pusillus Lutz, 1913: 52 (male, female; Rio de Janeiro, Brazil; fig. wing); Macfie, 1938: 165 (redescript.; Trinidad and Tobago; fig. male genitalia); Floch & Abonnenc, 1942a: 2 (Guyana records); Barbosa, 1947: 25 (Jamaica, Panama records); Macfie, 1948: 79 (Mexico records); Ortiz & Mirsa, 1951: 603 (redescript.; Venezuela; figs. antenna, eyes, palpus, espermatoceae, male genitalia, thorax); Ortiz & Leon, 1955: 570 (Ecuador records); Wirth, 1955: 110 (Guatemala records); Forattini, 1957: 284 (redescript.; figs.); Forattini et al. 1958: 26 (larval habits; São Paulo, Brazil); Wirth & Blanton, 1959: 292 (redescript.; figs.);

Panama distrib.); Williams, 1964: 463 (larval habitats; Trinidad and Tobago); Tikasingh, 1972: 447 (habits; Trinidad and Tobago); Wirth & Blanton, 1973: 446 (Amazon records, Brazil); Aitken et al. 1975: 138 (Trinidad and Tobago records; wing photo); Winder & Silva, 1972: 653 (larval habits; Brazil); Winder, 1977: 60 (larval habits; Brazil); Wirth et al. 1988: 15 (in Atlas; wing photo; distrib.); Borkent & Wirth, 1997: 80 (in catalog); Ronderos & Spinelli, 1998: 82 (Argentina records); Borkent & Spinelli, 2000: 28 (in catalog); Mellor et al. 2000: 313 (epidemiology); Silva et al. 2001: 353 (records for Rio de Janeiro, Brazil); Soria et al. 2002: 320 (records for Pará, Brazil); Ronderos et al. 2003: 22 (record for the Yacyreta Dan lake area); Spinelli et al. 2005: 138 (in key, Argentina); Borkent & Spinelli, 2007: 63 (in catalog).

Distribution: USA (Florida) to Central and South America to northeastern Argentina.

New records: PERU, Cajamarca, Provincia de San Ignacio, Distrito de La Coipa, Papayal Bajo, 13.II.2002, 1 female, biting human; Loreto, Provincia de Maynas, Distrito de Iquitos, 18/19.II.2001, 17/18.V.2001, 53 females, CDC light trap; Madre de Dios, Provincia de Tombopata, Distrito de Laberinto, Santa Rosa, 7/8.VIII.2002, 1 male, CDC light trap.

2. Culicoides (*Culicoides*) *hondurensis* Spinelli & Borkent, 2004

Culicoides hondurensis Spinelli & Borkent, 2004: 369 (female, male; El Salvador, Honduras; figs.); Borkent & Spinelli, 2007: 64 (in catalog).

Distribution: El Salvador, Honduras, Peru.

New records: PERU, Cajamarca, Provincia San Ignacio: Distrito La Coipa, Papayal Bajo, 13.II.2002, 1 female, biting human; Distrito San Ignacio, Marizagua, IV.2000, 1 female, CDC light trap; Piura, Provincia Huancabamba, Distrito Huancabamba, VI.2000, 1 female, CDC light trap.

3. Culicoides (*Haematomyidium*) *debilipalpis* Lutz, 1913

Culicoides debilipalpis Lutz, 1913: 60 (female; Brazil; fig. wing); Macfie, 1937: 7 (female; redescript.; Trinidad and Tobago); Floch & Abonnenc, 1942a: 3 (Guyana; figs. wing, palpus); Barbosa, 1952: 12 (Argentina, Brazil; fig. palpus); Forattini, 1957: 383 (in part.; redescript.; figs. eyes separation, antenna, palpus, wing, male genitalia; distrib.); Wirth & Blanton, 1959: 442 (redescript.; figs.; Panama); Franca-Rodriguez, 1963: 67 (Uruguay); Messersmith, 1964: 339 (Virginia; breeding site); Smith & Varnell, 1967: 520 (Florida; tree holes); Wirth & Blanton, 1971a: 34 (redescript.; distrib.); Wirth & Blanton, 1971b: 75 (*khalafi* as syn.; notes); Aitken et al. 1975: 119 (Trinidad and Tobago records); Blanton & Wirth, 1979: 78 (redescript.; figs. eyes separation, antenna, palpus, wing, hind leg, spermathecae, male genitalia; distrib.); Vitale et al. 1981: 149 (notes; Panama); Borkent & Wirth, 1997: 72 (in catalog, syn. *lahillei*); Spinelli & Ronderos 1997: 304 (revalidation); Borkent & Spinelli, 2000: 32 (in catalog); Ronderos et al. 2003: 22 (record for the Yacyreta Dan lake area); Spinelli et al. 2005: 141 (in key, Argentina); Trindade & Gorayeb, 2005: 67 (records for Pará, Brazil); Borkent & Spinelli, 2007: 66 (in catalog).

Culicoides ichesi Ronderos & Spinelli, 1995: 77 (female; Argentina, Paraguay, Uruguay; figs. eyes separation, antenna, palpus, legs, spermathecae); Ronderos & Spinelli, 1998: 81 (in key; record for the Yacyreta Dan lake area).

Culicoides khalafi Beck, 1957: 104 (male, female; Florida; fig. male genitalia).

Culicoides lahillei Spinelli & Wirth, 1986: 62 (misident., in part., syn. *debilipalpis*); Wirth et al. 1988: 48 (in Atlas; wing photo; distrib.); Spinelli et al. 1989: 735 (in list; diurnal activity); Spinelli & Ronderos, 1991: 91 (record for the Salto Grande Dan

Culicoides from Peruvian Amazonia

lake area); Spinelli & Martinez, 1991: 171 (in key; Uruguay); Waller et al. 1990: 352 (redescript.; Guyana; wing photo).

Distribution: Widely distributed, from southeastern United States south to 35° S in the province of Buenos Aires, Argentina.

New records: PERU, Amazonas, Provincia de Utcubamba: Distrito de Cajaruro, El Aliso, 6.I.2002, 7 females, biting human; San Antonio, 22.IV.2001, 12.V.2001, 13.V.2001, 13.X.2001, 10.XI.2001, 11.XI.2001, 8.XII.2001, 7.I.2002, 24.II.2002, 15.III.2002, 17.III.2002, A.Gonzales-Perez, 77 females, biting human; Distrito de Jamalca, El Aserradero, 1.V.2001, 5.VI.2001, A.Gonzales-Perez, 6 females, biting human; Distrito Lonya Grande, El Rejo, 13.IV.2001, 4 females, biting human; Cajamarca, Provincia de San Ignacio: Distrito La Coipa, Papayal Bajo, 13.II.2002, 15 females, biting human; Distrito San Ignacio, Marizagua, IV.2000, 2 females, CDC light trap; Loreto, Provincia de Maynas, Distrito de Iquitos, 18/19.II.2001, 5 females, CDC light trap; Madre de Dios, Provincia Tombopata, Distrito Laberinto, Santa Rosa, 7/8.VIII.2002, 3 females, CDC light trap.

4. *Culicoides (Haematomyidium) lahillei* (Iches, 1906)

Ceratopogon lahillei Iches, 1906: 264 (female; Argentina, Chaco; figs., female, antenna, palpus, proboscis); Cavalieri & Chiassone, 1966: 147 (sp. Inquir.); Spinelli & Wirth, 1986: 62 (in key; syn. *debilipalpis*; wing photo erroneous); Wirth et al. 1988: 48 (in Atlas; syn. *debilipalpis*; wing photo erroneous, distrib.); Ronderos & Spinelli, 1995: 80 (female redescript.; figs. eyes separation, antenna, palpus, wing); Borkent & Wirth, 1997: 72 (in catalog; *debilipalpis* as syn.); Spinelli & Ronderos, 1997: 305 (male description); Ronderos & Spinelli, 1998: 81 (in key; Argentina, Paraguay); Borkent & Spinelli, 2000: 32 (in catalog); Soria et al. 2002: 320 (records for Pará, Brazil); Ronderos et al. 2003: 22 (record for the Yacyreta Dan lake area); Spinelli et al. 2005: 5 (in key; Argentina); Borkent & Spinelli, 2007: 67 (in catalog).

Culicoides debilipalpis Costa Lima, 1937: 415 (in key; fig. palpus); Forattini, 1957: 383 (in part, at least specimens from Chaco, Argentina).

Distribution: Argentina (Chaco, Corrientes, Jujuy, Misiones), Peru, southeastern Brazil, Paraguay (Encarnacion, Capitan Meza).

New records: PERU, Amazonas, Provincia de Utcubamba: Distrito de Jamalca, El Aserradero, 21.X.2001, 6 females, biting human.

5. *Culicoides (Hoffmania) foxi* Ortiz, 1950

Culicoides foxi Ortiz, 1950a: 461 (male; Puerto Rico; figs.); Ortiz, 1951b: 4 (male, female; Venezuela; figs.); Fox, 1953: 888 (notes; Puerto Rico); Wirth & Blanton, 1956: 309 (male, female; figs; distrib.); Forattini, 1957: 205 (redescrib.; figs.; Brazil distrib.); Wirth & Blanton, 1959: 283 (redescrib.; figs.; Panama distrib.); Fox & Garcia-Moll, 1961: 120 (notes; Puerto Rico); Williams, 1964: 463 (larval habitats; Trinidad and Tobago); Aitken et al. 1968: 265 (habits; Trinidad and Tobago); Tikasingh, 1972: 447 (habits); Wirth, 1974: 24 (catalog); Wirth & Blanton, 1973: 434 (Amazon records, Brazil); Aitken et al. 1975: 124 (Trinidad and Tobago records; wing photo); Ramirez Perez, 1984: 62 (Venezuela records); Greiner et al. 1984: 389 (Caribbean records); Spinelli & Wirth, 1986: 51 (in key); Greiner & Rawlins, 1987: 153 (Jamaica records); Lien & Lu, 1987: 93 (redescrip.; Bolivia; wing photo); Wirth et al. 1988: 16 (in Atlas; wing photo; distrib.); Greiner et al. 1989: 101 (Trinidad and Tobago records); Waller et al. 1990: 357 (notes; Guyana; wing photo); Spinelli & Ronderos, 1991: 88 (notes; Argentina records); Spinelli et al. 1993: 41 (diagnosis; distrib.; figs.); Borkent

& Wirth, 1997: 68 (in catalog); Borkent & Spinelli, 2000: 34 (in catalog); Silva et al. 2001: 353 (records for Rio de Janeiro, Brazil); Soria et al. 2002: 320 (records for Pará, Brazil; Prov. Leoncio Prado, Peru); Ronderos et al. 2003: 22 (record for the Yacyreta Dan lake area); Laender et al. 2004: 145 (records for Minas Gerais, Brazil); Spinelli et al. 2005: 139 (in key, Argentina); Borkent & Spinelli, 2007: 68 (in catalog).

Culicoides diabolicus Hoffman, 1925, of author, misident., in partim; Floch & Abonnenc, 1942a: 2 (notes; Guyana; figs.).

Culicoides guttatus (Coquillett, 1904), of author, misident., in partim; Fox, 1948: 23 (female; Venezuela); Fox, 1949: 31 (male, female; Puerto Rico); Fox & Kohler, 1950: 342 (biology; Puerto Rico).

Distribution: Mexico to Central and South America to Bolivia and Argentina; West Indies.

New records: PERU, Amazonas, Provincia de Utcubamba: Distrito de Cumba, Pitiana, 30/31.I.2001, A.G. Cáceres, 1 female, CDC light trap; Distrito de Lonya Grande, San Isidro, 14.IV.2001, 1 male (CDC light trap), 2 females (biting human); Loreto, Provincia de Maynas, Distrito de Iquitos, 16.VI.2000, 2 females, biting human; Madre de Dios, Provincia de Tombopata, Distrito de Laberinto, Santa Rosa, 7/8.VIII.2002, 2,891 females, CDC light trap; San Martin, Provincia de San Martin, Distrito de Juan Guerra, El Porvenir, 24.II.2001, 2 females, CDC light trap.

6. *Culicoides (Hoffmania) ocumarensis* Ortiz, 1950b

Culicoides ocumarensis Ortiz, 1950b: 455 (male, female; Venezuela; figs.); Ortiz & Leon, 1955: 571 (notes; Ecuador; figs.); Wirth, 1974: 25 (in catalog); Lien & Lu, 1987: 93 (notes; Bolivia; wing photo); Wirth et al. 1988: 18 (in Atlas; wing photo; distrib.); Spinelli et al. 1993: 63 (diagnosis; distrib.; figs.); Borkent & Wirth, 1997: 77 (in catalog); Borkent & Spinelli, 2000: 34 (in catalog); Borkent & Spinelli, 2007: 69 (in catalog).

Culicoides diabolicus Hoffman, of authors, misident., in partim; Macfie, 1932: 488 (notes; Colombia record; habits); Wirth & Blanton, 1956: 316 (syn. *ocumarensis*); Wirth & Blanton, 1959: 280 (syn *ocumarensis*).

Culicoides lutzi Costa Lima, of authors, misident., in partim; Forattini, 1957: 238 (syn. *ocumarensis*).

Culicoides insignis Lutz, of authors, misident., in partim; Floch & Abonnenc, 1942b: 2 (male; Guyana; figs.); Barbosa, 1944: 259 (male, female; Pernambuco, Brazil; figs.).

Culicoides recifei Barbosa, 1947: 25 (Pernambuco, Brazil; n. sp. for *insignis* Lutz of Barbosa, 1944); Barbosa, 1952: 20 (validation).

Culicoides filariferus Hoffman, of authors, misident., in partim; Aitken et al. 1975: 121 (syn. *ocumarensis*; Trinidad and Tobago records; wing photo).

Distribution: Widely distributed, from Florida to 35° S in Argentina.

New records: PERU, Madre de Dios, Provincia de Tombopata, Distrito de Laberinto, Santa Rosa, 7/8.VIII.2002, 17 females, CDC light trap; San Martin, Provincia de San Martin, Distrito de Juan Guerra, El Porvenir, 24.II.2001, 13 females, CDC light trap (12 females), biting sheep (1 female).

7. *Culicoides (Hoffmania) paraignacioi* Spinelli, 1993

Culicoides paraignacioi Spinelli, in Spinelli, Greiner & Wirth, 1993: 66 (male, female; Belize, Costa Rica, Guyana, Colombia, Brazil; figs.); Borkent & Wirth, 1997: 78 (in catalog); Borkent & Spinelli, 2000: 34 (in catalog); Borkent & Spinelli, 2007: 69 (in catalog).

Felippe-Bauer, M. L. et al.

Distribution: Belize, Costa Rica, Guyana, Colombia, Brazil, Peru.

New records: PERU, Madre de Dios, Provincia de Tombopata, Distrito de Laberinto, Santa Rosa, 7/8.VIII.2002, 1 female, CDC light trap.

8. *Culicoides (Hoffmania) plaumanni* Spinelli, 1993

Culicoides plaumanni Spinelli, in Spinelli, Greiner & Wirth, 1993: 69 (female; Argentina, Bolivia, Brazil; figs.); Borkent & Wirth, 1997: 79 (in catalog); Borkent & Spinelli, 2000: 34 (in catalog); Spinelli et al. 2005: 139 (in key; Argentina); Borkent & Spinelli, 2007: 69 (in catalog).

Distribution: Brazil, Peru, Bolivia, Argentina.

New records: PERU, Loreto, Provincia de Maynas, Distrito de Iquitos, 14.VI.2001, 2 females, biting human; Madre de Dios, Provincia de Tombopata, Distrito de Laberinto, Santa Rosa, 7/8.VIII.2002, 139 females, CDC light trap.

9. *Culicoides (Mataemyia) bricenoi* Ortiz, 1951

Culicoides bricenoi Ortiz, 1951a: 445 (male; Venezuela; figs. male genitalia, wing); Ortiz, 1951b: 10 (in key); Fox, 1955: 223, 230 (in catalog); Ortiz & Leon, 1955: 567, 570 (in key; female; Ecuador); Forattini, 1957: 348 (redescript.; figs. male genitalia, wing); Wirth & Blanton, 1973: 428 (Amazon records, Brazil; figs. antenna, eye separation, legs, palpus, spermathecae, tibial comb, wing); Wirth et al. 1988: 36 (in Atlas; wing photo; distrib.); Borkent & Wirth, 1997: 63 (in catalog); Borkent & Spinelli, 2000: 35 (in catalog); Borkent & Spinelli, 2007: 70 (in catalog).

Distribution: Venezuela, Ecuador, Brazil, Peru, Bolivia.

New records: PERU, Madre de Dios, Provincia de Tombopata, Distrito de Laberinto, Santa Rosa, 7/8.VIII.2002, 1 female, CDC light trap.

10. *Culicoides leopoldoi* Ortiz, 1951c, from *fluvialis* species group

Culicoides leopoldoi Ortiz, 1951c: 579 (female; Venezuela; figs. antenna, palpus, thorax, wing); Ortiz & Mirsa, 1951: 596 (male; Venezuela; figs. palpus, wing, genitalia); Ortiz & Mirsa, 1952: 127 (redescript.; Venezuela, Panama records; figs. antenna, espermateca, palpus, wing); Forattini, 1957: 409 (redescript.; records for Pernambuco and Rio de Janeiro, Brazil; figs.); Wirth & Blanton, 1959: 418 (redescript.; Panama distrib; figs.); Breeland, 1960: 165 (larval habitats; Panama); Williams, 1964: 463 (larval habitats; Trinidad and Tobago); Aitken et al. 1968: 265 (habits); Wirth & Blanton, 1973: 441 (Amazon records, Brazil); Aitken et al. 1975: 131 (Trinidad and Tobago records; wing photo); Wirth et al. 1988: 45 (in Atlas; wing photo; distrib.); Borkent & Wirth, 1997: 73 (in catalog); Ronderos & Spinelli, 1998: 80 (in key; Argentina, Paraguay); Borkent & Spinelli, 2000: 39 (in catalog); Silva et al. 2001: 353 (records for Rio de Janeiro, Brazil); Ronderos et al. 2003: 22 (record for the Yacyreta Dan lake area); Laender et al. 2004: 376 (records for Minas Gerais, Brazil); Spinelli et al. 2005: 140 (in key; Argentina); Borkent & Spinelli, 2007: 72 (in catalog).

Distribution: Guatemala, Belize, Trinidad and Tobago to Bolivia and northeastern Argentina.

New records: PERU, San Martin, Provincia de San Martin, Distrito de Juan Guerra, El Porvenir, 24.II.2001, 1 male, CDC light trap.

References

- AITKEN, T.H.G., WORTH, C.B. & TIKASINGH, E.S. 1968. Arbovirus studies in Bush forest, Trinidad, W.I., September 1959-December 1964. III. Entomologic studies. Am. J. Trop. Med. Hyg. 17(2):253-268.
- AITKEN, T.H.G., WIRTH, W.W., WILLIAMS, R.W., DAVIES, J.B. & TIKASINGH, E.S. 1975. A review of the bloodsucking midges of Trinidad and Tobago, West Indies (Diptera: Ceratopogonidae). J. Entomol. (B) 44(2):101-144.
- BARBOSA, F.A.S. 1944. "Culicoides insignis" Lutz, com a descrição do hipopigio (Diptera, Chironomidae). Rev. Bras. Biol. 4(2):259-261.
- BARBOSA, F.A.S. 1947. *Culicoides* (Diptera: Heleidae) da região neotropical. An. Soc. Biol. Pernambuco 7(1):3-30.
- BARBOSA, F.A.S. 1952. Novos subsídios para o conhecimento dos *Culicoides* neotrópicos (Diptera: Heleidae). Thesis, Univ. Recife, Recife. 21p.
- BECK, E. 1957. Two new species of *Culicoides* from Florida (Diptera: Heleidae). Florida Entomol. 40(3):103-105.
- BLANTON, F.S. & WIRTH, W.W. 1979. The sand flies (*Culicoides*) of Florida (Diptera: Ceratopogonidae). In Arthropods of Florida and Neighboring Land Areas Fla. Dept. of Agr. & Consumer Ser. Div. Plant Ind., Gainesville 10:1-204.
- BORKENT, A. & SPINELLI, G.R. 2000. Catalog of the new world biting midges south of the United States of America (Diptera: Ceratopogonidae). Contrib. Entomol. Int. 4(1):1-107.
- BORKENT, A. & SPINELLI, G.R. 2007. Neotropical Ceratopogonidae (Diptera: Insecta). In Aquatic biodiversity in Latin America (J. Adis, J.R. Arias, G. Rueda-Delgado & K.M. Wantzen, eds). Pensoft, Sofia-Moscow. v. 4, 198p.
- BORKENT, A. & WIRTH, W.W. 1997. World species of biting midges (Diptera: Ceratopogonidae). Bull. Am. Mus. Nat. Hist. 233:1-257.
- BREELAND, S.G. 1960. Observations on the breeding habitats of some *Culicoides* and other Heleidae in the Panama Canal Zone (Diptera: Mosquito News 20(2):161-167.
- CAVALIERI, F. & CHISSIONE, I. 1966. Sobre el conocimiento actual de genero hematofago *Culicoides* Latreille, 1809, en la Argentina (Diptera: Ceratopogonidae). Physis 26(71):145-153.
- COQUILLETT, D.W. 1904. A new *Ceratopogon* from Brazil. J. New York Entomol. Soc. 12:35-36.
- COSTA-LIMA, A. 1937. Chave das especies de *Culicoides* da região neotropical (Diptera: Ceratopogonidae). Mem. Inst. Oswaldo Cruz 32(3):411-422.
- ELLIOT, A., CÁCERES, I., AGUILAR, N., PAREJA, E. & ROMERO, G. 1993. *Culicoides venezuelensis* en el Peru. Rev. Per. Med. Trop UNMSM. 7:100-111
- FELIPPE-BAUER, M.L., CÁCERES, A.G., SILVA, C.S., VALDERRAMA-BAZAN, W. & GONZÁLES-PEREZ, A. 2003. Two new *Culicoides* of the *paraensis* group (Diptera: Ceratopogonidae) from the Amazon Region of Peru. Mem. Inst. Oswaldo Cruz 98(8):1051-1058.
- FELIPPE-BAUER, M.L., CÁCERES, A.G., SILVA, C.S., VALDERRAMA-BAZAN, W. & GONZÁLES-PEREZ, A. 2005. A new *Culicoides* (Diptera: Ceratopogonidae) of the subgenus *Diphaomyia* from Peru. Mem. Inst. Oswaldo Cruz 100(1):51-53.
- FLOCH, H. & ABONNENC, E. 1942a. Ceratopogonides hematophages de la Guyane Francaise. Publ. Inst. Pasteur de la Guyane et du Territ. de l'Inini 37:1-10.
- FLOCH, H. & ABONNENC, E. 1942b. Ceratopogonides hematophages de la Guyane Francaise. II. Publ. Inst. Pasteur de la Guyane et du Territ. de l'Inini 49:1-5.
- FORATTINI, O.P. 1957. *Culicoides* da Região Neotropical (Diptera: Ceratopogonidae). Arq. Fac. Hig. Saude Publica Univ. São Paulo 11(2):159-526.
- FORATTINI, O.P., RABELLO, E.X. & PATTOLI, D. 1958. *Culicoides* da região neotropical (Díptera: Ceratopogonidae). II. Observações sobre biologia em condições naturais. Arq. Fac. Hig. Saude Publica Univ. São Paulo 12(1):1-51.
- FOX, I. 1948. *Hoffmania*, a new subgenus in *Culicoides* (Diptera: Ceratopogonidae). Proc. Biol. Soc. Wash. 61:21-28.
- FOX, I. 1949. Notes on Puerto Rican biting midges or *Culicoides* (Diptera: Ceratopogonidae). Bull. Brooklyn Entomol. Soc. 44:29-34.

Culicoides from Peruvian Amazonia

- FOX, I. 1953. Light trap studies on *Culicoides* in Puerto Rico. J. Econ. Entomol. 45:888-889.
- FOX, I. 1955. A catalog of the bloodsucking midges of the Americas (*Culicoides*, *Leptoconops*, and *Lasiohelea*) with keys to the subgenera and nearctic species, a geographic index, and bibliography. J. Agric. Univ. Puerto Rico 39:214-285.
- FOX, I. & GARCIA-MOLL, I. 1961. The Culicoides of the international airport, Isla Verde, Puerto Rico, as shown by light traps. Mosquito News 21(2):120-132.
- FOX, I. & KOHLER, C.E. 1950. Distribution and relative abundance of the species of biting midges or Culicoides in eastern Puerto Rico, as shown by light traps. Puerto Rico. J. Publ. Hlth. Trop. Med. 25:342- 349.
- FRANCA-RODRIGUEZ, M.E. 1963. Primeros estudios sobre los Culicoides del Uruguay (Diptera: Ceratopogonidae). Rev. Urug. Patol. Clin. 1:65-70.
- GREINER, E.C., ALEXANDER, F.C.M., ROACH, J., MOE, V., BORDE, G., TAYLOR, W.P., DICKISON, J. & GIBBS, E.P.J. 1989. Bluetongue epidemiology in the Caribbean region: serological and entomological findings from a pilot sentinel system in Trinidad and Tobago. Med. Vet. Entomol. 3(2):101-105.
- GREINER, E.C., GARRIS, G.I., ROLLO, R.T., KNAUSENBERGER, W.L., JONES, J.E. & GIBBS, E.P.J. 1984. Preliminary studies on the Culicoides spp. as potential vectors of bluetongue in the Caribbean region. Prev. Vet. Med. 2(1/4):389-399.
- GREINER, E.C. & RAWLINS, C. 1987. Culicoides spp. collected near ruminants in Jamaica and their relevance to bluetongue. J. Agric. Entomol. 4:153-156.
- HOFFMAN, W.A. 1925. A review of the species of Culicoides of North and Central America and the West Indies. Am. J. Hyg. 5:274-301.
- ICHES, L. 1906. Sobre cinco dipteros nuevos del Chaco austral. Bol. Minist. Agr. Rep. Argent. 6:262-273.
- LAENDER, J.O., RIBEIRO, E.S., GOUVEIA, A.M.G., LOBATO, Z.I.P. & FELIPPE-BAUER, M.L. 2004. Levantamento das espécies de Culicoides Latreille, 1809 (Diptera: Ceratopogonidae) encontradas nas mesorregiões Norte de Minas, Jequitinhonha e Vale do Mucuri, Minas Gerais, Brasil. Entomol. Vect. 11(1):145-157.
- LIEN, JIH-CHING. & LU, LIANG-CHEN. 1987. A small collection of biting midges of the genus Culicoides from Bolivia (Diptera: Ceratopogonidae). J. Taiwan Mus. 40:91-100.
- LUTZ, A. 1913. Contribuição para o estudo das ceratopogoninas hematófagas do Brasil. Mem. Inst. Oswaldo Cruz 5 (1):45-72.
- MACFIE, J.W.S. 1932. Some new or little-known Ceratopogonidae. Ann. Mag. Nat. Hist. Ser. 10(9):485-499.
- MACFIE, J.W.S. 1937. Ceratopogonidae from Trinidad. Ann. Mag. Nat. Hist. 10(20):1-18.
- MACFIE, J.W.S. 1938. Notes on Ceratopogonidae (Diptera). Proc. Royal Entomol. Soc. London. (B) 7: 157-166.
- MACFIE, J.W.S. 1948. Some species of Culicoides (Diptera: Ceratopogonidae) from the States of Chiapas, Mexico. Ann. Trop. Med. Parasitol. 48:67-87.
- MELLOR, P.S., BOORMAN, J. & BAYLIS, M. 2000. Culicoides biting midges: Their role as arbovirus vectors. Ann. Rev. Entomol. 45:307-340.
- MERCER, D.R., SPINELLI, G.R., WATTS, D.M. & TESH, R.B. 2003. Biting rates and developmental substrates for biting midges (Diptera: Ceratopogonidae) in Iquitos, Peru. J. Med. Entomol. 40(6):807-812.
- MESSERSMITH, D.H. 1964. The breeding site of Culicoides debilipalpis Lutz (Diptera: Ceratopogonidae) in Virginia. Mosquito News 24(3):339.
- ORTIZ, I. 1950a. Informes sobre una nueva especie y lista de los machos cuyas genitalias son conocidas. Rev. Sanid. Asist. Soc. 15:461-465.
- ORTIZ, I. 1950b. Estudios en Culicoides. IV. Revision de las especies americanas del subgénero Hoffmania (Fox 1948, con la descripción de dos nuevas especies. Rev. Sanid. Asist. Soc. 15:437-460.
- ORTIZ, I. 1951a. Estudios en Culicoides (Diptera:Ceratopogonidae). VI. Culicoides bricenoi n. sp. . Bol. Lab. Clin. Luis Razetti 16:442-448.
- ORTIZ, I. 1951b. Estudios sobre Culicoides (Diptera:Ceratopogonidae). VII. Culicoides dominicci n. sp. y Clave para el reconocimiento de las especies venezolanas. Contr. Ocasionales Mus. Hist. La Salle 5:1-12.
- ORTIZ, I. 1951c. Estudios en Culicoides (Diptera: Ceratopogonidae). Sobre los caracteres diferenciales entre Culicoides paraensis (Goeldi 1905), C. stellifer (Coquillett 1901), y C. lanei (Ortiz 1950). Descripción de cuatro nuevas especies con la redescrición de algunas otras poco conocidas. Rev. Sanid. Asist. Soc. 16:573-591.
- ORTIZ, I. & LEON, L.A. 1955. Los Culicoides (Diptera: Ceratopogonidae) de la república del Ecuador. Bol. Inf. Cient. Nac. 67:564-590.
- ORTIZ, I. & MIRSA, M. 1951. Estudios en Culicoides. Descripción de dos nuevas especies: Culicoides avilaensis y C. discrepans, y del macho de C. leopoldoi Ortiz, 1951. Redescripción de C. limai Barretto, 1944, C. baueri Hoffman, 1925, C. lichyi Floch and Abonnenc, 1949, y C. pusillus Lutz, 1913. Rev. Sanid. Asist. Soc. 16:593-605.
- ORTIZ, I. & MIRSA, M. 1952. Sobre las especies americanas del género "Culicoides" Latr. (Diptera: Ceratopogonidae) con una espermateca. Acta Cient. Venez. 3 (4):125-128.
- RAMIREZ PEREZ, J. 1984. Revision de los dipteros hematofagos del género Culicoides en Venezuela. Bol. Dir. Malariol. Sanid. Amb. 24:49-70.
- RONDEROS, M.M. & SPINELLI, G.R. 1995. Redescripción de Culicoides lahillei y descripción de Culicoides ichesi, n. sp. de la Argentina, Paraguay y Uruguay (Diptera: Ceratopogonidae). Neotropica 41(105-106):77-81.
- RONDEROS, M.M. & SPINELLI, G.R. 1998. Las especies de Culicoides en el área de influencia de la represa de Yacyreta (Diptera: Ceratopogonidae). Rev. Soc. Entomol. Argent. 57(1-4):79-83.
- RONDEROS, M.M., GRECO, N.M. & SPINELLI, G.R. 2003. Diversity of biting midges of the genus Culicoides Latreille (Diptera: Ceratopogonidae) in the Area of the Yacyretá Dam Lake between Argentina and Paraguay. Mem. Inst. Oswaldo Cruz 98(1):19-24.
- SILVA, C.S., FELIPPE-BAUER, M.L., ALMEIDA, E.H.G. & FIGUEIREDO, L.R. 2001. *Culicoides* (Diptera: Ceratopogonidae) do estado do Rio de Janeiro, Brasil. I. Região Norte: Município de Campos do Goytacazes. Entomol. Vect. 8(3):349-358.
- SMITH, W.W. & VARNELL JR., J.H. 1967. Hydrogen ion concentration (pH) as related to the occurrence and abundance of tree-holes dwelling *Culicoides* spp. (Diptera: Ceratopogonidae) in northern Florida. Mosquito News 27(4):519-521.
- SORIA, S. J., FELIPPE-BAUER, M.L. & OLIVEIRA, S.J. 2002. Lista das espécies de Ceratopogonidae (Diptera: Ceratopogonidae) do agro-ecossistema cacauero, depositadas na Coleção Entomológica do Instituto Oswaldo Cruz, Rio de Janeiro, Brasil. Entomol. Vect. 9(3):317-327.
- SPINELLI, G.R. & BORKENT, A. 2004. New species of Central American *Culicoides* Latreille (Diptera: Ceratopogonidae) with a synopsis of species from Costa Rica. Proc. Entomol. Soc. Wash. 106(2):361-395.
- SPINELLI, G.R., FERNÁNDEZ, R., CARBAJAL, F., WATTS, D.M. & WOOSTER, M.T. 1996. Nuevos registros de especies de *Culicoides* para el Perú (Diptera: Ceratopogonidae). Bol. Speit. 5(1):13-14.
- SPINELLI, G.R., GREINER, E.C. & WIRTH, W.W. 1993. The neotropical bloodsucking midges of the *Culicoides guttatus* group of the subgenus *Hoffmania* (Diptera: Ceratopogonidae). Contr. Am. Entomol. Inst. 27(3):1-91.
- SPINELLI, G.R. & MARTINEZ, M.E. 1991. The genus *Culicoides* in Uruguay (Diptera: Ceratopogonidae). Insecta Mundi 5(3-4):175-179.
- SPINELLI, G.R. & RONDEROS, M.M. 1991. Los polvorines del género *Culicoides* en área de influencia de la represa de Salto Grande (Diptera: Ceratopogonidae). Neotropica 37(98):83-94.
- SPINELLI, G.R. & RONDEROS, M.M. 1997. Description of the male of *Culicoides lahillei* and revalidation of *Culicoides debilipalpis* (Diptera: Ceratopogonidae). Trans. Am. Entomol. Soc. 123(4):303-309.
- SPINELLI, G.R., RONDEROS, M.M. & BALSEIRO, E.G. 1989. Análisis de la actividad diaria de dípteros nematoceros en Punta Lara (Pdo.).

Felippe-Bauer, M. L. et al.

- de Enseada, Prov. de Buenos Aires). II. Ceratopogonidae, con la descripción de una especie nueva del género *Atrichopogon*. Limnobiós 2(10):733-737.
- SPINELLI, G.R., RONDEROS, M.M., DÍAZ, F. & MARINO, P.I. 2005. The bloodsucking biting midges of Argentina (Diptera: Ceratopogonidae). Mem. Inst. Oswaldo Cruz 100(2):137-150.
- SPINELLI, G.R. & WIRTH, W.W. 1986. Clave para la identificación de las especies del género *Culicoides* Latreille presentes al sur de la cuenca amazónica. Nuevas citas y notas sinonímicas (Diptera: Ceratopogonidae). Rev. Soc. Entomol. Argent. 44(1):49-73.
- TIKASINGH, E.S. 1972. Seasonal and diurnal activities of four species of Trinidadian *Culicoides* (Diptera: Ceratopogonidae). Mosquito News 32(3): 447-452.
- TRINDADE, R.L. & GORAYEB, I.S. 2005. Maruins (Ceratopogonidae: Diptera) do estuário do rio Pará e do litoral do estado do Pará, Brasil. Entomol. Vect. 12(1):61-74.
- VITALE, G.C., WIRTH, W.W. & AITKEN, T.H.G. 1981. New species and records of *Culicoides* reared from arboreal habitats in Panama, with a synopsis of the *debilipalpis* group (Diptera: Ceratopotonidae). Proc. Entomol. Soc. Wash. 83(1):140-159.
- WALLER, J., LANCELOT, R., LEFEVRE, P.C. & KREMER, M. 1990. Note faunistique sur les *Culicoides* de Guyane (Diptera: Ceratopogonidae). Rev. Elev. Med. Vet. Pays Trop. 43(3):349-364.
- WILLIAMS, R.W. 1964. Observations on habitats of *Culicoides* larvae in Trinidad, W.I. (Diptera: Ceratopogonidae). Ann. Entomol. Soc. Am. 57:462-466.
- WINDER, J.A. 1977. Field observations on Ceratopogonidae and other Diptera: Nematocera associated with cocoa flowers in Brazil. Bull. Entomol. Res. 67:57-63.
- WINDER, J.A. & SILVA, P. 1972. Cacao pollination: Microdiptera of cacao plantations and some of their breeding places. Bull. Entomol. Res. 61:651-655.
- WIRTH, W.W. 1955. Report on a collection of biting midges of the genus *Culicoides* from Guatemala (Diptera: Heleidae). Proc. Entomol. Soc. Wash. 57(3):109-117.
- WIRTH, W.W. 1974. A catalogue of Diptera of the Americas south of the United States. Ceratopogonidae. Mus. Zool. Univ. São Paulo 14:1-89.
- WIRTH, W.W. & BLANTON, F.S. 1956. Studies in Panama *Culicoides* VIII. The Neotropical species of the *guttatus* group of the subgenus *Hoffmannia* (Diptera: Heleidae). Proc. Entomol. Soc. Wash. 58(6):305-326.
- WIRTH, W.W. & BLANTON, F.S. 1959. Biting midges of the genus *Culicoides* from Panama (Diptera: Heleidae). Proc. U.S. Nat. Mus. 109(3415):237-482.
- WIRTH, W.W. & BLANTON, F.S. 1968. A Revision of the Neotropical biting midges of the *hylas* group of *Culicoides* (Diptera: Ceratopogonidae). Fla. Entomol. 51(4):201-215.
- WIRTH, W.W. & BLANTON, F.S. 1971a. New neotropical sandflies of the *Culicoides debilipalpis* group (Diptera: Ceratopogonidae). Proc. Entomol. Soc. Wash. 73(1):34-43.
- WIRTH, W.W. & BLANTON, F.S. 1971b. New species and synonymy of Florida *Culicoides* (Diptera: Ceratopogonidae). Fla. Entomol. 54(1):73-78.
- WIRTH, W.W. & BLANTON, F.S. 1973. A review of the maruins or biting midges of the genus *Culicoides* (Diptera: Ceratopogonidae) in the Amazon Basin. Amazoniana 4(4):405-470.
- WIRTH, W.W. & FELIPPE-BAUER, M.L. 1989. The neotropical biting midges related to *Culicoides paraensis* (Diptera: Ceratopogonidae). Mem. Inst. Oswaldo Cruz 84(Supl. 4):551-565.
- WIRTH, W.W. & MARSTON, N. 1968. A method for mounting small insects on microscope slides in Canada Balsam. Ann. Entomol. Soc. Am. 61(3):783-784.
- WIRTH, W.W., DYCE, A.L. & SPINELLI, G.R. 1988. An Atlas of wing photographs, with a summary of the numerical characters of the neotropical species of *Culicoides* (Diptera: Ceratopogonidae). Contr. Am. Entomol. Inst. 25(1):1-72.

Data Received 18/10/2007

Revised 14/02/2008

Accepted 01/04/2008