Image



Diagnosis and Treatment of Rare Complication after Endomyocardial Biopsy

Viviane Tiemi Hotta, Daniella Diniz do Nascimento Rangel, Glaucia Maria Penha Tavares, Sandrigo Mangini, Pedro A. Lemos

Instituto do Coração (InCor) – Faculdade de Medicina da Universidade de São Paulo, São Paulo, SP – Brazil

Endomyocardial biopsy (EBM) is the gold standard method for the diagnosis of rejection after cardiac transplantation. Complications associated with the procedure are rare but can occur in about 8% of the cases. We describe a case of an uncommon complication probably associated with multiple EBMs in a transplanted patient. A 54-year-old male patient underwent orthotopic cardiac transplantation due to idiopathic dilated cardiomyopathy. Over the next ten months, the patient was submitted to eight EMBs and required pulse therapy on two occasions. In the routine outpatient evaluation, continuous systo diastolic murmur was observed in the left lower parasternal border and significant worsening of renal function. A transthoracic echocardiogram was performed, showing high velocity, right-sided apical flow on the color flow mapping and a significant dilation of the anterior descending coronary artery (ADA). The ADA presented significant dilatation with signs of communication with the right ventricle in the apical region, suggesting the diagnosis of coronary fistula (Figure 1A and B). Coronary angiography revealed aneurysmal ADA

Keywords

Heart Transplantation; Graft Rejection; Biopsy; Arterial Fistula/surgery; Echocardiography

Mailing Address: Viviane Tiemi Hotta •

Unidade Clínica de Miocardiopatias do InCor/FMUSP. Av. Doutor Enéas Carvalho de Aguiar, 44. Postal Code 05403-000, São Paulo, SP - Brazil E-mail: viviane.hotta@gmail.com, viviane.hotta@grupofleury.com.br Manuscript received January 24, 2017, revised manuscript February 08, 2017, accepted February 08, 2017

DOI: 10.5935/abc.20170120

and vascular remodeling due to hyperflow, confirming the diagnosis of coronary-cavitary fistula (Figure 1C). The patient was submitted to percutaneous closure of the coronary fistula with Coil Vortex-18 device and presented good clinical evolution and improvement of renal function. It is important to consider the risks associated with EBM. Echocardiography is a valuable method for the evaluation of patients with suspected complications after the procedure. This case describes a rare complication after EBM and the diagnosis of which was possible by echocardiographic evaluation.

Author contributions

Conception and design of the research and Writing of the manuscript: Hotta VT, Rangel DDN; Acquisition of data and Analysis and interpretation of the data: Hotta VT, Rangel DDN, Tavares GMP; Critical revision of the manuscript for intellectual content: Hotta VT; Clinical follow-up of the patient: Mangini S; Percutaneous closure of the fistula: Lemos PA.

Potential Conflict of Interest

No potential conflict of interest relevant to this article was reported.

Sources of Funding

There were no external funding sources for this study.

Study Association

This study is not associated with any thesis or dissertation work.




Figure 1 – Images obtained from two-dimensional echocardiogram from the apical four-chamber zoom (A) and color Doppler study (B) demonstrating coronary-cavitary fistula (arrow) from ADA to RV. Right anterior oblique projection on coronary angiography showing evidence of coronary-cavitary fistula (arrow) (C). RV: right ventricle; LV: left ventricle; ADA: anterior descending artery.