


# Heart-shaped intracranial aneurysm

## Aneurisma intracraniano em forma de coração

Zheng Feng<sup>1</sup>, Guibo Lin<sup>2</sup>, Ke Meng<sup>3</sup>, Weidong Yu<sup>3</sup>, Chao Fu<sup>3</sup>

A 45-year-old woman presented with severe headache for three hours. Non-contrast brain CT revealed subarachnoid hemorrhage, mostly in the prepontine cistern (Figure A). A catheter-based angiogram showed a heart-shaped aneurysm arising from the junction of the basilar artery and the left superior cerebellar artery (Figures B and C), which was then coiled uneventfully (Figure D).

Cerebral aneurysm with a heart-shaped configuration is interesting and extremely rare, which is usually associated with vessel-wall degeneration under hemodynamic stress<sup>1</sup>. Surgical clipping is challenging because of the complex anatomic environment and fragile aneurysmal wall; while an endovascular procedure, as a straightforward option, seems to be feasible and effective<sup>2,3</sup>.



**Figure.** (A) Non-contrast head CT shows subarachnoid hemorrhage in the prepontine cistern. (B-C) Catheter-based angiogram shows a heart-shaped saccular aneurysm (arrows) originating from the bifurcation of the basilar artery and the left superior cerebellar artery. (D) Postoperative angiogram shows the aneurysm (arrow) coiled successfully.

## References

- Vajkoczy P, Hartmann M. An unusual saccular aneurysm. *N Engl J Med*. 2002 Feb;346(7):497. <https://doi.org/10.1056/NEJMicm010008>
- Fu C, Zhao C, Zhao H, Li D, Yu W. Growing dissecting aneurysm of basilar trunk treated with stent-assisted coiling. *J Stroke Cerebrovasc Dis*. 2015 Jan;24(1):e5-9. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2014.07.033>
- Gong D, Yan B, Dowling R, Mitchell P. Successful treatment of growing basilar artery dissecting aneurysm by Pipeline flow diversion embolization device. *J Stroke Cerebrovasc Dis*. 2014 Jul;23(6):1713-6. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2013.11.019>

<sup>1</sup>China-Japan Union Hospital of Jilin University, Department of Pediatrics, Changchun, China;

<sup>2</sup>China-Japan Union Hospital of Jilin University, Department of Rehabilitation, Changchun, China;

<sup>3</sup>China-Japan Union Hospital of Jilin University, Department of Neurosurgery, Changchun, China.

Chao Fu  <https://orcid.org/0000-0003-1022-4350>

**Correspondence:** Chao Fu; Department of Neurosurgery, China-Japan Union Hospital of Jilin University, No. 126 Xiantai Street, Changchun 130033, Jilin Province, China; E-mail: fc616@126.com

**Conflict of interest:** There is no conflict of interest to declare.

Received 28 August 2018; Accepted 01 October 2018.

