

Preparation and Antibacterial Activity of Silver Nanoparticles Impregnated in Bacterial Cellulose

Luiz C. S. Maria, Ana L. C. Santos, Philippe C. Oliveira, Aline S. S. Valle
Departamento de Química Orgânica, UERJ

Hernane S. Barud, Younés Messaddeq, Sidney J. L. Ribeiro
Instituto de Química, UNESP

Abstract: A simple method was developed to load a large amount of silver nanoparticles into bacterial cellulose (BC) produced by *Gluconacetobacter xylinus* in a controlled manner. Due to the high electron-rich oxygen density in the BC macromolecules and the large surface area of the BC nanoporous structure as an effective nanoreactor, the *in situ* direct metallization technique was successfully used to synthesize Ag nanoparticles with an average diameter of 30 nm and a loading content of at least 5 wt. (%), approximately. This novel procedure provides an easy and economical way to manufacture Ag nanoparticles supported on a porous membrane for various biomedical applications. These composite fibers showed nearly 100% antibacterial activity (elimination of microorganisms) against *Escherichia coli* because of the presence of the silver nanoparticles.

Keywords: Silver, Ag nanoparticles, bacterial cellulose, antibacterial.

Introduction

Cellulose, a linear β -1,4-linked glucose polymer, is the most abundant natural biopolymer on earth. It is synthesized by plants and also some species of bacteria. Cellulose produced by *Gluconacetobacter xylinus* is markedly different from cellulose obtained from trees and cotton, which is free of lignin and hemicellulose. These fibers themselves are composed of a bundle of much finer microfibrils of nanometric size^[1,2]. Bacterial cellulose is an interesting material for using as a wound dressing since it provides a moist environment, resulting in better healing. However, bacterial cellulose itself has no antimicrobial activity to prevent infection^[3].

Metal nanoparticles have different properties from those of bulk metal because of their small sizes and thus these materials can be employed in various photoelectronic, catalytic, magnetic, sensor and biomedical applications^[4,5]. In particular, Ag is known to inactivate microbes by interacting with their enzymes, proteins or DNA to restrain cell proliferation or cell division. It also binds to the negatively-charged bacterial cells to change the functionality of the cell membrane, thereby preventing bacterial regeneration^[6].

Silver powders having ultrafine and uniformly distributed sizes are widely used in the chemical and electronics industries and in medicine due to their singular properties, such as high electrical and thermal conductivity, high resistance to oxidation and bactericidal action (colloidal silver). Silver is a durable (persistent) biocide with high temperature stability and very low volatility compared to other usual biocide agents, such as iodine^[7,8].

Polymer nanocomposites containing metal nanoparticles can be prepared by different methods: mechanical mixing of a polymer with metal nanoparticles; *in situ* polymerization of a monomer in the presence of metal nanoparticles; or *in situ* reduction of metal salts or complexes in a polymer^[8,9]. These polymer nanocomposites have attracted a great deal of attention due to their unique properties and applications^[10,11]. The literature describes many methods to prepare ultrafine silver powders^[12-15] including the formation of Ag nanoparticles attached to bacterial cellulose^[2,3].

In this work, we developed an easy method to produce composites with homogeneous size distribution of silver nanoparticles. This structure provides a robust, highly-porous and self-sustaining structure with large surface area, which is essential to facilitate incorporation of the silver ions in the metallization process to give a high silver loading content. Furthermore, the *in situ* direct metallization method was adopted to obtain a high loading content and strong bonding force of silver nanoparticles on the BC surface, thereby avoiding the Ag⁺ contamination problem. The combination of the antibacterial efficacy of the silver nanoparticles and the biodegradability of the BC fibers in the composite fibers can make them practical for use as antimicrobial membranes in medical applications.

Experimental

Materials

The bacterial cellulose (BC) membranes were supplied by Fibrocel - Produtos Biotecnológicos Ltda. (Ibiporã, Brazil). Polyvinylpyrrolidone (PVP, MW = 29,000), gelatin,

nitric acid, silver nitrate, hydrazine, hydroxylamine, ascorbic acid, NaCl and NaOH, all of P.A. degree, were commercially purchased and used as received. Aqueous solutions and bacterial suspensions were prepared using distilled deionized sterile water. Agar, tryptone and yeast extract of Bacto™, used for the microbiological culture media, were purchased from Himedia. The auxotrophic *E. coli* OH5d(k12) strain was taken from our laboratory stock.

Ion anchorage and Ag⁺ reduction

The bacterial cellulose membranes were previously treated with an aqueous solution of AgNO₃ 0.06 mol.L⁻¹ at room temperature during 24 hours. Then the membranes were thoroughly washed with distilled and deionized water until no more silver ions could be detected in the washing water by the chloride test. The Ag⁺ containing BC membranes (BC/Ag⁺) were then treated with different reducing agents in aqueous solutions containing 0.2% wt/v of PVP or gelatin. An aqueous solution (0.06 mol.L⁻¹) of NH₂NH₂, NH₂OH or ascorbic acid (C₆H₈O₆) containing 0.2% wt/v of PVP or gelatin was slowly added to the BC/Ag⁺ immersed in PVP or gelatin aqueous solution at pH 13-14. This addition was conducted in an ice bath (temperature around 5 °C) for 15 minutes and the mixture was kept for a further 1 hours at room temperature. The BC/Ag⁺ became dark gray (BC/Ag⁰) after the reduction process. The resulting membranes were dried in air at 100 °C.

Characterization of composites

X ray diffraction patterns (XRD) were obtained in a Siemens Kristalloflex diffractometer using nickel filtered CuKα radiation from 4 to 70° (2θ angle). Thermogravimetry (TG) was conducted using dried samples in SDT 2960 device from TA Instruments. Samples were heated in open alumina pans from 40 to 600 °C, under an oxidant atmosphere (O₂), using flux of 50 mL/min, at a heating rate of 10 °C/min. The silver content of the BC/Ag composites was estimated from the residue at 600 °C. Scanning electron microscope images were obtained with an FEG-SEM JSM 6330F at the LNLS (Brazilian Synchrotron Light Laboratory). Samples were coated with a 3-nm-thick carbon layer. We utilized IMAGE J “free software” for determination of the average of silver particle size, using a means of the fifty particles as 60.000 times of magnification.

Bactericidal evaluation

The antimicrobial activity of bacterial cellulose impregnated with silver nanoparticles was investigated against *E. coli*.

The following solution and media were prepared to study the antimicrobial activity: a) NaCl aqueous solution (2.7 g NaCl dissolved in 300 mL of distilled water), sterilized by autoclaving at 120 °C for 20 minutes; b) culture medium (LB) containing 1.0 g NaCl, 1.0 g tryptone, 0.5 g yeast extract of Bacto™ and 100 mL distilled water, sterilized by autoclaving

at 120 °C for 20 minutes; and c) solid Luria-Bertani (LB) medium, used to prepare Petri dishes containing 3 g NaCl, 3 g tryptone, 1.5 g yeast extract of Bacto™, 4.5 g Agar and 300 mL distilled water. The solid Luria-Bertani (LB) medium was sterilized by autoclaving at 120 °C for 20 minutes.

An aliquot (100 µL) of the bacterial suspension prepared previously was transferred to a test tube with 9.9 mL of lysogenic broth medium (LB) and homogenized. This tube contained a concentration of 10⁷ cells.mL⁻¹. This bacterial suspension was diluted in a saline solution to obtain a suspension containing about 10⁵ cells.mL⁻¹. Aliquots of 1000 µL of the suspension containing about 10⁵ cells.mL⁻¹ were transferred to sterile test tubes containing the samples. The test tubes were incubated in a stirring incubator at 37 °C and stirred at 120 rpm for 24 hours. After incubation, the content of the tubes was transferred to four Erlenmeyer flasks filled with 50 mL of sterile NaCl aqueous solution at 0.9%. An aliquot (100 µL) of the content of each Erlenmeyer flask was transferred to a microtube filled with 900 µL of sterile NaCl aqueous solution. The microtubes were then vortexed. This dilution sequence was repeated four times to obtain four dilutions. Aliquots (100 µL) of these dilutions were then spread on a nutrient agar plate and incubated at 37 °C for 24 hours, after which the colony-forming units (CFU) were counted and the average was taken of the three plates corresponding to a particular sample. The antibacterial activity of the silver nanoparticles impregnated in bacterial cellulose was determined at different concentrations (10³, 10⁴, 10⁵, 10⁶ and 10⁷ cells.mL⁻¹). The experiments were carried out in triplicate. Statistical analysis was performed using Student's *t*-test and the percentage reduction in bacterial count was calculated by the Equation 1:

$$\frac{[(\text{viable CFU at 0 hour} - \text{viable CFU at 24 hours}) / \text{viable CFU at 0 hour}] \times 100\%}{(1)}$$

Results and Discussion

As shown in Figure 1, bacterial cellulose (BC) is an oxygen-rich natural carbohydrate (polysaccharide) consisting of the anhydroglucose units joined by an oxygen bond to form a linear molecular chain^[16,17]. Electrostatic interactions (i.e., ion-dipole) are expected to take place between the Ag ions and the electron-rich oxygen atoms of the BC matrix resulting from the hydroxyl and ether. Figure 1 shows a schematic representation of the procedure for preparing the BC nanofibrillar hydrogel coated with Ag nanoparticles. The negatively-charged BC nanofibril attracts the Ag ions via electrostatic interactions and the Ag ions are thus kept stably and uniformly distributed on the BC nanofibril surface. When the BC nanofibrils with Ag ions are immersed in the reducing agent solution in the presence of a protective colloid (PVP or gelatin), the Ag ions are reduced to Ag⁰ particles, which are stabilized at the ion selective sites of the BC surface without becoming coagulated^[18].




Figure 1. Representation of the production of the Ag nanoparticles on BC nanofibrillar structure through the *in situ* metallization method.

Table 1. Silver content and average particle sizes of the BC/Ag composites.

| Composite | Description of the samples | Ag % ^a | Average of silver particle size (nm) ^b |
|-----------|---|-------------------|---|
| C0A | BC/Ag ⁰ obtained with C ₆ H ₈ O ₆ without colloid protector | 25.0 | 85 |
| C0Z | BC/Ag ⁰ obtained with NH ₂ NH ₂ without colloid protector | 22.4 | 125 |
| C0X | BC/Ag ⁰ obtained with NH ₂ OH without colloid protector | 11.3 | 130 |
| CGA | BC/Ag ⁰ obtained with C ₆ H ₈ O ₆ and gelatin | 19.6 | 58 |
| CGZ | BC/Ag ⁰ obtained with NH ₂ NH ₂ and gelatin | 4.9 | 52 |
| CGX | BC/Ag ⁰ obtained with NH ₂ OH and gelatin | 7.8 | 30 |
| CPA | BC/Ag ⁰ obtained with C ₆ H ₈ O ₆ and PVP | 6.0 | 38 |
| CPZ | BC/Ag ⁰ obtained with NH ₂ NH ₂ and PVP | 4.9 | 77 |
| CPX | BC/Ag ⁰ obtained with NH ₂ OH and PVP | 8.0 | 82 |

^aEstimated from the residue from thermogravimetry at 600 °C; and ^bDetermined by microscopic analysis; PVP = polyvinylpyrrolidone.

Table 1 shows the average particle size values measured by microscopic analysis and the silver content estimated from the residue obtained from thermogravimetry analysis at 600 °C. In general, we observed that the silver particles obtained in the presence of a protective colloid (mostly gelatin) were smaller than those obtained without it (namely, C0A, C0Z and C0X). This indicates that these compounds affect the growth of silver particles. Indeed, the use of the protective colloid in nanoparticle synthesis is necessary to stabilize the particles and keep them from agglomerating. As can be seen in Table 1, smaller silver particles were obtained when gelatin was employed compared to those prepared with PVP. Probably the better gelatin protection action was due to its chemical structure, which contains many –COOH e –NH₂ groups. The free electron pairs of these O and N atoms could coordinate with the empty *sp* orbital of Ag⁺. This complex formed between Ag⁺ and gelatin could promote particle nucleation^[19,20].

The interaction among the protective colloid (PVP or gelatin), Ag⁺ (coordination) and metallic surface (sorption phenomenon) may produce a protective colloidal layer, preventing the particles from agglomerating. It is also

possible that the amount of PVP was not enough to produce an effective protective effect.

Characteristic grey-colored homogenous membranes were obtained in all BC-Ag composites. X ray diffraction for all BC-Ag composites (not shown here) confirmed silver particle formation on to BC microfibril. All sample XRD patterns displayed broad diffraction peaks at 15° and 22.5°, which are assigned to the characteristic interplane distances of cellulose 1_α and 1_β phases (100_{1α}, 110_{1β} and 010_{1β} planes at 15° and 110_{1α} and 200_{1β} at 22.5°)^[2,18].

A typical Ag cubic phase was clearly identified in all the samples from the diffraction peaks at 38.1°, 44.3°, 64.4° [crystallographic planes (111) and (200), (220), respectively], clearly indicating the face centered cubic (FCC) structure of the silver^[21].

We conducted SEM-FEG measurements to study the morphology of BC-Ag composites. Figure 2 shows SEM images of the pure bacterial cellulose membrane (Figure 2a). One representative BC-Ag composite prepared with ascorbic acid used as reducing agent without protective agent (Figure 2b), other composite produced by the reduction with hydroxylamine using gelatin as colloid protector

(Figures 2c, d) and other BC-Ag composite produced with ascorbic acid using gelatin as colloid protector (Figures 2e, f) are analyzed.

SEM images of the surface of the dried BC membrane (Figure 2a) show a reticulated structure formed by aggregates of extended semicrystalline cellulose chains in an ultrafine




Figure 2. SEM micrographs of the pure bacterial cellulose (BC) membrane (a), representative BC-Ag composite prepared with ascorbic acid used as reducing agent without protective agent (b); SEM images of BC-Ag composite produced by the reduction with hydroxylamine using gelatin as colloid protector (c, d); and SEM images of BC-Ag composite produced by the reduction with ascorbic acid using gelatin as colloid protector (e and f).

network structure consisting of long nanofibers about 10 nm thick and 50 nm wide. Figure 2b is a representative SEM image of the bacterial cellulose membranes obtained from the Ag^+ reduction with ascorbic acid without colloid protector (COA). This image reveals non-homogeneous silver nanoparticles attached on to the BC microfibril.

The redox potentials of the three reducing agents employed are more negative than those of silver ions^[22], suggesting easy reduction to Ag^0 , which was indeed observed under the experimental conditions used.

Figures 2c, d show the SEM micrographs of typical silver composite produced on BC membrane using hydroxylamine as the reducing agent and gelatin as colloid protector; and Figures 2e, f show the SEM micrographs of typical silver composite produced on BC membrane using ascorbic acid as the reducing agent and gelatin as colloid protector. A general view of the synthesized composite membranes shows silver nanoparticles attached on BC microfibrils. The metallic silver and BC regions were analyzed by backscattered electron detection. Since the contrast in this kind of image formation is obtained by differences in the atomic number of the elements in the sample, it was possible to distinguish the silver distribution on the microfibrils. The SEM-FEG micrograph (Figure 2f) shows that the primary particle size of silver in the colloid is around 40 nm. As a rule, these particles were clustered with a size up to 30 nm as isolated round particles. On the other hand, others composites had silver particles as agglomerates larger than 100 nm. These images indicate that the combination of gelatin and ascorbic acid is able to control the growth and morphology of silver nanoparticles.

In this metallization method, the hydroxyl and ether groups combined with the colloid protector not only anchor the silver ions to the BC nanofibrils via ion-dipole interactions, they also stabilize the Ag metal nanoparticles at the selective sites of the BC surface without becoming coagulated^[5,17,23].

Figure 2 show that the Ag particles on the BC composite surface have two different features. It is possible to see spherical nanoparticles (Figures 2c, d) randomly dispersed on the BC surface of composites prepared by reduction with hydroxylamine in the presence of gelatin. Actually, few clusters of Ag particles were observed on preferential regions of their surfaces. These micrographs shows clearly that gelatin has an important role in keeping the silver particles from coalescing in the CGX composite compared to the composites prepared without it (Figure 2b). On the other hand, dissimilar profiles of silver particles were observed on the BC composites prepared with PVP as colloid protector with the other reducing agents (namely hydrazine and hydroxylamine). In this case, the silver particles agglomerated in clusters larger than 70 nm (Table 1) with no defined morphology.

To evaluate the bactericidal activity purely due to the silver included in the composites, we neutralized the crude BC and the composites with Na_2CO_3 aqueous solution (2% wt) for 24 hours, followed by a thorough washing of the cellulose with

Table 2. *E. coli* content in the initial suspensions and decrease in CFU % after contact with BC/Ag composites.

| Initial concentration (cells.mL ⁻¹) | Decreasing (CFU %) ^a | | |
|---|---------------------------------|-----|-----|
| | C0X | CPX | CGX |
| 0* | - | - | - |
| 10 ³ | 17 | 24 | 100 |
| 10 ⁴ | 10 | 20 | 100 |
| 10 ⁵ | 8 | 15 | 100 |
| 10 ⁶ | 0 | 0 | 100 |

^aResults are expressed in percentage of residual bacterial concentration. Standard deviation = CFU 5%. *E. coli* cultures of OH5d(k12) (wild type) in the mid exponential phase of growth were prepared in Luria-Bertani (LB) medium at 37 °C during 24 hours; C0X = composite prepared without colloid protector and reduced with hydroxylamine, CPX = composite prepared with PVP as colloid protector and reduced with hydroxylamine, CGX = composite prepared with gelatin as colloid protector and reduced with hydroxylamine; *sterile NaCl aqueous solution at 0.9% wt. (%).

deionized water until neutrality. We also evaluated the Ag^+ release by the chloride test. All materials were immersed in a sterile NaCl aqueous solution during 24 hours in a magnetic stirrer aiming to evaluate the possible contamination. Then 100 μL of each of these cell suspensions was seeded onto LB agar using a surface spread plate technique and no bacterial colony (CFU) was observed (see first line of Table 2).

The bacterial activity of the BC/Ag⁰ (C0X, CPX and CGX) composites was available against suspensions containing known concentrations of *E. coli*. The results are summarized in Table 2. The CGX composite demonstrated strong antibacterial activity, since the CFU reduction percentage was 100% for suspensions containing up to 10⁷ cells.mL⁻¹. On the other hand, the C0X and CPX composites did not exhibit significant activity, even though these materials have higher silver content than the CGX composite. In fact, even the C0X and CPX composites, which have higher silver content (11.3 and 8.0%, respectively) than the CGX composite (7.8%), showed lower bactericidal activity (from 8 to 17% for the C0X, from 15 to 24% for the CPX and no activity for 10⁶ and 10⁷ cells.mL⁻¹) compared to the CGX composite. This discrepancy can be explained by the great difference of the particle size in the BC-Ag composites. BC-Ag (CGX) is the composite that has the smallest particle size (30 nm), and it had better bactericidal effect. The results strongly suggest that the bactericidal properties of BC-Ag composites depend on the silver particle size.

Conclusions

The distribution of the silver particles and their sizes in the composites depend on the combination of the type of reducing and colloid protector agents used during their synthesis. It seems that the Ag^+ in the form of ionic conglomerate present on the BC membrane or coordinated silver complexes with colloid protector favors the growth of submicron-sized

silver particles, and silver colloids are beneficial for the nucleation of silver nanoparticles by reduction with ascorbic acid, hydrazine and hydroxylamine. The colloid protector, particularly gelatin, has an important role in keeping the silver particles from coalescing and controlling the size of the particles anchored on the BC membrane. The strong bactericidal activity of the Ag composites based on bacterial cellulose is attributed to the action of silver nanoparticles obtained when a combination of hydroxylamine as reducing agent and gelatin as protective colloid was employed.

Acknowledgments

We acknowledge the financial support of the Rio de Janeiro State Research Support Foundation - FAPERJ (Process APQ1 E-26/171.289/2006), São Paulo State Research Support Foundation - FAPESP, Office to Improve University Research - CAPES and National Scientific and Technological Research Council - CNPq (Process 473687/2008-9). We also thank the Electron Microscopy Laboratory/National Synchrotron Light Laboratory (LME/LNLS) for technical support during the electron microscopy work and the company Fibrocel - *Produtos Biotecnológicos Ltda.* for supplying the bacterial cellulose membranes

References

- Klemm, D.; Heublein, B.; Fink, H. P. & Bohn, A. - *Angew. Chem. Int.*, **44**, p.3358 (2005).
- Barud, H. S.; Ribeiro, C. A.; Crespi, M. S.; Martines, M. A. U.; Dexpert-Ghys, J.; Marques, R. F. C.; Messaddeq, Y. & Ribeiro, S. J. L. - *J. Therm. Anal. Calorim.*, **87**, p.815 (2007).
- Maneerung, T.; Tokura, S. & Rujiravanit, R. - *Carbohydr. Polim.*, **72**, p.43 (2008).
- Dai, J. & Bruening, M. L. - *Nano Lett.*, **2**, p.497 (2002).
- Nguyen, D. L.; Youngkwan, L. & Jae-Do, N. - *Eur. Polym. J.*, **44**, p.3116 (2008).
- Hong, K. H. - *Polym. Eng. Sci.*, **47**, p.43 (2007).
- Santa Maria, L. C.; Aguiar, M. R. M. P.; Costa, M. A. S.; Valle, A. S. S.; Soares, J. G. M.; Souza, J. D. C. & Wang, S. H. - *Mater. Lett.*, **61**, p.2993 (2007).
- Santa Maria, L. C.; Souza, J. D. C.; Aguiar, M. R. M. P.; Wang, S. H.; Mazzei, J. L.; Felzenszwalb, I. & Amico, S. C. - *J. Appl. Polym. Sci.*, **107**, p.1879 (2008).
- Barud, H. S.; Barrios, C.; Regiani, T.; Marques, R. F. C.; Verelst, M.; Dexpert-Ghys, J.; Messaddeq, Y. & Ribeiro, S. J. L. - *Mater. Sci. Eng. C*, **28**, p.515 (2008).
- Shiraishi, Y. & Toshima, N. - *Col. Surf. A*, **169**, p.59 (2000).
- Schierholz, J. M.; Lucas, L. J.; Rump, A. & Pulverer, G. - *J. Hosp. Infect.*, **40**, p.257 (1998).
- Shanmugam, S.; Viswanathan, B. & Varadarajan, T. K. - *Mater. Chem. Phys.*, **95**, p.51 (2006).
- Nersisyan, H. H.; Lee, J. H.; Son, H. T.; Won, C. W. & Maeng, D. Y. - *Mater. Res. Bul.*, **38**, p.949 (2003).
- Zhang, Z.; Zhang, L.; Wang, S.; Chen, W. & Lei Y. - *Polymer*, **42**, p.8315 (2001).
- Chou, K. S. & Ren, C. Y. - *Mater. Chem. Phys.*, **64**, p.241 (2000).
- Edgar, K. J.; Buchanan, C. M.; Debenham, J. S.; Rundquist, P. A.; Seiler B. D.; Shelton, M. C. & Tindall, D. - *Prog. Polym. Sci.*, **26**, p.1605 (2001).
- He, J.; Kunitake, T. & Nakao, A. - *Chem. Mater.*, **15**, p.4401 (2003).
- Santa Maria, L. C.; Santos, A. L. C.; Oliveira, P. C.; Barud, H. S.; Messaddeq, Y. & Ribeiro, S. J. L. - *Mater. Lett.*, **63**, p.797 (2009).
- Yiwei, A.; Yunxia, Y.; Shuanglong, Y.; Lihua, D. & Guorong, C. - *Mater. Chem. Phys.*, **104**, p.158 (2007).
- Rujitanaroj, P.; Pimpha, N. & Supaphol, P. - *Polymer*, **49**, p.4723 (2008).
- Jiang, G. H.; Wang, L.; Chen, T.; Yu, H. J. & Wang, J. J. - *J. Mater. Sci.*, p.1681 (2005).
- Lurie, J. - *“Handbook of Analytical Chemistry”*, Mir Publishers, Moscow (1975).
- He, J.; Ichinose, I.; Kunitake, T. & Nakao, A. - *Langmuir*, **18**, p.10005 (2002).

Enviado: 07/09/09

Reenviado: 02/12/09

Aceito: 14/12/09

DOI: 10.1590/S0104-14282010005000001